WATE!	R WELI	RECORD	Form WWC	:-5	Division of Wate	r Resources; App. No.	20060199	
1 LOC	CATION C	F WATER WELL:	Fraction		Section Number	Township Number	1 10	
	ity: Edw		SW 1/4 SE 1/4 I		34	T 26 S	R19W E/W	
		rection from nearest town or ci		Systems (decimal deg				
6S	located within city? 6S, 1/2E, 5S of Kinsley, KS							
		LOWNER: David Whit			Longitude: Elevation:			
	, St. Addre	$_{ m ss,Box\#}$ : RR 1, Box			Datum:			
City,	, State, ZIF	Code : Greensburg	g, KS 67054		Data Collection Method:			
3 LOC	ATE WE	LL'S 4 DEPTH OF COMI	PLETED WELL	89	ft.			
LOC	LOCATION							
	WITH AN "X" IN Depth(s) Groundwater Encountered (1)45							
SEC	SECTION BOX: WELL'S STATIC WATER LEVEL45ft. below land surface measured on mo/day/yr. 05/.24/06							
	Pump test data: Well water wasft. after							
	WELL WATER TO BE LICED AC. 5 Public mater annula. Q Air conditioning. 11 Injection well							
w NV	1 Demostic 2 Feedlet (Oil field enter country) 0 Demostration 12 Other (Specify below)							
" <del>   </del>	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well							
SW	SW == SE ==							
	Was a chemical/bacteriological sample submitted to Department? Yes; If yes, mo/day/yrs							
Sample was submitted								
S								
		ING USED: 5 Wrought	Iron 8 Con	crete tile	CASING	G JOINTS: Glued		
	Steel	3 RMP (SR) 6 Asbestos-	-Cement 9 Other	er (specify	below)	Welded		
Blank ca	esing diam	4 ABS 7 Fiberglass eter 5 in. to	ft Diameter		in to ft	Diameter	in to ft	
Casing h	neight abov	e land surface1.2	in Weight2.	. 8	.lbs./ft. Wall thi	ckness or guage No.	Sch40	
		OR PERFORATION MATE		• • • • • • • • • • • • • • • • • • • •				
1 Steel 3 Stainless Steel 5 Fiberglass <u>7 PVC</u> 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
From								
From ft. to ft., From ft. to ft.								
6 CDO	TIT MATI	SDIAL 1 Need consent 2	Company 2 D	4	4.045			
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other.  Grout Intervals: From Q ft. to 24 ft., From ft. to ft., From ft. to ft.								
		source of possible contaminat			11. 10	., 110111	11. 10	
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify								
	Sewer line		8 Sewage lagoon	11 Fuel s		andoned water well	below)	
		sewer lines 6 Seepage pit	9 Feedyard	12 Fertili	zer Storage 15.0i	l well/gas well		
		1? South			y feet? 100			
FROM	TO	LITHOLOGIC	LOG	FROM	TO TO	PLUGGING INT	ERVALS	
0	12	top soil			1 (1-	i+o 11-21		
4 12	12 21	clay fine sand			Wn	ite A1-34		
21	25	fine sand clay		+	C+	onling Duillin	Company	
25	89	sand and gravel				erling Drilling O. Box 1006	Company	
	0,5	Julia alia grafer				att. KS 67124		
						WOOD NO VIILT		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year) 05/24/06 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 186 This Water Well Record was completed on (mo/day/year) 06/05/06 under the business name of Kelly's Water Well Service, Inc. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top								
	es to Kansas	Department of Health and Environmen	nt, Bureau of Water, Geol	ogy Section	, 1000 SW Jackson St., S	Suite 420, Topeka, Kansas	66612-1367. Telephone	
785-296-5	522. Send	one to WATER WELL OWN						
шф://wwv	v.kune.state.k	s.us/geo/waterwells.						