WATEI	R WELI	L RECORD	Form WW	C- 5	Division of Water	Resources App. No	0. 23,103	
		F WATER WELL:	Fraction		Section Number	Township No.	Range Number	
	ty: Edwa		1/4 NE 1/4 SW 1/4		1	T 26 S	R 19 □E ☑W	
	Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here							
						Longitude: (in decimal degrees)		
1/4 North, 4 West of Centerview					Elevation:			
2 WATER WELLOWNER.					Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Herman Kastner RR#, Street Address, Box #: 2806 Lakewood Dr					Collection Method: GPS unit (Make/Model:)			
RR#, Street Address, Box #: 2806 Lakewood Dr City, State, ZIP Code : Manhattan, KS 66502				Digital Map/Photo, Topographic Map, Land Survey				
٠,٠٠٠,		Wannau	lan, NS 00002		Est. Accuracy: \square <	3 m, ☐ 3-5 m, ☐	5-15 m, >15 m	
	TE WEL		CONTRACTOR STATEMENT AND STATEMENT OF	160	r.			
	I AN "X" I 'ION BOX	YIN 4 DEPTH OF COMPLETED WELL 160 ft. Y: Depth(s) Groundwater Encountered (1) ft (2) ft (3) ft						
SECI	N	X: Depth(s) Groundwater Encountered (1)						
ГТ		Pump test data: Well water was 68ft. after 3 hours pumping 923 gpm						
NW	EST. YIELD. 1171gpm. Well water was .75							
w	tt., andtt.							
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
SW	SWSE Domestic Feedfor Domestic-lawn & garden Monitoring well							
	Was a chemical/bacteriological sample submitted to Department? Yes No							
	S If yes, mo/day/yr sample was submitted							
1 mile Water well disinfected? ✓ Yes □ No								
5 TYPE OF CASING USED: Steel V PVC Other								
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded								
Casing diameter .16. in. to .160 ft., Diameter								
Casing height above land surface. 18. in., Weight Sch 40. lbs./ft., Wall thickness or gauge No.								
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Stainless Steel Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot								
SCREEN-PERFORATED INTERVALS: From 160 ft. to 70 ft., From ft. to ft.								
From ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From160 ft. to20 ft., From ft. to ft.								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedward Fertilizer storage Oil well/gas well None								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well None Direction from well ☐ Distance								
FROM	ТО	LITHOLOG		FROM		······································	JGGING INTERVALS	
0		Clay				3		
14		Sand & gravel						
52		Sandy clay						
57		Sand & gravel				161		
76	ļ	Shale & limestone Sand & gravel					COCATO CO	
80 94		Clay						
34	100	Olay					1,21	
		W.						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) 4-7-14								
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 5-23-14 under the business name of Rosencrantz-Bemis Ent Inc. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Sen d one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: X White Copy, Blue Copy, Pink Copy								

23,163