WATER	R WEL	L RECORD	Form WV	VC-5	Div	ision of Wate	r Resources App. N		
1 LOCATION OF WATER WELL:			Fraction	1/ <b>SW</b> 1/	Sectio	n Number 15	Township No. T 26 S	Range Number R 2	
County: Sedgwick							g System (GPS) in		
from nearest town or intersection: If at owner's address, check here						Latitude: (in decimal degrees)			
112 S. Crocker						Longitude: (in decimal degrees)			
Colwich, KS 67030						Elevation:			
2 WATER WELL OWNER: Vision Homes						Collection Method:			
RR#, Street Address, Box #: P.O. Box 224						GPS unit (Make/Model:			
City, State, ZIP Code : Colwich, KS 67030						☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL									
A DEPTH OF COMPLETED WELL 60 ft.									
SECT	SECTION BOX:  N  Depth(s) Groundwater Encountered (1).30 ft. (2)								
Pump test data: Well water was									
	EST. YIELD. 18gpm. Well water was								
W Bore Hole Diameter 10 in. to .60 ft., andin. to									
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
şw	Domestic   Feedlot   Oil field water supply   Dewatering   Other (Specify below)   Irrigation   Industrial   Domestic-lawn & garden   Monitoring well   Water Supply   Dewatering   Other (Specify below)   Domestic-lawn & garden   Monitoring well   Water Supply   Dewatering   Other (Specify below)   Water Supply   Other (Specify below)   Other (Specify below)   Other (Specify below								
Was a chemical/bacteriological sample submitted to Department?   Tes   No									
s If yes, mo/day/yr sample was submitted									
1 mile  Water well disinfected? ✓ Yes ☐ No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter .5. in. to .60 ft., Diameter in. to									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
Steel Stainless Steel PVC Other (Specify)									
Brass Galvanized Steel None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ✓ Saw cut ☐ Other (specify)									
SCREEN-PERFORATED INTERVALS: From 40 ft. to 60 ft., From ft. to ft. from ft. to ft. ft. from ft. ft. from ft. ft. ft. ft. ft. from ft.									
GRAVEL PACK INTERVALS: From 20 ft. to 60 ft., From ft., From ft. to							to ft		
			From	ft. to		ft., From .	ft	. to ft	
6 GRO	UT MA	TERIAL: Neat cen	ent Cement grout	☐ Bento	nite [	] Other	From	ft. toft.	
Grout In	ntervals:	From .S It. I	o	l	11. 10		., FIOIII	11. 10	
What is the nearest source of possible contamination:  Septic tank    Lateral lines    Pit privy    Livestock pens    Insecticide storage    Other (specify below)									
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well									
Dira	Watertig	11 Most	pit	Distance					
FROM		LITHOLO		FROM	TO	LITHO. I	LOG (cont.) <u>or</u> PL	UGGING INTERVALS	
0	3	Topsoil							
3	30	Clay							
30	60	Medium Sand							
	<b></b>								
7 CON	TRACT	OR'S OR LANDOWNE	R'S CERTIFICATIO	N: This wa	ter well	was 🗸 cons	tructed, Trecons	structed, or plugged	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year) .06/11/2014 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 238 This Water Well Record was completed on (mo/day/year) 06/11/2004 under the business name of Premier Pump & Well Service, Inc.									
under t	ha hucine	ess name ofPremier Pous Use typewriter or ball point p	imp & Well Service. I	nc.	by (	signatu <b>ne V</b>	M. W. C. C.	H. Carren	
1	Kaneae F	enartment of Health and Enviro	mment Bureau of Water Geo	ology Section.	1000 SW	Jackson St., Su	nte 420, Topeka, Kan	sas 00012-1307.	
Teleph	one 785-29	6-5524. Send one copy to WA	TER WELL OWNER and ret	ain one for you	r records.	Include fee of	\$5,00 for each constr	ructed well. Visit us at	
I			http://www.kdheks.go	v/waterweti/inc	EX HIDIL				