WATER WELL					ivision of Wa						
Original Record LOCATION OF V					sources App. ection Number		Township Numb	Well ID	ge Number		
County: Dalaweck 145 45 4							T 26 S		□ E O W		
2 WELL OWNER: Last Name: Horten First: Street or Rural Address where well is located (if unknown, distance and											
Business: Address: 13518 w 537  direction from nearest town or intersection): If at owner's address, check here:											
Address: 13.518 W 53.77											
Cay: /// State: / ZIP: 0 // O/											
3 LOCATE WELL WITH "X" IN	4 DEPTI	H OF COME	LETED WELL.	477 1180 108 2	t. 5 Lati	tude:			(decimal degrees)		
SECTION BOX:	Depth(s) G	Depth(s) Groundwater Encountered: 1).				Longitude:(decimal degrees)					
N	2)	ft. 3)	LDry Well	Iry Well atum: WGS 84 NAD 83 NAD 27							
	Delow	STATIC WATE	vr)9-10	グラシ	GPS (unit make/model:)						
NWNE		above land surface, measured on (mo-day-yr)					WAAS enabled?				
	Pump test data: Well water was				☐ Land Survey ☐ Topographic Map						
W	atter	after hours pumping gpm  Well water was ft.					Online Mapper:				
SWSE	after	after hours pumping gpm					Andrew Committee and American Committee and A				
<del>                                    </del>						6 Elevation:					
S S	Estimated Yield:gpm  Bore Hole Diameter:fi. in. toft. and				Sour	Source:					
mile  in. to											
1. Domestic: 5. Public Water Supply: well ID						10. Oil Field Water Supply: lease					
Household	6. Dewatering: how many wells?				11. Test	11. Test Hole: well ID					
Lawn & Garden	,					☐ Cased ☐ Uncased ☐ Geotechnical					
Livestock 2.   Irrigation	8. Monitoring: well ID					12. Geothermal: how many bores?					
3. Feedlot						a) Closed Loop					
4. Industrial Recovery Injection						13.  Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected?  Yes XNo											
8 TYPE OF CASING USED: Steel PVC Other											
Casing diameter in. to 1.7 ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft.  Casing height above land surface 1.2 in. Weight lbs./ft. Wall thickness or gauge No. 160											
Casing height above land surface											
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)											
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)											
Louvered Shutter											
GRAVEL PACK INTERVALS: From											
9 GROUT MATERIAL: Neat cement Cement grout Mentonite Other											
Grout Intervals: From											
Septic Tank		ion: Lateral Lines	☐ Pit Privy	. 🖸	Livestock P	ens	[] Insectici	de Storage			
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well											
Watertight Sewer Lines Seenage Pit Feedyard Fertilizer Storage Oil Well/Gas Well											
Direction from well?  Distance from well?											
10 FROM TO	I	JTHOLOGIC		FROM	то	LITI	HO. LOG (cont.) or I	PLUGGING	INTERVALS		
0 11	Top	-00	1 0	0			and the same of the same of the same of				
1/ 25		Fine	tand	ne							
25 44	<del>ुद</del>	rea_	ten sa	2							
				Notes:	1						
				1							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged											
under my jurisdiction and was completed on (mg-day-year)											
under the business name	of	ense No.	. Z. Ans wat	er wen ker	Tu Was co	e L	ett on tho-day-yea	s:)			
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas											
Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone (785) 296-3565.  Visit us at http://www.kdbeks.gov/waterwell/index.html  KSA 82a-1212  Revised 9/10/2012											
				K SA AZI-I	212			Revised			