WATER WELL R		WWC-5		sion of Water			1	
Original Record		ige in Well Use		urces App. No.		Well ID		
1 LOCATION OF W.	Fraction	1	tion Number	Township Numbe				
County: SEDGWIC		SE ¼	13 T 26 S R 2 □E ■ W					
2 WELL OWNER: Last Name: First: Business: WILLIAMS CONSTRUCTION COMPANY Address: 5550 N LARSON ROAD Address: 5550 N LARSON ROAD								
City: MAIZE	State: KS	ZIP: 67101						
3 LOCATE WELL	4 DEPTH OF CO	MPLETED WELL:	60 n	5 Latitud	۵*		(decimal decrees)	
WITH "X" IN		r Encountered: 1)		ft. 5 Latitude:				
SECTION BOX:		3) ft., or 4)		Horizont	al Datum: WGS 84	□NAD	83   NAD 27	
N	WELL'S STATIC WATER LEVEL: 11 ft. Source for Latitude/Longitude:						- 11122	
	below land surface	ce, measured on (mo-day-y	□GPS	(unit make/model:				
NW NE		e, measured on (mo-day-y		(				
		water was ft. urs pumping		☐ Land Survey ☐ Topographic Map				
W		water wasft		Online Mapper:				
SW SE	after 1.5 hor	rs pumping25						
×	Estimated Yield: 4	5gnm		6 Elevation:ft. Ground Level TOC				
S		11.5 in to 60	_	Source:				
1 mile  in. to ft.								
7 WELL WATER TO BE USED AS:								
1. Domestic:		Vater Supply: well ID		10.  Oil Field Water Supply: lease				
☐ Household ■ Lawn & Garden	6. ☐ Dewatering: how many wells?			☐ Cased ☐ Uncased ☐ Geotechnical				
Livestock	8. Monitoring: well ID			12. Geothermal: how many bores?				
2. Irrigation		9. Environmental Remediation: well ID			a) Closed Loop    Horizontal    Vertical			
3. ☐ Feedlot	edlot Air Sparge Soil Vapor Extr				b) Open Loop Surface Discharge Inj. of Water			
4. Industrial Recovery Injection 13. Other (specify):								
Was a chemical/bacteriological sample submitted to KDHE?  Yes No If yes, date sample was submitted:								
Water well disinfected? ■ Yes □ No								
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other								
Casing diameter 5 in to 60 ft., Diameter in to ft., Diameter in to ft., Diameter in to ft.  Casing height above land surface 14 in Weight lbs/ft. Wall thickness or gauge No. SDR-26								
TYPE OF SCREEN OR PERFORATION MATERIAL:         □ Steel       □ Stainless Steel       □ Fiberglass       ■ PVC       □ Other (Specify)								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot								
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From .46								
GRAVEL PACK INTERVALS: From25 ft. to 60 ft., From ft. to ft., From ft. to ft.								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other  Grout Intervals: From								
Nearest source of possible contamination:  Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage								
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well								
■ Watertight Sewer Lines								
Other (Specify) Direction from well? .WE	et		40					
10 FROM TO		OGIC LOG	FROM	TO L	ITHO. LOG (cont.) or	PLUGGIN	GINTERVALS	
	OP SOIL		<del> </del>					
	MED GRAVEL	-						
0 00 n	NED GIVAVEL		<del>  </del>					
<del> </del>			<del> </del>			······································		
			Notes:					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year) 8/1/2018								
Kansas Water Well Con	ntractor's License No.	OO4 This Wa	ter Well Rec	ord was comp	leted of (mo-day-ye	ar) \$(7/29	¥1'8'''''	
Mail 1 white copy alo	on with a fee of \$5.00 for	ach constructed well to: Kan-		of Health and Fin	vironment Rureau of Wo	ter GWTS	Section	
Mail I white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.								
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015								