			WWC-5		ivision of Wate				
Origina	Record [	Correction Chang	ge in Well Use	R	esources App. N		Well ID		
		ATER WELL:	Fraction NW 1/4 NE 1/4 SW 1/2	Section Number Township N					
		YUSHI MFG	First:	direction fro	ction from nearest town or intersection): If at owner's address, check here:				
Address: City;	WICHITA	TH MAIN STREET, S State: KS	SUITE 600 ZIP: 67226	12550 WEST LARSON ROAD, MAIZE, KS, 67101					
3 LOCAT		4 DEPTH OF COM	MPLETED WELL:	:					
WITH "X" IN SECTION BOX: Depth(s) Groundwate					I	Longitude:(decimal degrees)			
SECTIO			2) ft. 3) ft., or 4)			ontal Datum: DWGS	84 NAD 83 NAD 3		
	<u> </u>	WELL'S STATIC WATER LEVEL:			Source	Source for Latitude/Longitude:			
		below land surface	-yr). 9/20/20		GPS (unit make/model:)				
NW	NE	☐ above land surface			(WAAS enabled? ☐ Yes ☐ No)				
	1	Pump test data: Well v		☐ L	☐ Land Survey ☐ Topographic Map				
W	E	after hour			Online Mapper:				
sw	SE	Well							
	1	after hour Estimated Yield:60	. gpm	6 Eleva	tion:	.ft. Ground Level TO			
	<u> </u>	Bore Hole Diameter: .	ft and						
1 n	_		in. to ft.			Other			
7 WELL WATER TO BE USED AS:									
1. Domestic:			ater Supply: well ID		10. □ Oi	l Field Water Supply:	lease		
☐ Household 6. ☐ Dewaterin			ng: how many wells?			11. Test Hole: well ID			
			Recharge: well ID		🗆 Ca	☐ Cased ☐ Uncased ☐ Geotechnical			
Livesto			ng: well ID						
2.  Irrigati			tal Remediation: well I						
3. Feedlot Air Sparg				Extraction					
4. Industrial Recovery Injection 13. Other (specify):									
			nitted to KDHE? $\square$	Yes N	o If yes, date	e sample was submi	tted:		
Water well disinfected? ■ Yes □ No									
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other									
Casing diameter 6 in to 60 ft., Diameter in to ft., Diameter in to ft. Diameter in to ft. Casing height above land surface 15 in Weight lbs./ft. Wall thickness or gauge No. SDR-26									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:									
Continuous Slot   Mill Slot   Gauze Wrapped   Torch Cut   Drilled Holes   Other (Specify)									
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)									
SCREEN-PERFORATED INTERVALS: From .49									
GRAVEL PACK INTERVALS: From									
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ■ Bentonite ☐ Other									
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other									
Nearest sou	rce of possib	le contamination:							
☐ Septic		□ Lateral Lin			Livestock Pe		cticide Storage		
Sewer		Cess Pool	☐ Sewage L		☐ Fuel Storage		ndoned Water Well		
Watert	ght Sewer Li	nes	t		☐ Fertilizer Sto	rage	Well/Gas Well		
Other (	Specify) .OI	L STORAGE TANKS EST	Distance Co.	 112 An			G		
10 FROM	TO TO	LITHOLO	CIC LOC	FROM	ТО	LITUO LOG (cont.)	or PLUGGING INTERVAL		
0		TOP SOIL	GIC LUG	FROM	TO	LITTO, LOG (cont.)	OF FLOGORING INTERVAL		
1		CLAY			+				
22		MED GRAVEL			+				
55		CLAY			+				
57		MED GRAVEL							
J,	50	MILD ONAVEL		-	+				
				Notes:					
140162:									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo-day-year) .9/20/2018 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 884 This Water Well Record was completed on (mo-day-year) .10/3/2018									
under the business name of WENINGER DRILLING, LLCSignature									
Mail I white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.									
1			s 66612-1367. Mail one to			ne for your records. Tel	Revised 7/10/2015		
Visit us at http	)://www.kdhek	s.gov/waterwell/index.html		KSA 82a-	1414		Revised //10/2015		