	County:	Fraction 1/4 1/4	1/4 1,	Section 4	Number	Township T	Number S	Range Number
	Street/Rural Address of Well Location;			Global Po	ositioning S	Systems (G	PS) inforn	mation:
	direction from nearest town or intersect check here	ion: If at owner's ad	ldress,	Latitude: (in decimal degree Longitude:				
	CHECK HEIC			Elevation:		gg4	LNADOS	□ NAD27
				Collection	☐ WG n Method:	\$84, ∟	J NAD83,	□ NAD27
2	WATER WELL OWNER:			☐ GP:	S unit (Mak	e/Model:		
	RR#, St. Address, Box #:			Digital Map/Photo, Topographic Map, Land Survey				
	City, State ZIP Code:	T		Est. Accura	<u>acy</u> :	3 m, □3	5-5 m,	$5-15 \text{ m}, \square > 15$
3	MARK WELL'S LOCATION	4 DEPTH OF	WELL _		ft.			
	WITH AN "X" IN SECTION BOX:	WELL'S STATIC WATER LEVEL ft						
	N	WELL WAS						
	NW NE	Domestic		Public V	Vater Suppl	v	☐ Dewat	tering
		Irrigation		Public V Oil Field Domesti	l Water Suj	pply	Monite	oring
W		Feedlot Industrial		Domesti Air Con	c (Lawn &	Garden)	Injecti Other	ion Well
	SW SE				C			
		Was a chemical/bacteriological sample submitted to Department? Yes No						es No
5	TYPE OF BLANK CASING USE	ıD;						
	Blank casing diameter in. Casing height above or below land	Was casing pulle	ed? Yes ∟	No 📙	If yes, ho	w much		
		<u></u>	111.					
6	GROUT PLUG MATERIAL:			nt grout	Benton	ite 🗆 (Other	
6		Neat cement	Ceme					
6	Grout Plug Intervals: From	Neat cement ft. to ft	Ceme					
6	Grout Plug Intervals: From What is the nearest source of possible processing the second possible process.	Neat cement ft. to ft. to ft. to ft.	Ceme	n fi	t. to	_ft., F	rom	
6	Grout Plug Intervals: From What is the nearest source of possib Septic tank S Sewer lines P	Neat cement ft. to ft le contamination: eepage pit it privy	Ceme	n fi	t. to		rom	
6	Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines P Watertight sewer lines S	Neat cement ft. to ft le contamination: eepage pit it privy ewage lagoon	Ceme	orage zer storage cide storage	t. to	_ft., F	fy below)	ft. to ft.
6	Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines Possible Watertight sewer lines Lateral lines From	Neat cement ft. to ft le contamination: eepage pit it privy	Ceme t., From Fuel st Fertiliz Insecti Abando	orage zer storage	t. to	ft., F	fy below) well?	
66	Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines Possible Watertight sewer lines Lateral lines Cess pool L	Neat cement ft. toft le contamination: eepage pit it privy ewage lagoon eedyard ivestock pens	Ceme t., Fron Fuel st Fertiliz Insecti Abando Oil wel	orage zer storage cide storage oned water v l/Gas well	t. to	_ft., F Other (speci	fy below) well?	ft. to ft.
5	Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines Possible Sewer lines Sewer l	Neat cement ft. to ft le contamination: eepage pit it privy ewage lagoon eedyard	Ceme t., Fron Fuel st Fertiliz Insecti Abando Oil wel	orage zer storage cide storage oned water	t. to	_ft., F Other (speci	fy below) well?	ft. to ft.
6	Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines Possible Watertight sewer lines Lateral lines Cess pool L	Neat cement ft. toft le contamination: eepage pit it privy ewage lagoon eedyard ivestock pens	Ceme t., Fron Fuel st Fertiliz Insecti Abando Oil wel	orage zer storage cide storage oned water v l/Gas well	t. to	_ft., F Other (speci	fy below) well?	ft. to ft.
66	Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines Possible Watertight sewer lines Lateral lines Cess pool L	Neat cement ft. toft le contamination: eepage pit it privy ewage lagoon eedyard ivestock pens	Ceme t., Fron Fuel st Fertiliz Insecti Abando Oil wel	orage zer storage cide storage oned water v l/Gas well	t. to	_ft., F Other (speci	fy below) well?	ft. to ft.
6	Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines Possible Watertight sewer lines Lateral lines Cess pool L	Neat cement ft. toft le contamination: eepage pit it privy ewage lagoon eedyard ivestock pens	Ceme t., Fron Fuel st Fertiliz Insecti Abando Oil wel	orage zer storage cide storage oned water v l/Gas well	t. to	_ft., F Other (speci	fy below) well?	ft. to ft.
6	Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines Possible Watertight sewer lines Lateral lines Cess pool L	Neat cement ft. toft le contamination: eepage pit it privy ewage lagoon eedyard ivestock pens	Ceme t., Fron Fuel st Fertiliz Insecti Abando Oil wel	orage zer storage cide storage oned water v l/Gas well	t. to	_ft., F Other (speci	fy below) well?	ft. to ft.
66	Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines Possible Watertight sewer lines Lateral lines Cess pool L	Neat cement ft. toft le contamination: eepage pit it privy ewage lagoon eedyard ivestock pens	Ceme t., Fron Fuel st Fertiliz Insecti Abando Oil wel	orage zer storage cide storage oned water v l/Gas well	t. to	_ft., F Other (speci	fy below) well?	ft. to ft.
	Grout Plug Intervals: From What is the nearest source of possible Septic tank Septic tank Sewer lines Physical Sewer lines Sewer li	Neat cement ft. to ft le contamination: eepage pit it privy ewage lagoon eedyard ivestock pens GGING MATERIA	Ceme t., From Fuel st Fertiliz Insecti Abando Oil wel	orage zer storage cide storage oned water v 1/Gas well FROM	t. to	ft., F Other (specification from the section from the	fy below) well? t?	ft. to ft.
con	What is the nearest source of possible Septic tank Sewer lines Watertight sewer lines Lateral lines Cess pool L FROM TO PLUCE CONTRACTOR'S OR LANDOV repleted on (mo/day/year)	Neat cement ft. to ft le contamination: eepage pit it privy ewage lagoon eedyard ivestock pens GGING MATERIA VNER'S CERTII ar	Ceme L., From Fuel st Fertiliz Insecti Abando Oil wel LS FICATION and this reco	orage zer storage cide storage oned water v l/Gas well FROM N: This w ord is true t	t. to well Dir Ho TO atter well very the best	ft., F Other (specification of the content of th	fy below) well? t? LUGGING d under m wledge and	ft. toft. MATERIALS my jurisdiction and belief. Kansas
7 com	Grout Plug Intervals: From What is the nearest source of possible Septic tank Septic tank Sewer lines Physical Sewer lines Sewer li	Neat cement ft. toft le contamination: eepage pit it privy ewage lagoon eedyard ivestock pens GGING MATERIA VNER'S CERTIIar This Wa	FICATION at this recenter Well R	orage zer storage	t. to	ft., F Other (speci ection from w many fee PI was plugge of my kno- on (mo/day/	fy below) well? t? LUGGING d under m wledge and	ft. toft. ft. toft. MATERIALS any jurisdiction and belief. Kansasund

KSA82a-1212

Revised 1/29/2014