
USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215



Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	1. Locatian of well:	Danazao	Fraction ne/ne/sw	Section 15	n number	Township number 26	Range number		
X			罗斯 /4 英等 X/4 SE	· ·			20 _{x20x E}		
ð	9s-53/4w-4n of kinley, Ks. $R.R.$ or			 Owner of we R.R. or street: 	e1f:	Midwest Land & Cattle Box 64			
9	Street address of well location if in city: City, sto				code:	Kinsley, Ks.			
Ī		Locate with "X" in section below: Sketch map:				6. Bore hole dia. 29 in.	Completion date		
	N					Well depth1_3_5t. 7 Cable toolX Rotary			
	NW					i e	Bored Reverse rotary		
ĺ	W E					8. Use: Domestic Public supply Industry			
	* w 1 x						X Irrigation Air conditioning Stock Lawn Oil field water Other		
	SW				9. Casing: Material Steelleight: Above or below				
	S					Threaded Welded Surface 12 in. RMP PVC Weight lbs./ft.			
	ı ← 1 Mile ← → ı					Dia. 16n. to135ft. dept	h Wall Thickness: inches or		
	5. Type and color of	material		From	То	Diain. to ft, dept 10. Screen: Manufacturer's no			
	Sandy top soil				3	Doerrs			
ļ			3	0	1.	Type <u>steel</u> Slot/gauze <u>3/16</u>	. Length45		
- }	Sand and	gravel clean c	oarse loose	3	40	Set between90	ft. and135ft.		
	Brown cl	ay		40	42	Gravel pack? X Size ran	nd	- ₽	
	Fine san	d and sandy cla	. У	42	54	11. Static water level:ft. below lond surf	mo./day/yr.		
	Prown clay				67	12. Pumping level below land	surfaces:		
	Sand and gravel loose medium clean				72	ft. after h	s.pumpingg.p.m.		
	Brown cl				115	Estimated maximum yield 13. Water sample submitted:	900 g.p.m. mo./day/yr.		
					476	X Yes No	Date 2-13-75		
f		к « стау		111	7 125	14. Well head completion: Pitless adapter	Inches above grade		
}	Shale			13!	140	15. Well grouted? X		b .	
-						With: X Neot cement Depth: From _ O ft. to _		6 6	
-						16 Nearest source of possible	contamination: South _{pe} corral		
						Well disinfected upon complet	ion?hth YesNo	ىروا	
						17. Pump: Manufacturer's name a:	Not installed Troanks Morse	ຶ່ 0	
Ī						Model number 3-12M	70113	<u> </u>	
}						Length of drop pipe 1_1(Type:	Oft. capacity 800 g.p.m.	(g) ·	
-					ļ	Submersible Jet	X Turbine	1	
	(Use a second sheet if needed)					Centrifugal	Reciprocating Other	, -	
		2245					ertification:	, k	
							This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
	Topography:	-HIII -Slope 26 20 15 CAC CC				Rosencrant.		K	
	Slope					Address Address Great	Bend, Ks. 675	्रु०	
	X Upland Valley	٠				Signed Authorized repr	Date 19-	1	