| 610 13922 Well #38G WATER WELL RECORD | Form W | WC-5 | Di | vision of Water | Resources App. No | 24,217-D3 | |
|---|-------------------------|-----------------|--|---|--------------------------------------|----------------------------|--|
| 1 LOCATION OF WATER WELL: | Fraction | | Secti | on Number | Township No. | Range Number | |
| County: Edwards | 1/4 NW 1/4 SE | | | 35 L Positioning | T 26 S | R 20 □E ☑W | |
| Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here | | | Latitu | Global Positioning System (GPS) information: 37.737115 (in decimal degrees) | | | |
| Approximately 11 miles north of Mullinville. | | | Long | I i analisti I i I i I i I i I i I i I i I i I i I | | | |
| | | | Eleva | Elevation: | | | |
| 2 WATER WELL OWNER: Roger Stotts | | | Collec | Datum: ☐ WGS 84, ☒ NAD 83, ☐ NAD 27 Collection Method: | | | |
| RR#, Street Address, Box #: 22259 183 Hwy City, State, ZIP Code : Greensburg, KS 67054 | | | GPS unit (Make/Model: WAAS Digital Map/Photo, Topographic Map, Land Survey | | | | |
| | | | Est. A | Est. Accuracy: < 3 m, 3-5 m, 5-15 m, >15 m | | | |
| 3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 202.80 ft. | | | | | | | |
| SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft. | | | | | | | |
| WELL'S STATIC WATER LEVEL 68 ft. below land surface measured on mo/day/yr U9/29/16 Pump test data: Well water was not checked ft. after hours pumping gpm | | | | | | | |
| Pump test data: Well water was ft. after hours pumping gpm -NWNE EST. YIELD gpm. Well water was ft. after hours pumping gpm | | | | | | | |
| W E Bore Hole Diameter 42 in. to 110 ft., and 24 in. to 203 ft. | | | | | | | |
| WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below) | | | | | | | |
| Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well | | | | | | | |
| Was a chemical/bacteriological sample submitted to Department? Yes No | | | | | | | |
| S If yes, mo/day/yr sample was submitted [1 mile Water well disinfected? ☒ Yes ☐ No | | | | | | | |
| 5 TYPE OF CASING USED: Steel PVC Other | | | | | | | |
| CASING JOINTS: X Glued Clamped Welded Threaded Other (Specify) | | | | | | | |
| Casing diameter 16 in. to 96 ft., Diameter 16 in. to 114 ft., Diameter 16 in. to 171 ft., Diameter 16 in. to 191 ft. | | | | | | | |
| Casing height above land surface 22 in., Weight 19.75 lbs./ft., Wall thickness or gauge No616 TYPE OF SCREEN OR PERFORATION MATERIAL: | | | | | | | |
| ☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify) | | | | | | | |
| Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: | | | | | | | |
| Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole). | | | | | | | |
| Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 96 ft. to 106 ft., From 114 ft. to 117 ft. | | | | | | | |
| From 171 ft. to 176 ft. From 191 ft. to 201 ft. | | | | | | | |
| GRAVEL PACK INTERVALS: | From 22 | ft. to <u> </u> | 203 | _ ft., From | ft. t | | |
| 6 GROUT MATERIAL: Neat ceme | | | | ft., From | π. ι | oft. | |
| Grout Intervals: From 2 ft. to 22 ft., From ft. to ft., From ft. to ft. | | | | | | | |
| What is the nearest source of possible conta | | Livestock | nens | ☐ Insecticide | storage M Othe | er (specify below) | |
| Sewer lines Cesspool | Sewage lagoon | Fuel storage | ge | Abandoned | water well | None Known | |
| ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ None Known Direction from well ☐ Distance from well | | | | | | | |
| FROM TO LITHOLOG | IC LOG | FROM | ТО | | OG (cont.) or PLU | GGING INTERVALS | |
| 0 11 Fine sand | | 171 | 176 | | vel, fine to medi | um | |
| 11 37 Sandy, clay, brown 37 93 Sand, gravel, fine to c | narse | 176 191 | 191 201 | | n, white, hard vel, fine to medio | ım | |
| 93 97 Clay, brown, hard | Joanse | 201 | 203 | Clay, red 8 | | uiii | |
| 97 106 Sand, gravel, fine to o | | | | • | | | |
| 106 114 Clay, brown, white, ca | | | | | | | |
| 117 159 Clay, brown & white, | | | | | | | |
| 159 163 Clay, brown & white, | hard | | | | | | |
| 163 171 Clay, brown & white, sand streaks | | | | | | | |
| 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 09/29/16 and this record is true to the best of my knowledge and belief. | | | | | | | |
| Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/year) 10/03/16 | | | | | | | |
| under the business name of Clarke Well & Equipment, Inc. by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies | | | | | | | |
| (white, blue, pink) to Kansas Department of Health | and Environment, Bureau | of Water, Geo | logy Sect | ion, 1000 SW Ja | ckson St., Suite 420, 7 | Topeka, Kansas 66612-1367. | |
| Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html . | | | | | | | |
| KSA 82a-1212 | | | | | | | |

Well #38G