USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

DDD

OFFERLE

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

| | County | Fraction SC 1/4 SC 1/4 SC1/4 | | Section number | | Township number | Range number | | |
|--|--|------------------------------|----|----------------|---|---|------------------|--|--|
| 1. Location of well: | Ford | | | | | т 26 s | R 21 | E/W | |
| | | | | | wner of well: Paul Tasset | | | | |
| Street address of well location if in city: | | | | | r street: trate, zip code: Spearville, Kans. 67876 | | | | |
| 4. Locate with "X" in section below: Sketch map: | | | | | | 6. Bore hole dia 2.75 in. | | 2=19 =7 7 | |
| N N | | | | | | Well depth ft. | | | |
| NW NE | | | | | | 7 Cable tool X Rotary Driven Dug Hollow rod Jetted Bored Reverse rotary | | | |
| | | | | | 8. Use: Domestic Public supply Industry Irrigation Air conditioning X Stock Lawn Oil field water Other 9. Casing: Material DITS Height Above or below | | | | |
| E SW SE | | | | | | | | | |
| | | | | | | | | <u> </u> | |
| 1 | | | | | | Dia. 5 in. to 270t. depth Wall Thickness: inches or | | | |
| 5. Type and color of r | material | | | From | То | Dia in. to ft. dept 10. Screen: Manufacturer's n | 11 19496 110. | | |
| Surface 514 2 9 Y | | | | ۵ | 2 | Jess and Lo | well 5 in | | |
| L.S.EL LY-Long | | | | 2 | 75 | Slot/gauze 06 Length 30 ft. | | | |
| ye 13 | | | | 3 | 15 | Set between 225 ft. and 230 ft. 260 ft. and 270 ft. | | | |
| | | | | | 60 | Gravel pack?YOS Size rar | | 1/8 | |
| Yellow and gray clay few rock stringer 85 | | | | | 11. Static water level: mo./day/yr. 225 ft. below land surface Date 12-29-77 | | | | |
| Gray shale and rock layers vd 12.0 148 set 785 225 | | | | | 12. Pumping level below land | surfaces: | | | |
| N W | | | | 225 | | ft. after hrs. pumping g.p.m g.p.m g.p.m. | | | |
| ornarks | | | | 9 | 230 | Estimated maximum yieldg.p.m. | | | |
| Gray shale | | | | 230 | 242 | 13. Water sample submitted: Yes No [| mo., Date | /day/yr. | |
| Hard rock | | | | 242 | 243 | 14. Well head completion: | | | |
| Gray shale | | | | 243 | 250 | X Pitless adapter 15. Well grouted? X | 8 Inches above g | rade | |
| Gray shale and rock stringers | | | | 250 | 260 | With: Near cement Bentonite Concrete Pepth: From ft. to ft. | | | |
| Sand stone | | | | 260 | 270 | 16. Nearest source of possible | | گا ر د | |
| BROCK 60' | | | | | | ft Direction Well disinfected upon comple | | K No | |
| | | | | | | 17. Pump: | X Not installed |] ~ [) | |
| | | | | | \vdash | Manufacturer's name Model number | _ HP Volt | | |
| | | | | | | Length of drop pipe | _ ft. capacity | g.p.m. | |
| CKITALINE DILL | | | | | | Submersible | Turbine | | |
| | (Use a second sh | eet if needed) | | | | Jet Centrifugal | Reciprod | cating S | |
| 18. Elevation: | 19. Remarks: | | | | | 20. Water well contractor's c | | | |
| _ | | | | | | This well was drilled under my is true to the best of my knowl | • | report | |
| Topography: Hill | | | | | | Hodde Drillin | ~ | 22 \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | |
| I Slope 2792 | | | | | | Address RR # 3 Dodge City, Kansa | | | |
| Slope Upland Valley ZZ9Z 0070 | | | | | | Signed Authorized repr | esentative Date | 7 24 85-5 | |
| orward the white, blue | e and pink copies to the Department of | | 22 | | | | Form WW(| c-5 | |