WATER WELL RECORD			Form W	WC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL: County: Ford		Fraction ¹ / ₄ NW ¹ / ₄ SE	= 1/4 SW 1/2	Section Number Township No. Range Number 4 25 T 26 S R 21 DE VW	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:					
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)
2 1/2 south & 3 1/4 east of Windhorst				Longitude: (in decimal degrees)	
	- 00dii	a b 1/1 babt of Frinancia			Elevation:
2 W/A	TED W	ELL OWNER: Kirk Mo	114		Datum: WGS 84, NAD 83, NAD 27
			iitor 35 Road		Collection Method: GPS unit (Make/Model:)
C's Costs 7TD Co. Is			Ks. 67563		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
	, , -	Offene.	NS. 07303		Est. Accuracy:
3 LOCATE WELL 30					
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 39 ft.				
SEC	SECTION BOX: N Depth(s) Groundwater Encountered (1)				
Pump test data: Well water wasft. after hours pumping					
EST VIELD NA com Well wester was the offer house numbing com					
Well water was it. after hours pulliplinggpin. Well water was it. after hours pulliplinggpin.					
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well					
Sw SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)					
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No					
S If yes, mo/day/yr sample was submitted					
1 mile Water well disinfected? ☑ Yes □ No					
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: M Glued Clamped Welded Threaded					
Casing diameter .5 in. to .39 ft., Diameter in. to					
Casing height above land surface 18 in., Weight SDR 26 lbs./ft., Wall thickness or gauge No.					
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel					
Brass Galvanized Steel None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)					
Louvered shutter Key punched Wire wrapped Z Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 29					
From					
GRAVEL PACK INTERVALS: From 39					
From					
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other					
Grout Ir	tervals:	From ft. to	ft., Fron	₁ .10	ft. to .0 ft., From ft. to ft.
		est source of possible contain			
H	Septic ta Sewer lin		es Pit privy Sewage lagoon	Livestock	
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well None					
		n well			from well
FROM	TO	LITHOLOGI		FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0	3	Top soil			
3	6	Sandy brown clay			
6	15	Sand & gravel			
15	39	Tan clay w/gravel streat	<u>(S</u>		
				 	
				 	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged					
under my jurisdiction and was completed on (mo/day/year) .1.1-71.1					
Kansas Water Well Contractor's License No134 This Water Well Record was completed on (mo/day/year) .11-16-11					
under the business name of Rosencrantz-Bernis by (signature)					
INSTRUCTIONS: Use ty pewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies					
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. I nclude fee of \$5.00 for each constructed well. Vi sit us at					
http://www.kdheks.gov/waterwell/index.html.					
KSA 82a-	1212				Check: White Copy, Blue Copy, Pink Copy