

Sent 8/4/77

EUREKA NW

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

CCC

1. Location of well:		County Ford	Fraction SW 1/4 SW 4 SW 1/4	Section number 28	Township number T 26 S R 22 E 4W	Range number
2. Distance and direction from nearest town or city: 1 mi East, 7 mi North of Ford Street address of well location if in city:			3. Owner of well: Norbert Tasset R.R. or street: Speargille City, state, zip code: Ks. 67876			
4. Locate with "X" in section below: N W E S 1 Mile Sketch map: ↑ ↑ ↑ x well			6. Bore hole dia. 1 1/2 in. Completion date 6-26-77 Well depth 80 ft.		7. <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
5. Type and color of material			8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other			
From To			9. Casing: Material Plastic Height: <u>Above or below</u> Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 2 1/4 in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight <input type="checkbox"/> lbs./ft. Dia. 6 in. to 77 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No Sch 40		10. Screen: Manufacturer's name Jesse-Lowell Type Plastic Dia. 6" Slot/gauze 1/16 Length 20 Set between 57 ft. and 77 ft. ft. and <input type="checkbox"/> ft. Gravel pack? Yes Size range of material 3/16	
Clay			11. Static water level: <input type="checkbox"/> mo./day/yr. 30 ft. below land surface Date 12-6-76			
Clay			12. Pumping level below land surfaces: 30 ft. after 2 hrs. pumping 50 g.p.m. ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 50 g.p.m.			
Sand, gravel			13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>			
Shale			14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter 2 1/4 inches above grade			
BROCK 75 30 45 set thick			15. Well grouted? Yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 120 ft. to 128 ft.			
in Og			16. Nearest source of possible contamination: ft. 300 Direction W Type Road Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
(Use a second sheet if needed)			17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Pumpco Model number 152S1011 HP 1 Volts 230 Length of drop pipe 275 ft. capacity 18 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other			
18. Elevation:	19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.			
Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley	TOPO 2367 75 2292		High Plains Drilling & Supply, Inc 136 B Business name License No. Address 402 N 3rd, Garden City, Ks Signed Walter J. ... Date 7-6-77 Authorized representative			

MHC
MHC
26
22
28
SW SW SW
1/4 1/4 1/4