WATER WELL RECORD	Form WW	C-5 KSA 82a-12	212 ID No	
Fraction		Section Number	Township Number	Range Nur

					ELL RECOR	RD Form			212 ID N					
	N OF WATER							on Number	1	ship Numl	ber	Ran	ige Numb	er
County:			SW				1/4	18	Т	26	S	R	23	W
			town or city stre				nin city?							
			ronmental											
	ress, Box #	. 901	N 5 th St		iioii Ago				Board	of Agricult	uro Divie	cion of M	later Pes	ources
City State 7	ID Code	· Kan	sas City, K	S 6610	1					•		SIOTI OT VV	alei Nesi	buices
LOCATE	WELL'S LOC	ATON WI	THI.	3 0010						ation Numb				
3 AN "X" IN	SECTION BO	OX:	4 DEPTH	OF COM	PLETED W	ELL	84	ft. ELE\	VATION:		2525	.38 (TC	OC)	
Ŧ			Depth(s) G	roundwate	r Encounte	red 1								ft.
Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr														
1	i	i		Pump test	t data: We	ell water w	as	f	t. after		hours p	umping		gpm
₩ W	+	+	E Est. Yield		apm: We	ell water w	/as	f	ft. after		hours p	umpina		apm
7		:	Bore Hole	Diameter	8	in. to	85 dic water su		ft. and		. in	. to		ft.
	-sw	SE	WELL WAT	TER TO BI	E USED AS	5: 5 Pub	lic water su	pply	8 Air	conditionin	ig 11	Injection	n well	
	i	- i	1 Dor	mestic 3	Feed lot	6 Oil f	field water s	upply	9 Dev	vatering	12	2 Other	(Specify b	elow)
†							n and gard							
	3		Was a che	mical/bacte	eriological s	sample sul	omitted to D	epartment?	Yes	No X	If yes,	mo/day/	yr sample	was
			submitted						ater Well Di				No X	
5 TYPE OF	BLANK CAS	ING USE	D:	5	Wrought I	ron	8 Concre	te tile	CASI	NG JOINTS	S: Glued	d	Clampe	d
1 Stee	el	_ 3 RM	IP (SR)	6	Asbestos-	-Cement	9 Other (specify belo	ow)		Weld	ed		
2 PVC		4 AB	S	7	Fiberglass	S					Thread	ded	Flus	h
Blank casing	diameter	4	in. to	74	ft., Dia		in. to)	ft., Dia			in. to		ft.
Casing heigh	nt above land	surface	Flushmou	int in.,	weight	0.	703	lbs./ft.	Wall thick	ness or ga	uge No.		SCH. 4	0
			ION MATERIA				7	PVC		0 Asbest				
1 Stee	el	3 Sta	inless steel	5	Fiberglass	s	8	RMP (SR)	1	11 Other (specify)	. 		
2 Bras		4 Ga	Ivanized steel	6	Concrete	tile	9	ABS		2 None u	, ,	,		
SCREEN OF	R PERFORAT		NINGS ARE:				wrapped			cut		11 Nor	ne (open h	nole)
	tinuous slot		3 Mill slot				apped		9 Drille					
1			4 Key punche			Torch o			10 Othe	er (specify	')			
SCREEN-PE	ERFORATED	INTERVA	LS: From											
							· · · · <u></u> · · · ·							
GRA	VEL PACK II	NTERVAL					85				ft. t	.0		ft.
					ft.			ft.			ft. t			ft.
	MATERIAL:	1 Ne	eat cement	2 Ce	ment grout		3 Ben	lonite	4 Other	Bentor	nite Ch	nips		
Grout Interva	als From	1	ft. to	66	ft. From	66	ft. t	。 71	ft.	From		ft. to		ft.
	nearest source	e of possil	ole contamination	on:				10 Lives	stock pens				water we	
1 Sep			4 Lateral						storage			well/ Ga		
i	ver lines		5 Cess p			Sewage la	agoon		lizer storag		16 Oth	ner (spec	ify below)
1	tertight sewer	lines	6 Seepa	ge pit	9	Feedyard			cticide stora	age				
Direction fro		CODE	-	ITHOLOG	10100		FROM	How many	y feet?	PLLIC	CINC IN	ITED\/A		
FROM 0	TO 5	CODE	Topsoil	ITHOLOG	IC LOG		FROM	10		PLUG	SOING IN	NTERVA	LO	
0			Sandy Clay	V. vellow	brown w	ith fine			<u> </u>					
			grained sand											
5	50		grained sand											
			Caliche, pa								···-			
			grained, trace											
50	85		coarse graine	ed after 6	1', gravel	after 70'								
							ļ							
						-								
	L													

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was 06/27/08 completed on (mo/day/yr) and this record is true to the best of my knowledge and belief. Kansas

Water Well Contractor's License No. 531 Geotechnical Services Inc. under the business name of

This Water Well Report was completed on (mo/day/yr) 07/15/08 by (signature)

INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, 1000 S W Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.