

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WRIGHT

WATER WELL RECORD  
KSA 82a-1201-1215

Kansas Department of Health and Environment-  
Division of Environment  
(Water well Contractors)  
Topeka, Kansas 66620

BBB

1. Location of well: County: <b>FORD</b>		Fraction: <b>NW1/4 NW1/4 NW1/4</b>		Section number: <b>24</b>		Township number: <b>T 26 S R 24</b>		Range number: <b>24</b> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">NW</span>																																					
2. Distance and direction from nearest town or city: <b>1/2 M. West of WRIGHT, KANS.</b>				3. Owner of well: <b>COL-KAN PROPANE SERVICE</b> R.R. or street: <b>RFD</b> City, state, zip code: <b>WRIGHT, KANS. 10-4-75</b>																																									
4. Locate with "X" in section below:		Sketch map:				6. Bore hole dia. <b>7 3/4</b> in. Completion date <del>10-4-75</del> <b>10-4-75</b> Well depth <b>130</b> ft.																																							
						7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary																																							
5. Type and color of material		From		To		8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other																																							
<table border="1" style="width:100%; border-collapse: collapse;"> <tr><td><del>TOP shale</del></td><td>0</td><td>5</td></tr> <tr><td><del>CLAY</del></td><td>5</td><td>30</td></tr> <tr><td><del>SANDY clay</del></td><td>30</td><td>45</td></tr> <tr><td><del>SAND (fine)</del></td><td>45</td><td>90</td></tr> <tr><td><del>SAND (coarse) brown, white, pink, grey</del></td><td>90</td><td>130</td></tr> <tr><td><del>Shale black</del></td><td>130</td><td>130</td></tr> <tr><td><b>BROCK</b></td><td>130</td><td></td></tr> <tr><td></td><td>90</td><td></td></tr> <tr><td></td><td>40 sat thick</td><td></td></tr> <tr><td><b>TOPO</b></td><td>2519</td><td></td></tr> <tr><td></td><td>130</td><td></td></tr> <tr><td><b>in Og</b></td><td>2389</td><td></td></tr> </table>		<del>TOP shale</del>	0	5	<del>CLAY</del>	5	30	<del>SANDY clay</del>	30	45	<del>SAND (fine)</del>	45	90	<del>SAND (coarse) brown, white, pink, grey</del>	90	130	<del>Shale black</del>	130	130	<b>BROCK</b>	130			90			40 sat thick		<b>TOPO</b>	2519			130		<b>in Og</b>	2389						9. Casing: Material <b>PST.</b> Height: Above or Below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface <b>60</b> in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight <input type="checkbox"/> lbs./ft. Dia. <b>5</b> in. to <b>10</b> ft. depth Wall Thickness: inches or Dia. <b>4</b> in. to <b>130</b> ft. depth gage No. <b>237 + 25</b>			
<del>TOP shale</del>	0	5																																											
<del>CLAY</del>	5	30																																											
<del>SANDY clay</del>	30	45																																											
<del>SAND (fine)</del>	45	90																																											
<del>SAND (coarse) brown, white, pink, grey</del>	90	130																																											
<del>Shale black</del>	130	130																																											
<b>BROCK</b>	130																																												
	90																																												
	40 sat thick																																												
<b>TOPO</b>	2519																																												
	130																																												
<b>in Og</b>	2389																																												
						10. Screen: Manufacturer's name <b>PERLESS</b> <b>PLASTICS INC SAW PERF.</b> Type <b>PVC</b> Dia. <b>4"</b> Slot/gauze <b>1/16"</b> Length <b>20'</b> Set between <b>110</b> ft. and <b>130</b> ft. ft. and _____ ft. Gravel pack? <input checked="" type="checkbox"/> Yes Size range of material <b>1/4"</b>																																							
						11. Static water level: _____ mo./day/yr. <b>90</b> ft. below land surface Date <b>10-4-75</b>																																							
						12. Pumping level below land surface: _____ ft. after _____ hrs. pumping _____ g.p.m. Estimated maximum yield <b>20</b> g.p.m.																																							
						13. Water sample submitted: _____ mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date _____																																							
						14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter <b>18</b> inches above grade																																							
						15. Well grouted? <input checked="" type="checkbox"/> Yes With: <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From <b>0</b> ft. to <b>10</b> ft.																																							
						16. Nearest source of possible contamination: ft. <b>300</b> Direction <b>South</b> Type <b>Septic tank</b> Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No																																							
						17. Pump: _____ Not installed Manufacturer's name <b>GOULDS</b> Model number <b>13EM</b> HP <b>1 1/2</b> Volts <b>230</b> Length of drop pipe <b>105</b> ft. capacity <b>40</b> g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other																																							
18. Elevation: <b>FLAT</b> Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> <b>FLAT</b> <input type="checkbox"/> Upland <input type="checkbox"/> Valley		19. Remarks: <b>A Whitewater pitless adapter tank 5 1/2' bury depth 14 9/16" gal was used</b> <b>EI →</b>  <b>18" Above ground level</b> <b>TANK</b> <b>well casing</b>		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <b>BRAU DRILLING 217</b> Business name _____ License No. _____ Address <b>BUCKLIN, KANS 67834</b> Signed <b>Rubman</b> Date <b>10-26</b> Authorized representative																																									

T 26 S R 24 NW 1/4 NW 1/4 NW 1/4  
 Sec 24

Forward the white, blue and pink copies to the Department of Health and Environment