

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WRIGHT

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

BDC

<input checked="" type="checkbox"/> Location of well: County FORD		Fraction SW 1/4 SE 1/4 NW 1/4		Section number 13		Township number T 26		Range number S R 24 E/W																															
<input checked="" type="checkbox"/> Distance and direction from nearest town or city: 1 mile N Dodge Street address of well location if in city:				3. Owner of well: Denny Henry R.R. or street: WILROADS GARDEN RD City, state, zip code: Dodge City KS																																			
4. Locate with "X" in section below: 		Sketch map: X ≡ LAKEAL 		6. Bore hole dia. 8 in. Completion date 7/11/76 Well depth 90 ft.		7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary																																	
5. Type and color of material		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>TOP SOIL</td> <td>0</td> <td>4</td> </tr> <tr> <td>Clay</td> <td>4</td> <td>20</td> </tr> <tr> <td>Rock & Clay</td> <td>20</td> <td>67</td> </tr> <tr> <td>SAND AND CLAY</td> <td>67</td> <td>91</td> </tr> <tr> <td>Clay</td> <td>91</td> <td>170</td> </tr> <tr> <td>GRAVEL</td> <td>170</td> <td>191</td> </tr> <tr> <td>SHALE</td> <td></td> <td></td> </tr> <tr> <td>BRICK 191</td> <td></td> <td></td> </tr> <tr> <td>100' soil thick</td> <td></td> <td></td> </tr> </tbody> </table>			From	To	TOP SOIL	0	4	Clay	4	20	Rock & Clay	20	67	SAND AND CLAY	67	91	Clay	91	170	GRAVEL	170	191	SHALE			BRICK 191			100' soil thick			8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		9. Casing: Material PVC Height Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 17 in. RMP <input type="checkbox"/> PVC Clue Weight 250 lbs./ft. Dia. 5 in. to 40 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth Gage No. 250			
	From	To																																					
TOP SOIL	0	4																																					
Clay	4	20																																					
Rock & Clay	20	67																																					
SAND AND CLAY	67	91																																					
Clay	91	170																																					
GRAVEL	170	191																																					
SHALE																																							
BRICK 191																																							
100' soil thick																																							
				10. Screen: Manufacturer's name Jess Howell Type PVC Dia. 5 Slot gauge 11/16 Length 3 Set between 160 ft. and 190 ft. Set between <input type="checkbox"/> ft. and <input type="checkbox"/> ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 1/8		11. Static water level: <input type="checkbox"/> mo./day/yr. 91 ft. below land surface Date 7/11/76																																	
				12. Pumping level below land surfaces: N/A <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield <input type="checkbox"/> g.p.m.		13. Water sample submitted: <input type="checkbox"/> mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date																																	
				14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter 17 inches above grade		15. Well grouted? <input checked="" type="checkbox"/> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 3 ft. to 13 ft.																																	
				16. Nearest source of possible contamination: ft. 105 Direction 0 Type septic Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Reda Model number 140108P HP 1 1/2 Volt 220 Length of drop pipe 147 ft. capacity 21 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other																																	
18. Elevation:		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. CRAGG Drilling 111 Business name License No. Address Rt 1 Signed Craig Drilling Date 7/11/76 Authorized representative																																			

T 26 R 24 S 24 Sec 13 SUSSEW

2517
 120
 2417