			∕ <b>X</b> WATE	R WELL RECORD	Form WWC-5	KSA 82a	-1212	$\mathcal{O}_{\mathcal{B}}$	
1 LOCATION	ON OF WAT	ER WELL:	Fraction w	NE	NE Sec	tion Number	Township Num	nber Range Number	
County:					1/4	22	т 26	s   R 24	
Distance and direction from nearest town of city street address of well if located within city?  21 M. west of Wright, Kansas on Hwy.50									
		NED.	•					118 27 27 27	
_	R WELL OW	Farm	land Indu	stries Inc	•				
1	Address, Box	# Box	1337	ansas 6780	-			iculture, Division of Water Resources	
	, ZIP Code	: Dodg	e City, K	ansas 6780.	1705	7	Application N	lumber:	
3 LOCATE	E WELL'S LO	ICATION WITH	4  DEPTH OF C	OMPLETED WELL	.+	ft. ELEVA	TION: Slope	€	
VIA Y	IN SECTION	BUX:	Depth(s) Ground	water Encountered	_1マン	ft. 2	2 <i>.</i>	ft. 3	
T	· ·	N.X	WELL'S STATIC	WATER LEVEL . 4.	ft. b.	elow land sur	face measured on m	no/day/yr .6-21-82	
								hours pumping gpm	
	NW	NE						hours pumping gpm	
.	- i I	; l	Bore Hole Diame	eter9in. to	, 105		and.	in. toft.	
i∰ w ├	1			TO BE USED AS:			8 Air conditioning	11 Injection well	
-	- 1	i	1 Domestic				_	12 Other (Specify below)	
-	SW	SE	2 Irrigation	4 Industrial					
	! !	: 1	1		-	•		; If yes, mo/day/yr sample was sub-	
<u>                                     </u>	<u>'</u> _		mitted	bacteriological sample	Submitted to Di		ter Well Disinfected?		
5 TYPE C	DE BLANK C	ASING USED:	Tillittea	E Mrought iron	8 Concre			TS: Glued . X Clamped	
1 Ste		3 RMP (S	·D)	<ul><li>5 Wrought iron</li><li>6 Asbestos-Cemen</li></ul>				•	
		•	•				•	Welded	
2 PV	/C	ABS	10	5 Fiberglass				Threadedft.	
1	-			.in., weight				gauge No. SDR . 21	
i		R PERFORATIO			<u>7 PV</u>	_		tos-cement	
1 Ste		3 Stainles	s steel	5 Fiberglass		IP (SR)		(specify)	
2 Bra		4 Galvani		6 Concrete tile	9 AB	S		used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed v							8 Saw cut	11 None (open hole)	
1 Co	ontinuous slo	<u>3 N</u>	Aill slot	6 Wire	wrapped		9 Drilled holes		
2 Louvered shutter 4 Key punched 95 7 Torch cut 105 10 Other (specify)									
SCREEN-I	PERFORATE	D INTERVALS:	From	ft. to	ر بند	ft., Froi	m , ,	ft. toft.	
From									
(	GRAVEL PAG	CK INTERVALS	: From <b>9</b>	🚅13 ft. to .	105	ft., Froi	m	ft. toft.	
			From					ft. to ft.	
6 GROUT	Γ MATERIAL	: "1 Neat	cement	2 Cement grout					
Grout Inter	rvals: Fron	n#3	.ft. to	ft From	ft.	to	ft From	ft. toft.	
What is th	e nearest so	urce of possible	contamination:	,			tock pens	14 Abandoned water well	
l		4 Late		7 Pit privy				15 Oil well/Gas well	
2 Sewer lines 5 Cess po				8 Sewage la			izer storage	16 Other (specify below)	
ł			•	•	90011	•			
ŀ	3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage								
FROM	TO I	<del>.</del>	LITHOLOGIC	LOG	FROM	How ma		THOLOGIC LOG	
0	3 0/	Surface		200	1	- '	. 4	111020010 200	
3			rown clay	7		-			
45		Caleche				+			
52			and rock			<u> </u>			
66			nd brown	alax		-			
95	10264		nd Breen						
ļ	ļ	TO 35%	fine sand			ļ			
	<u> </u>								
			•						
					<u> </u>				
CONTRACTORIC OR LANDOWNIEDIS CERTIFICATION. This was a selected (2)									
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was									
completed on (mo/day/year) 6-21-82 and this record is true to the best of my knowledge and belief. Kansas									
Water Well Contractor's License No302									
	business nar						THE TAXABLE		
								r circle the correct answers. Send top	
three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.									