			WELL RECORD F	orm WWC-5		82a-1212			
LOCATION OF WA	TER WELL:	Fraction	CF . CF	1	tion Num	1 ,	nip Number 26 s	Range N	
unty: Ford	n from nearest town or	NE 1/4	SE 1/4 SE		30		26 S	R 24	E(W)
		or city street add	ress of well if located	within city?					
	. Hwy. 50								
WATER WELL OV		of Southwe	st						
#, St. Address, Bo		lst Ave					I of Agriculture, I	Division of Wat	er Resource
, State, ZIP Code	:_Dodge	City, Kan	sas 67801	0 0		Applic	cation Number:		
OCATE WELL'S L N "X" IN SECTIO	OCATION WITH 4 I	DEPTH OF COM	MPLETED WELL ⁸ . Iter Encountered 1.	80.5	ft. EL	EVATION:	ft. 3		
		ELL'S STATIC W	ATER LEVEL	ft. b	elow land	d surface measure	ed on mo/day/yr	·	
NW	NE		est data: Well water				•		
1 1			. gpm: Well water						
w			r 6. 1./4in. to .					. to	
	! WE	ELL WATER TO		Public wate			•	Injection well	
sw	SE	1 Domestic				9 Dewaterin			
1	X	2 Irrigation				nly 10 Monitoring			
<u> </u>	Wa	as a chemical/ba	cteriological sample su	ibmitted to De	epartmen	t? YesNo	oX; If yes	, mo/day/yr san	nple was sul
	ş mitt	ted				Water Well Disir	fected? Yes	No	<u>X</u>
TYPE OF BLANK	CASING USED:	5	Wrought iron	8 Concre	ete tile	CASING	3 JOINTS: Glue	d Clam	ped
1 Steel	3 RMP (SR)	ϵ	Asbestos-Cement	9 Other	(specify t	pelow)		ed	
2 PVC	4 ABS		Fiberglass					adedX	
nk casing diamete	r 2 • .0in.	to 88 • 0	ft., Dia	in. to		ft., Dia .		in. to	ft
sing height above	land surface0	. 0 · · · · · in	., weight	<u> </u>	<u></u>	lbs./ft. Wall thickr	ness or gauge N	oSchd.•.	.40
PE OF SCREEN C	OR PERFORATION M.	IATERIAL:		7 PV	\mathcal{I}	10	Asbestos-ceme	ent	
1 Steel	3 Stainless ste	eel 5	Fiberglass	8 RM	P (SR)	11	Other (specify)		
2 Brass	4 Galvanized s	steel 6	Concrete tile	9 AB	S	12	None used (op	en hole)	
REEN OR PERFO	RATION OPENINGS	ARE:	5 Gauzeo	d wrapped		8 Saw cut		11 None (ope	en hole)
1 Continuous sl	ot 3 Mill si	lot	6 Wire w	rapped		9 Drilled h	oles		
2 Louvered shu	tter 4 Key p	ounched	7 Torch o	cut		10 Other (s	pecify)		
REEN-PERFORAT	ED INTERVALS:	From 88 • 0) ft. to	73.0	ft.,	From	ft. t	0	
		From	ft. to						
GRAVEL PA	ACK INTERVALS:	From. 88.0	ft. to) ft. to	71.0	ft	From	ft. t	0	
		From	ft. to				ft. t		ft
GROUT MATERIA	L: 1 Neat ceme	ent (2	Cement grout	3 Bento	_				
	om. 71.0ft. t	to 68.0	ft From 68.	0 #	0,	0 ft., Fro	m	ft to	ft
	ource of possible conf					ivestock pens		bandoned wate	
1 Septic tank	4 Lateral lin		7 Pit privy			uel storage		il well/Gas wel	
2 Sewer lines	5 Cess poo	·			12 Fertilizer storage 16 Other (specify below)				
	wer lines 6 Seepage		9 Feedyard	211		nsecticide storage		trier (specify b	
ection from well?	NW NW	pit	3 reedyard			•	40'		
ROM TO	· · · · · · · · · · · · · · · · · · ·	LITHOLOGIC LO	OG	FROM	TO	many feet?	PLUGGING I	NTERVALS	
0 5	Clay, Black,			1110111			, 2000, 10		
5 10	Clay, Med. B		1				7000		
10 15	Clay, Lt. to						M M M M M M M M M M M M M M M M M M M	. 18 19	
15 20	Clay, Tan, L				W114 - 14				
20 25	Clay, Brown,			 	-				
25 30	Caliche, Buf		C C-14-1	Cmar1	Con				
35 45	Sand, Tan, F	n, to Med	Gr. Caliche,	Gravel	, Sm.				<u> </u>
45 50	Sand, Buff,		ge Gr. Gravel	Sm. to	T.o				
50 65	Sand, Tan, L			Dill. CO	-5.				
65 70			TTCHE, DULL	-					
70 80	Caliche, Buf								
80 88	Sand, Rust,	med. to La	irge Gr.						
				<u> </u>					
									<u> </u>
CONTRACTOR'S	OR LANDOWNER'S	CERTIFICATION	I: This water well was	(1) construe	cted (2)	reconstructed or	(3) plugged und	ler my jurisdict	ion and was
pleted on (mo/day		93	water well was			record is true to the			
	's License No		This Water We	II Record wa	e comple	ted on (mo/day/**	5/28/0	93	Janoi. Italisa
	ame of Prairie I	and Envis	Illis Waler We	_{" Necola wa} ∃iati∧n	Tac.	ionatura)	K MAIL	.=	
							OMAC		
of Health and Environ	typewriter or ball point pen. ment, Bureau of Water, Tope	PLEASE PHESS FIRM Deka. Kansas 66620-0	<u>nt rand <i>PHINT</i> clearly. Plea</u> 001. Telephone: 913-296-55	se till in blanks, 45. Send one to	unaeriine or WATER WE	circle the correct ansi ELL OWNER and retain	wers, send top three one for your records	copies to Kansas [s.	Jepartment