WATER WELL RECORD KSA 82a-1201-1215

DAA

14. Didge

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction		Section number		Township number	Range number	
1. Location of well:	Ford	NE 1/4 N E 1/4 SE	1/4	32		т 26 s	r 24	E/W
2. Distance and direction from nearest town or city: ½ mile east and 3. Owner south of Overpass or 154 Spur in Dodge City R.R. or sh					:	Gary Holman		
Street address of well location if in city: Kansas						Ft. Dodge Rd. Dodge City, Kansas 67801		
City, state,					ode:	6. Bore hole dia. 9 7/811		
4. Locate with "X" in section below: N						Well depth 183 ft.		
- NW NE -						7 Cable tool X Rotary Driven Dug		
						Hollow rod Jetted Bored Reverse rotary		
						8. Use: X Domestic Public supply Industry		
X X						Irrigation Air conditioning Stock Lawn Oil field water Other		
						9. Casing: Material PVC Height: Above or betow		
						Threaded Welded X Surface in. RMP PVC X Weight 2 _ 8 lbs./ft. Dia. 5 in. to 183t. depth Wall Thickness: inches or		
or type and ester or indicated						10. Screen: Manufacturer's n		
Top soil					10	Jess & Lowell Type PVC Dia. 5"		
10p 3011						Slot/gazze 1/8" Length 50"		
Fine sand				10	23	Set betweenft. a	ft. and	ft.
Med. to lar. sand with clay streaks				23	175	Gravel pack? Yes Size range of material #1 fine		
Plack shale				1 75	185	11. Static water level:	- i -	day/yr. 7/77
Black shale				113	103	ft. below land surf		1111
						12. Pumping level below land $\underline{41}$ ft. after $\underline{1}$ h	rs. pumping	g.p.m.
SKOCK IIS						ft. after h	rs. pumping	g.p.m.
38						Estimated maximum yield		
137 gad Jlack						Yes	Date	
						14. Well head completion: XX Pitless adepter Unit Inches above grade		
						15. Well grouted? Yes		
1-1 Op						With: Neat cement BentoniteXX Concrete		
A Company of the Comp						16. Negrest source of possible		—— b
The state of the s						ft. 100 Direction N	W Type	cral
And the second of the second o						Well disinfected upon comple		No
Control of the Contro						17. Pump: Manufacturer's name	Not installed	∞ ¦\
43/140-0-2						Model number SD19	HP 1 Volts	220
** 1813 g. A						Length of drop pipe 120 Type:	_ ft. capacity 20g	g.p.m.
						XX Submersible	Turbine	
						Jet	Reciproce	ating 5
(Use a second sheet if needed) 18. Elevation: 19. Remarks:						Centrifugal		—— * 1(
17. Remarks:						This well was drilled under my jurisdiction and this report		
Topography:					is true to the best of my knowledge and belief. Friesen Windmill 252			
Hill						Rusiness name		
Slope						Address Meade Kansas 67864		
XX Upland Z468						Signed Authorized representative Date 8-97		
						·		