

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

FT. DOUGLASS

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

BB4

<p>1. Location of well:</p>	<p>County: Ford</p>	<p>Fraction: NE 1/4 NW 1/4 CR 2 NW 1/4</p>	<p>Section number: 36</p>	<p>Township number: T 26 S</p>	<p>Range number: R 24 (NW)</p>																								
<p>2. Distance and direction from nearest town or city: 2-3 1/4 E South side from Wright, Ks.</p> <p>Street address of well location if in city:</p>			<p>3. Owner of well: Pickrell Drilling Co R.R. or street: Litwin Bldg Suite 205 City, state, zip code: Wichita, Ks. 67202</p>																										
<p>4. Locate with "X" in section below: N W E S 1 Mile</p> <div style="border: 1px solid black; width: 100px; height: 100px; margin: 0 auto; position: relative;"> <div style="position: absolute; top: 50%; left: 50%; transform: translate(-50%, -50%); font-size: 2em;">X</div> <div style="position: absolute; top: 10%; left: 10%;">NW</div> <div style="position: absolute; top: 10%; right: 10%;">NE</div> <div style="position: absolute; bottom: 10%; left: 10%;">SW</div> <div style="position: absolute; bottom: 10%; right: 10%;">SE</div> </div>			<p>Sketch map:</p>																										
<p>5. Type and color of material</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:80%;"></th> <th style="width:10%;">From</th> <th style="width:10%;">To</th> </tr> </thead> <tbody> <tr> <td>Top soil</td> <td>0</td> <td>2</td> </tr> <tr> <td>Clay</td> <td>2</td> <td>63</td> </tr> <tr> <td>Sand & gravel Hard streaks</td> <td>63</td> <td>72</td> </tr> <tr> <td>Clay</td> <td>72</td> <td>100</td> </tr> <tr> <td>Sand & clay</td> <td>100</td> <td>141</td> </tr> <tr> <td>Sand & gravel some clay</td> <td>141</td> <td>182</td> </tr> <tr> <td>Clay</td> <td>182</td> <td>185</td> </tr> </tbody> </table>				From	To	Top soil	0	2	Clay	2	63	Sand & gravel Hard streaks	63	72	Clay	72	100	Sand & clay	100	141	Sand & gravel some clay	141	182	Clay	182	185	<p>6. Bore hole dia. 6 3/4 in. Completion date: 9-18-78 Well depth 180 ft.</p> <p>7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary</p> <p>8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input checked="" type="checkbox"/> Oil field water <input type="checkbox"/> Other</p> <p>9. Casing: Material PVC Height: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 18 in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight <input type="checkbox"/> lbs./ft. Dia. 4 in. to 180 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 237</p> <p>10. Screen: Manufacturer's name Certain Feed Type PVC Dia. <input type="checkbox"/> Slot 1/16 Length 40 Set between 140 ft. and 180 ft. <input type="checkbox"/> ft. and <input type="checkbox"/> ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 5 3/4 28</p> <p>11. Static water level: <input type="checkbox"/> mo./day/yr. 86 ft. below land surface Date 9-18-78</p> <p>12. Pumping level below land surfaces: NA <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield <input type="checkbox"/> g.p.m.</p> <p>13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/></p> <p>14. Well head completion: <input type="checkbox"/> Pitless adapter <input type="checkbox"/> Inches above grade</p> <p>15. Well grouted? <input checked="" type="checkbox"/> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.</p> <p>16. Nearest source of possible contamination: ft. 75 Direction SE Type oil well Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name <input type="checkbox"/> Model number <input type="checkbox"/> HP <input type="checkbox"/> Volts <input type="checkbox"/> Length of drop pipe <input type="checkbox"/> ft. capacity <input type="checkbox"/> g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other</p>		
				From	To																								
Top soil	0	2																											
Clay	2	63																											
Sand & gravel Hard streaks	63	72																											
Clay	72	100																											
Sand & clay	100	141																											
Sand & gravel some clay	141	182																											
Clay	182	185																											
<p>18. Elevation: Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley</p>			<p>19. Remarks: 2510 (TOP) 180 74' sat thick</p>																										
<p>20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Rosenkrantz-Demis 134 Business name License No. Address 42nd Blvd, Ks- 67530 Signed Sandy Kilgus 12/17/78 Authorized representative</p>																													

T 26 S R 24 NW 36
 Sec 36
 1/4 1/4 1/4