	<u> </u>			ATER WELL F	RECO	RD Form	n WWC-5	KSA 82				
	ON OF WATE		Fraction					ion Numb			Range Number	
County:	<u> </u>	ord	NW	½ SE	1/4		<u> </u>	13	т 26	<u> </u>	R 24	w
				t of Larned	1 St.	& North	of Hunt S	St., Wrig	ght, KS			_
2 WATER	WELL OWNE	R: Rig	ht Cooperativ	ve Associ	atio	n						
 RR#. St. Add	dress. Box #	: Mai	n St.						Board of Ag	griculture, Div	ision of Water Resour	ces
City State ZIP Code · Wright, KS 67882								Application Number:				
LOCATE	WELL'S LOC	CATON W	ITH! I		ED W	FII	95	ft. EL	EVATION:			
	N SECTION D	UA.	Denth(e) Gro	undwater End	counte	red 15	79.9	33	ft. 2	ft.	3	Ft.
											yr	-   -
I	. !	i_										}
	WW <b>-</b>	ŅE	P	ump test data	a: W	eli water v	vas		Ft. anter	nours p	oumpingG	ipm c
			Est. Yield	Gpm	1: W	ell water v	vas		Ft. after	Hours	pumpingG	
<u>₹</u> ₩		-	E Bore Hole Di	ameter 6	5.5	In. to	95	) 	ft. and	ir 4	1. to	- Ft.   7
Ī		<u>. i</u>	WELL WATE	R TO BE US	ED AS	S: 5 Put	olic water su field water s	ipply	8 Air cond 9 Dewater	ina 1	n. to 1 Injection well 2 Other (Specify belo	) (wc
<b> </b> -	_sw <b>-</b>	- SF	1 Done			7 1	iicia water t	suppry	estic) 10 Monitor		MW-31	,
↓		X										
' <u>I</u>	S		Was a chemi Submitted	ical/bacteriolo	gical :	sample su	bmitted to D		nt? Yes No Water Well Disinfe		, mo/day/yr sample w No <b>X</b>	as
5 TYPE OF	F BLANK CAS	SING USE	D:	5 Wro	ought I	ron	8 Concre	ete tile	CASING J	OINTS: Glue	d Clamped	
1 Ste			MP (SR)		-		9 Other			Weld		1
2 PV				7 Fibe				( in 2011) <b>2</b>	Г Г	·	aded X	
			_	Ft.								
Blank casing	g diameter _	<del>-</del>	in. to	<b>00</b> Di	a .		In. t	o	π., Dia		in. to	-11.
					ıt	30	71 4U - T	Lbs	./ft. Wall thickness	s or gauge No	· .	
TYPE OF S	CREEN OR F	PERFORA	TION MATERIAL:						10 A			
1 Ste	el		ainless steel	5 Fibe			8	RMP (SR	11 0	ther (specify)		-
2 Bra			alvanized steel	6 Con			_	ABS		one used (op	•	_ \
		TION OPE	NINGS ARE:				l wrapped				11 None (open hole	3)
	ntinuous slot		3 Mill slot		_		rapped		9 Drilled ho			
	vered shutter		4 Key punched			Torch o		_	10 Otner (sp	ecity)		
SCREEN-PI	ERFORATED	INTERV									to	
											to	
SAN	ND PACK INT	ERVALS:		61.5		to to	95		. From		to	Ft.
6 CPOLIT	MATERIAL:	1 N		2 Cement		1	3 Beni	tonite				
			ft. to	Ft.			Ft.	-			ft. to	
			ble contamination:								andoned water well	- "
	nearest source otic tank	e oi possi	4 Lateral lir		7	Pit privy			el storage		well/ Gas well	
•	wer lines						2000		rtilizer storage		her (specify below)	_
		5 Cess pool 8 Sewage lag			-	13 Insecticide storage Contaminated Sit						
3 Wa Direction fro	itertight sewer	ines	6 Seepage	pit	9	Feedyard			secticide storage any feet?	CO	illaillillateu Sit	-
FROM	то	CODE	LITI	HOLOGIC LO	G		FROM	ТО	<u> </u>	PLUGGING II	NTERVALS	
110111		CODE	Sand, Grave									
0	2		Asphalt rubl									
2	46		Silty Clay to	Silt				ļ				
46	60		Silt	- · · · ·				ļ				_
60	70		Silty Clay &					<b>_</b>				
70	96		Caliche with End of Bore		<u>y                                      </u>			<del></del>				
96	TD		End of Bore	noie				+			•	-
				.,			l	1				—
		<b>†</b>	Boring drille	ed to 96': v	well	set at		1				
		<u>L</u> .	95' TD					<u>L</u>				
								1	_			
								1				
								<u> </u>				
			WIEDIO CONT.	MTION: #:			(11) 22 - 11	1 (2)		N mlumes d	dos mon limito di aliano	4
			NER'S CERTIFIC	ATION: This	wate	r well was	(x) construc				der my jurisdiction an	
1 -	on (mo/day/yr		0	7/23/12			And th				dge and belief. Kans	
Water Well	Contractor's L	icense N	). 	585			This W	/ater Well	Record was comp	pleted on (mo	/day/yr) <b>08/20/</b> 1	4
under the be	usiness name	of	Assoc	iated Env	/iror	menta	, inc.		By (signature)	Bradley J	. Jonnson	
INSTR	UCTIONS:. Ple	ease fill in l	planks and circle the : 913-296-5545. Se	correct answe	rs. Se	nd three co	pies to Kans FR and retain	as Departr n one for v			ureat o W ter, Topeka	'
nansas	00040-000 I.	· erebi joi je	. 310-230-0040. 30	SIN SIE WITH	1 \ 7	UTTIV		y		A SHOW THE REAL PROPERTY.	1/shows	