KOLAR Document ID: 1516118

WATER V		ECORD Correction		WWC-5	Se.			ion of Wate rces App. N			Well I	D			
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction			30					Township Numb							
County: 14 14 14						Been	T S R \square E \square W								
·							or Rural Address where well is located (if unknown, distance and								
Business: di					direction fi	rection from nearest town or intersection): If at owner's address, check here:									
Address:															
Address: City:			State:	ZIP:											
3 LOCATE	WELL														
WITH "X"		4 DEPTH					ft.								
SECTION	BOX:	Depth(s) Gr													
N			ft., or 4)[
	WELL'S STATIC WATER LEVEL: below land surface, measured on (mo-day-yr								<u>Latitude/Longitude</u> unit make/model:			,			
NW	- NE - X						(WAAS enabled? \(\subseteq \text{Yes}								
	i	Pump test da					☐ Land			Survey Topographic Map					
w	Е	after		pumping .			Online N			e Mapper:					
SW -	- SE	aftar		ater was											
afterhours					gpiii		6 Elevation:			ft. Ground Level TOC					
S				ameter: in. to				Sourc	<u>e</u> : 🗌	Land Survey	GPS [] To	pographic Map		
1 mile	e			in.						Other		• • • • •			
7 WELL W	ATER TO	BE USED A	AS:												
1. Domestic:				ter Supply:						eld Water Supply: 16					
Househol				g: how mar									••••		
☐ Lawn & (☐ Livestock				echarge: we g: well ID .						☐ Uncased ☐ (al: how many bores					
2. ☐ Irrigation															
3. ☐ Feedlot			Air Sparge		mediation: well ID			a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. o							
	4. Industrial Recovery Injection 13. Other (specify):														
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:															
Water well disinfected? \square Yes \square No															
8 TYPE OF	CASING	U SED: □ S	teel PV	C 🗌 Other		CA	SIN	G JOINTS	S: 🗆	Glued Clamped	d ☐ We	lded	☐ Threaded		
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter in. to ft.															
Casing height above land surface															
TYPE OF SCREEN OR PERFORATION MATERIAL:															
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)															
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:															
☐ Continuo		☐ Mill Slot		auze Wrapp	ed □ To	orch Cut	□ Dri	illed Holes	П	Other (Specify)					
☐ Louvered		☐ Key Punch						ne (Open H							
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.															
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft. to ft.															
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other															
Grout Intervals: From															
Nearest source of possible contamination: No potential source of contamination within 200 ft. ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage															
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well															
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well															
☐ Other (Specify)															
					nce from w							173.16	N DIFFERENCE OF THE SECOND CO.		
10 FROM	TO	<u>r</u>	ITHOLOG	ilC LOG		FRON	1	TO	LH	HO. LOG (cont.) or	PLUGG	iINC	INTERVALS		
													-		
						Notes:	:								
						-									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged															
under my jurisdiction and was completed on (mo-day-year)															
Kansas Water	r Well Cont	ractor's Lice	ense No		. This W	ater Well	Reco	rd was con	mple	eted on (mo-day-y	ear)				
under the bus	iness name	of	***	TI I OV				1 5 2		or each <u>constructed</u> we		<u></u>	<u></u>		
KS Departmen	S nt of Health ar	end one copy to d Environment	OWATER W Bureau of W	ELL OWNE	k and retain v Section 10	one for your 000 SW Jack	record	as. Fee of \$5 t Suite 420	0.00 f Tope	or each <u>constructed</u> we eka. Kansas 66612-13 <i>6</i>	и. 57. Telepl	ione	785-296-3565		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212															

Form	WWC5			
Contractor	Jonagan Water Well Service LLC			
Well Owner	Timothy Cornitius			
Doc ID	1516118			

Lithology

From	То	LithologicLog
0	7	topsoil
7	17	brown sandy clay
17	31	brown sandy clay hard str
31	33	hard rock
33	42	clay and rock
42	47	rock hard
47	50	brown sandy clay hard str rock
50	57	rock hard
57	66	brown sandy clay
66	71	fine to med sand and gravel loose
71	72	rock
72	75	fine sand and gravel and white rock tight
75	82	white rock hard
82	100	brown rock loose few hard str
100	108	fine sand and brown rock loose
108	121	brown clay sticky
121	123	brown rock fine sand
123	130	fine to med sand and gravel loose
130	136	yellow clay