

**WATER WELL RECORD Form WWC-5**

Division of Water Resources App. No.

44,839

Well ID

Original Record  Correction  Change in Well Use

**1 LOCATION OF WATER WELL:** County: Ford Fraction NE 1/4 SW 1/4 SW 1/4 SW 1/4 Section Number 32 Township Number T 26 S Range Number R 24  E  W

**2 WELL OWNER:** Last Name: APAC - Dodge City First: Address: 11242 113 Rd. City: Dodge City State: KS ZIP: 67801 Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): From Hwy 50B & Hwy 56/283 intersection on SE side of Dodge City, south 1 mile on Hwy 56, located on east side of road.

**3 LOCATE WELL WITH "X" IN SECTION BOX:**

N	
--NW--	--NE--
--SW--	--SE--
S	

-----1 mile-----

**4 DEPTH OF COMPLETED WELL:** 159 ft. Depth(s) Groundwater Encountered: 1) \_\_\_\_\_ ft. 2) \_\_\_\_\_ ft. 3) \_\_\_\_\_ ft., or 4)  Dry Well WELL'S STATIC WATER LEVEL: 60 ft.  below land surface, measured on (mo-day-yr) 08-27-19  above land surface, measured on (mo-day-yr) Pump test data: Well water was not checked ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpm Well water was \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpm Estimated Yield: \_\_\_\_\_ gpm Bore Hole Diameter: 18 in. to 160 ft. and \_\_\_\_\_ in. to \_\_\_\_\_ ft.

**5 Latitude:** 37.737513 (decimal degrees) **Longitude:** -99.9765 (decimal degrees) Horizontal Datum:  WGS 84  NAD 83  NAD 27 Source for Latitude/Longitude:  GPS (unit make/model: \_\_\_\_\_) (WAAS enabled?  Yes  No)  Land Survey  Topographic Map  Online Mapper: \_\_\_\_\_ **6 Elevation:** Unknown ft.  Ground Level  TOC Source:  Land Survey  GPS  Topographic Map  Other \_\_\_\_\_

**7 WELL WATER TO BE USED AS:**

1. Domestic: <input type="checkbox"/> Household <input type="checkbox"/> Lawn & Garden <input type="checkbox"/> Livestock	2. <input type="checkbox"/> Irrigation	3. <input type="checkbox"/> Feedlot	4. <input checked="" type="checkbox"/> Industrial	5. <input type="checkbox"/> Public Water Supply: well ID _____	6. <input type="checkbox"/> Dewatering: how many wells? _____	7. <input type="checkbox"/> Aquifer Recharge: well ID _____	8. <input type="checkbox"/> Monitoring: well ID _____	9. Environmental Remediation: well ID _____ <input type="checkbox"/> Air Sparge <input type="checkbox"/> Soil Vapor Extraction <input type="checkbox"/> Recovery <input type="checkbox"/> Injection	10. <input type="checkbox"/> Oil Field Water Supply: lease _____	11. Test Hole: well ID _____ <input type="checkbox"/> Cased <input type="checkbox"/> Uncased <input type="checkbox"/> Geotechnical	12. Geothermal: how many bores? _____ a) Closed Loop <input type="checkbox"/> Horizontal <input type="checkbox"/> Vertical b) Open Loop <input type="checkbox"/> Surface Discharge <input type="checkbox"/> Inj. of Water	13. <input type="checkbox"/> Other (specify): _____
---	--	-------------------------------------	---	--	---	---	---	---	--	--	---	---

Was a chemical/bacteriological sample submitted to KDHE?  Yes  No If yes, date sample was submitted: \_\_\_\_\_ Water well disinfected?  Yes  No

**8 TYPE OF CASING USED:**  Steel  PVC CASING JOINTS:  Glued  Clamped  Welded  Threaded  Other Casing diameter 12 in. to 118 ft., Diameter \_\_\_\_\_ in. to \_\_\_\_\_ ft., Diameter \_\_\_\_\_ in. to \_\_\_\_\_ ft. Casing height above land surface 12 in. Weight 12.71 lbs./ft. Wall thickness or gauge No. .490 TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel  Stainless Steel  Fiberglass  PVC  Other (Specify) \_\_\_\_\_  Brass  Galvanized Steel  Concrete tile  None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:  Continuous Slot  Mill Slot  Gauze Wrapped  Torch Cut  Drilled Holes  Other (Specify) \_\_\_\_\_  Louvered Shutter  Key Punched  Wire Wrapped  Saw Cut  None (Open Hole) SCREEN-PERFORATED INTERVALS: From 118 ft. to 158 ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft. GRAVEL PACK INTERVALS: From 35 ft. to 160 ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**9 GROUT MATERIAL:**  Neat cement  Cement grout  Bentonite  Other Grout Intervals: From 0 ft. to 35 ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**Nearest source of possible contamination:**  Septic Tank  Lateral Lines  Pit Privy  Livestock Pens  Insecticide Storage  Sewer Lines  Cess Pool  Sewage Lagoon  Fuel Storage  Abandoned Water Well  Watertight Sewer Lines  Seepage Pit  Feedyard  Fertilizer Storage  Oil Well/Gas Well  Other (Specify) None Known Distance from well? \_\_\_\_\_ ft.

10 FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS
0	9	Sand & clay mix	104	140	Sand & gravel, medium to coarse
9	11	Clay, brown, firm	140	146	Sandy, clay
11	28	Sand & gravel, coarse to fine	146	158	Sand & gravel, fine to coarse
28	45	Clay & caliche mix	158	160	Clay, yellow & gray
45	55	Sand, fine, with small clay			
55	72	Sand & gravel, fine to very coarse			
72	84	Clay, brown			
84	96	Sand & gravel, coarse to fine, small clay			
96	104	Sandy, clay			

Notes:

**11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:** This water well was  constructed,  reconstructed, or  plugged under my jurisdiction and was completed on (mo-day-year) 08-27-19 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo-day-year) 08-30-19 under the business name of Clarke Well & Equipment, Inc. Signature \_\_\_\_\_