

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number		
County: <b>Ford</b>		NW ¼ SE ¼ SE ¼		35		T 26 S		R 25 <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">E/W</span>		
Distance and direction from nearest town or city street address of well if located within city? <b>603 S. 2nd St. - Dodge City, Kansas</b>										
2 WATER WELL OWNER: <b>Fina Oil and Chemical Company</b>										
RR#, St. Address, Box # : <b>P.O. Box 2159</b>					Board of Agriculture, Division of Water Resources					
City, State, ZIP Code : <b>Dallas, Texas 75221</b>					Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  <div style="text-align: center;"> </div>			4 DEPTH OF COMPLETED WELL: <b>33</b> ft. ELEVATION: <b>2477.92</b>							
			Depth(s) Groundwater Encountered 1. <b>26</b> ft. 2. <b>24.4</b> ft. 3. <b>12/27/95</b> WELL'S STATIC WATER LEVEL <b>24.4</b> ft. below land surface measured on mo/day/yr <b>12/27/95</b> Pump test data: Well water was <b>NA</b> ft. after <b>NA</b> hours pumping <b>NA</b> gpm Est. Yield <b>NA</b> gpm: Well water was <b>NA</b> ft. after <b>NA</b> hours pumping <b>NA</b> gpm Bore Hole Diameter <b>8</b> in. to <b>33</b> ft. and <b>33</b> in. to <b>33</b> ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">10</span> Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes <b>NA</b> No <b>NA</b> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <b>NA</b> No <b>NA</b>							
5 TYPE OF BLANK CASING USED:										
1 Steel			3 RMP (SR)		5 Wrought iron		8 Concrete tile		CASING JOINTS: Glued <b>NA</b> Clamped <b>NA</b>	
<span style="border: 1px solid black; border-radius: 50%; padding: 2px;">2</span> PVC			4 ABS		6 Asbestos-Cement		9 Other (specify below)		Welded <b>NA</b>	
Blank casing diameter <b>2</b> in. to <b>18</b> ft. Dia			7 Fiberglass		9 Other (specify below)		Threaded <b>NA</b>		Threaded <b>NA</b>	
Casing height above land surface <b>-3.96</b> in., weight <b>NA</b> lbs./ft.			10 Asbestos-cement		11 Other (specify)		12 None used (open hole)		Sch. <b>40</b>	
TYPE OF SCREEN OR PERFORATION MATERIAL										
1 Steel			3 Stainless steel		5 Fiberglass		<span style="border: 1px solid black; border-radius: 50%; padding: 2px;">7</span> PVC		10 Asbestos-cement	
2 Brass			4 Galvanized steel		6 Concrete tile		8 RMP (SR)		11 Other (specify)	
SCREEN OR PERFORATION OPENINGS ARE:										
1 Continuous slot			<span style="border: 1px solid black; border-radius: 50%; padding: 2px;">3</span> Mill slot		5 Gauzed wrapped		8 Saw cut		11 None (open hole)	
2 Louvered shutter			4 Key punched		6 Wire wrapped		9 Drilled holes		10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From <b>18</b> ft. to <b>33</b> ft., From <b>NA</b> ft. to <b>NA</b> ft., From <b>NA</b> ft. to <b>NA</b> ft.										
GRAVEL PACK INTERVALS: From <b>14</b> ft. to <b>33</b> ft., From <b>NA</b> ft. to <b>NA</b> ft., From <b>NA</b> ft. to <b>NA</b> ft.										
6 GROUT MATERIAL:										
1 Neat cement			<span style="border: 1px solid black; border-radius: 50%; padding: 2px;">2</span> Cement grout		<span style="border: 1px solid black; border-radius: 50%; padding: 2px;">3</span> Bentonite		4 Other		10 Livestock pens	
Grout Intervals: From <b>0</b> ft. to <b>12</b> ft., From <b>12</b> ft. to <b>14</b> ft., From <b>NA</b> ft. to <b>NA</b> ft.			7 Pit privy		8 Sewage lagoon		12 Fertilizer storage		14 Abandoned water well	
What is the nearest source of possible contamination:			9 Feedyard		13 Insecticide storage		<span style="border: 1px solid black; border-radius: 50%; padding: 2px;">16</span> Other (specify below)		15 Oil well/Gas well	
1 Septic tank			4 Lateral lines		11 Fuel storage		Former UST Basin		How many feet? <b>470</b>	
2 Sewer lines			5 Cess pool		12 Fertilizer storage		13 Insecticide storage		14 Abandoned water well	
3 Watertight sewer lines			6 Seepage pit		13 Insecticide storage		14 Abandoned water well		15 Oil well/Gas well	
Direction from well? <b>NW</b>			How many feet? <b>470</b>		13 Insecticide storage		14 Abandoned water well		15 Oil well/Gas well	
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS										
0 2 Clay, Medium Brown 29 33 Sand, Light Yellow Brown										
2 4 Clay, Light Orange Brown										
4 5.5 Sand, Light Yellow Orange										
5.5 6 Clay Seam, Medium Brown										
6 8 Sand, Light Yellow Brown										
8 11.5 Sand, Light Yellow Brown										
11.5 12.5 Sand, Light Yellow Brown										
12.5 14 Sand, Light Yellow Brown										
14 14.5 Sand, Light Yellow Brown										
14.5 17 Sand, Light Yellow Brown										
17 17.2 Sand, Light Yellow Brown										
17.2 18 Sand, Light Yellow Brown										
18 21 Sand, Light Yellow Brown										
21 22 Clay Seam, Light Orange Brown										
22 29 Sand, Light Yellow Brown										
MW14, Tag # 00140724, Flushmount										
Project Name: AG and W - Fina #4792										
GeoCore # 286, KDHE # U1 029 049										
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">1</span> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <b>12/27/95</b> and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. <b>527</b> This Water Well Record was completed on (mo/day/yr) <b>1/23/96</b>										
under the business name of <b>GeoCore Services, Inc.</b> by (signature) <i>Don Kell</i>										
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.										

OFFICE USE ONLY

T

R

E/W

SEC.

1/4

1/4

1/4