1 LOCAT	ION OF WA	ATER WELL: Fraction			Section Number Township Number			Range Number				
County:			SE 1/4		SE ¼	35	T 26	S	R	25	E(\(\)	
Distance and direction from nearest town or city street address of well if located within city? 603 S. 2nd St Dodge City, Kansas												
2 WATER WELL OWNER: Fina Oil and Chemical Company												
RR#, St. Address, Box # : P.O. Box 2159 Board of Agriculture, Division of Water Resources												
	, ZIP Code		exas 75221				Application Nun					
3 LOCAT	E WELL'S	LOCATION 4	DEPTH OF CO	MPLETED WELL.	32	ft. ELEV	'ATION:		479.9			
WITH A	_			vater Encountered								
ĪТ		V		WATER LEVEL								
				test data: Well wa								
	- W	NE	est. Yield NA	gpm: Well wa	iter was	ft. a	fter	hours pun	nping .		gpm	
Wile V	!		Bore Hole Diamet	er 8 in.	to	32 ft.,	and	in.	. to		ft.	
<u>-</u> W -		EV	WELL WATER TO	D BE USED AS:	5 Public w	ater supply	8 Air conditioning	11	Injectior	n well	<u> </u>	
	1	x _	1 Domestic	3 Feedlot	6 Oil field v	vater supply	9 Dewatering			Specify		
	SW	SE	2 Irrigation	4 Industrial	7 Lawn and	d garden only	10 Monitoring well	(Obser	vation	.Well 5	
	ļ.	(, I l		oacteriological sam	ple submitte	d to Department	? YesNo. √	; If yes,	mo/day	//yr sam	.vv.e.u	
<u> </u>		S S	submitted			Wa	ter Well Disinfecte	d? Yes		No 1		
5 TYPE (OF BLANK	CASING USED:	Ę	5 Wroughtiron	8 Cc	ncrete tile	CASING JOI	NTS: Glued	1	. Clamp	oed '-	
1_St	eel	3 RMP (SR)	(3 Asbestos-Cemen	nt 9 Otl	ner (specify belo	w)	Weld	ed			
(2)P\	/C	4 ABS	-	7 Fiberglass				Threa	ided🗸	/		
Blank casi	ng diametei	r	in. to \dots 17	ft., Dia	i	n. to	ft., Dia		. in. to		ft.	
Casing height above land surface4.92 in., weight												
TYPE OF	SCREEN O	R PERFORATION	MATERIAL			PVC	10 Asb	estos-ceme	ent		-	
1 St	eel	3 Stainless s	steel 5	5 Fiberglass	8	RMP (SR)	11 Othe	er (specify))		-	
2 Br	ass	4 Galvanized	d steel 6	6 Concrete tile	9	ABS	12 Non	e used (op	en hole)		
SCREEN (OR PERFO	RATION OPENING	S ARE:	5 Gau	ızed wrappe	d	8 Saw cut		11 No	ne (ope	en hole)	
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes												
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)												
SCREEN-PERFORATED INTERVALS: From												
From												
GRAVEL PACK INTERVALS: From												
From												
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other												
Grout Intervals: From												
What is th	e nearest s	ource of possible o	contamination:			10 Lives	stock pens	14 AI	bandon	ed wate	r well	
1 Sept	ic tank	4 Lateral	l lines	7 Pit privy		11 Fuel	storage	<u>15</u> 0i	il well/G	as well	١,	
2 Sew	er lines	5 Cess p				12 Ferti	12 Fertilizer storage (16) Other (specify be					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Former. UST Ba									3asin			
Direction f	rom well?						ny feet? 100					
FROM	ТО		LITHOLOGIC L	OG	FRON	1 TO	PL	UGGING IN	NTERVA	LS		
0		Concrete,									F	
0.5		Rock and Sand		n							;	
1		Clay, Very Dai										
4		Sand, Light Ye						 				
6.2		Sand, Light Ye										
12		Sand, Light Ye										
14		Sand, Light Ye									.,	
16		Sand, Light Ye					7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -					
24		Sand, Light Ye										
29	32	Sand, Light Ye	ellow Brown									
										 -		
							DVI/A M "ACCO	201 = -	, .			
							DBW2, Tag#00140					
					_		Project Name: AG a					
							GeoCore # 286 , KD					
7 CONTRACTORS OR LANDOWNERS CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction												
and was completed on (mo/day/year)												
Kansas Water Well Contractor's License No												
under the	business na	ame of	GeoCore	Services, Inc.		by (signa	ture) Light	ec Kor	4_			
INSTRI Departi	INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.											

WATER WELL RECORD Form WWC-5 KSA 82a-1212