USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215 DOP 6' CITY

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

BBC						Topeka, Kansas 66620		
1 1	County				Section number		Township number	Range number
1. Location of well:	Ford	SW 1/4 X	1/4 NW	1/4	1	3	т 26 s	r 25 <b>x</b> €/W
X. Distance and direct	ction from nearest town or city:	****			er of well	l:	Wayne Gilbert	
1 North of Dodge City, Ks.  Sheet address of well location if in city:						2404 Reeves		
City, sta					state, zip code:		Dodge City, Ka	nsas 67801
4 Locate with "X" in section below: Sketch map:							6. Bore hole dia. 718 in. Well depth 198 ft.	7-26-76
					rest		7 Cable tool X Rotary	
X NW - NE -							Bored Reverse rotary	
							8. Use: X Domestic Public supply Industry	
w						Irrigation Air conditioning Stock Lawn Oil field water Other		
SW SE 171						Lawn O		
			was fire to a background to describe	4 1				_iSurfacein.
The state of the s						RMPPVCWeightIbs./ft. Dia. 5_ in. to 178 ft. depth Well Thickness: inches or		
1 M					T _		Dia. <u>5</u> in. to <u>178</u> ft. dep Diain. to ft. dep	th Wolf Thickness: inches or
5. Type and color of	material				From	То	10. Screen: Manufacturer's n	
						_	Jess & I	owell
Top soil					0	5	Type PVC Slot/gauze 1/8"	_ Dia511
Caliche					6	25	Set between 148	ft. and 198 ft.
					26	-	ft. c	andft.
Sandy clay					26	56	Gravel pack? <u>Yes</u> Size ra	
Clay					57	75	98ft. below land sur	face Date 7/22/76
Sandy alay					76	99	12. Pumping level below land	
Sandy clay					10	1		nrs. pumping g.p.m.
Med. to 1	ar. sand with sand	y clay str	eaks		100		Estimated maximum yield —	nrs. pumping g.p.m.
					-	198	13. Water sample submitted:	
	DOME 183	, , , , , , , , , , , , , , , , , , , ,					Yes No	
	BIZOCK 198		<del></del>		<del> </del>	<del> </del>	14. Well head completion:	
	93						15. Well grouted? yes	
100 Sal Jan							With: Neat cement BentoniteX_ Concrete	
					<u> </u>	<del> </del>	Depth: Fromft. to	
						<u> </u>	16. Nearest source of possible	e contamination: none
100	$C_{i}$						Well disinfected upon comple	
,							17. Pump:	Not installed
	<u> </u>				-	ļ	Manufacturer's name	ermotor _ HP 3/4 Volts 220
							Length of drop pipe 140	ft. capacity 10 g.p.m.
							Type: X Submersible	* <b>!</b> .*
						Submersible Jet	Turbine Reciprocating	
(Use a second sheet if needed)						Centrifugal	Other	
18. Elevation:	19. Remarks:						20. Water well contractor's	
							This well was drilled under m is true to the best of my know	' '
Topography:		·	ر				Friesen Wing	lmi11 252
-HIII 75 63						Business name	License No.	
X Upland	d out	1 4 4					Address Ne ade	Dat 8-20-7
Valley	TOR	736	5				Signed Authorized rep	resentative Date