			R WELL RECORD	Form WWC-5	KSA 82				
LOCATION OF WA	TER WELL:	Fraction		1	tion Numbe			Range N	lumber
ounty: Ford	- f	NE 1/4		SW 1/4	25	т 26	S	R 25	
		•	address of well if local	tea within city?		52893	068	MIL O	
	304 East Wyatt					-52895069-		MW-2	· · ·
	VNER: Fina 0il		1 Company			5. 1.44			: ::::::::::::::::::::::::::::::::::::
RR#, St. Address, Bo						ū		vivision of Wat	er Hesource
City, State, ZIP Code			COMPLETED WELL.	13	, <u></u>	Application I		1 av 2500 l	MCI
AN "X" IN SECTIO		_	DOMPLETED WELL Idwater Encountered						
NW NW SW SW	N	WELL'S STATION Pum Est. Yield N./ Bore Hole Diam WELL WATER 1 Domestic 2 Irrigation	D WATER LEVEL	38.5 ft. b tter was tter was 5 Public wate 6 Oil field wa 7 Lawn and g	elow land si ft ft. er supply ter supply garden only epartment?	urface measured on rafter	no/day/yr hours pur hours purin. 11 I 12 (; If yes,	nping	gpm gpm ft. below)
TYPE OF BLANK			5 Wrought iron	8 Concre					
1 Steel	3 RMP (SR	1)	6 Asbestos-Cemen		(specify belo			ed	
②PVC	4 ABS	20	7 Fiberglass			4 0:-		dedX	
			ft., Dia						
YPE OF SCREEN C			.in., weight	⊘ PV			gauge No stos-ceme		
1 Steel	3 Stainless		5 Fiberglass	_	MP (SR)				
2 Brass	4 Galvanize		6 Concrete tile	9 AB			used (ope		
CREEN OR PERFO				ized wrapped	3	8 Saw cut	useu (ope	11 None (ope	en hole)
1 Continuous sk				e wrapped		9 Drilled holes		TT NOTIC (OP	011 11010)
2 Louvered shut	_	y punched	7 Tore			10 Other (specify)			
CREEN-PERFORAT			7 1010	or cut		10 Other (specify)			
OHELITI ENIONAL	ED INTERVALS:		8 ft. to						
	ACK INTERVALS:	From	8	45	ft., Fr	om	ft. to)	
GRAVEL PA	ACK INTERVALS: L: 1 Neat ce	From	ft. to ft. to ft. to ft. to	45	ft., Fr ft., Fr ft., Fr	om	ft. to ft. to ft. to)	
GRAVEL PA GROUT MATERIA irout Intervals: Fro	L: 1 Neat com 0	From	2 ft. to ft. to	45	ft., Fr. ft., Fr. ft., Fr. onite	om	ft. to	. ft. to	
GRAVEL PAGE GROUT MATERIA GROUT Intervals: From the meanest seem of the search of the	ACK INTERVALS: L: 1 Neat com 0	From2 From ement (ft. to20 contamination:	2 ft. to ft. to ft. to Cement grout ft., From	45	ft., Fr. ft., Fr. ft., Fr. ft., Fr. conite 4 to	om	ft. to	ft. to	
GRAVEL PAGE GROUT MATERIAL GROUT Intervals: From the state of the stat	ACK INTERVALS: L: 1 Neat commun	From2 From ement ft. to20 contamination:	2 ft. to 12 ft. to 12 ft. to 13 Cement grout 14 ft., From	3Bento 20 ft.	ft., Fr. ft., Fr. ft., Fr. ft., Fr. onite 10 Live	omomom 4 Otherft., Fromestock pens I storage	ft. to ft. to ft. to	ft. to pandoned wate	
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines	L: 1 Neat community of possible of the Latera 5 Cess	From2 From ement (ft. to20 contamination: al lines	2 ft. to 2 ft. to ft. to 2 Cernent grout ft., From 7 Pit privy 8 Sewage la	3Bento 20 ft.	ft., Fr.	omom 4 Otherstock pens I storage	ft. to ft. to ft. to	ft. to	
GRAVEL PA GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev	L: 1 Neat community of the community of	From2 From ement (ft. to20 contamination: al lines	2 ft. to 12 ft. to 12 ft. to 13 Cement grout 14 ft., From	3Bento 20 ft.	ft., Fr. ft.	om	ft. to ft. to ft. to	ft. to pandoned wate	
GRAVEL PA GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev irection from well?	L: 1 Neat community of the community of	From	2 ft. to 1 ft. to 1 ft. to 1 ft. to 2 ft. to 2 ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3Bento 20 ft.	ft., Fr. ft.	om	14 Ab	ft. to pandoned wate well/Gas well	
GRAVEL PA	L: 1 Neat com	From	ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3Bento 20 ft.	ft., Fr. ft.	om	14 Ab	ft. to pandoned wate	
GRAVEL PA	L: 1 Neat com	From	ft. to ft. to ft. to ft. to ground ft., From 7 Pit privy 8 Sewage la 9 Feedyard LOG ty Lean Clay	3Bento 20 ft.	ft., Fr. ft.	om	14 Ab	ft. to pandoned wate well/Gas well	
GRAVEL PA GROUT MATERIA Frout Intervals: Fro Interv	ACK INTERVALS: L: 1 Neat commun	From	ft. to ft. to ft. to ft. to ground ft., From 7 Pit privy 8 Sewage la 9 Feedyard LOG ty Lean Clay	3Bento 20 ft.	ft., Fr. ft.	om	14 Ab	ft. to pandoned wate well/Gas well	
GRAVEL PA GROUT MATERIA Frout Intervals: Fro Interv	ACK INTERVALS: L: 1 Neat communication L: 0 Neat communication 4 Latera 5 Cess wer lines 6 Seepa SE Brown to Lig Light Brown Brown Silty	From	2	3Bento 20 ft.	ft., Fr. ft.	om	14 Ab	ft. to pandoned wate well/Gas well	
GRAVEL PA GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevirection from well? FROM TO 0 18.5 18.5 30 30 36	ACK INTERVALS: L: 1 Neat commun	From	2	3Bento 20 ft.	ft., Fr. ft.	om	14 Ab	ft. to pandoned wate well/Gas well	
GRAVEL PA GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevirection from well? FROM TO 0 18.5 18.5 30 30 36	ACK INTERVALS: L: 1 Neat communication L: 0 Neat communication 4 Latera 5 Cess wer lines 6 Seepa SE Brown to Lig Light Brown Brown Silty	From	2	3Bento 20 ft.	ft., Fr. ft.	om	14 Ab	ft. to pandoned wate well/Gas well	
GRAVEL PA GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevirection from well? FROM TO 0 18.5 18.5 30 30 36	ACK INTERVALS: L: 1 Neat communication L: 0 Neat communication 4 Latera 5 Cess wer lines 6 Seepa SE Brown to Lig Light Brown Brown Silty	From	2	3Bento 20 ft.	ft., Fr. ft.	om	14 Ab	ft. to pandoned wate well/Gas well	
GRAVEL PA GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev irection from well? FROM TO 0 18.5 18.5 30 30 36	ACK INTERVALS: L: 1 Neat communication L: 0 Neat communication 4 Latera 5 Cess wer lines 6 Seepa SE Brown to Lig Light Brown Brown Silty	From	2	3Bento 20 ft.	ft., Fr. ft.	om	14 Ab	ft. to pandoned wate well/Gas well	
GRAVEL PA GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev irection from well? FROM TO 0 18.5 18.5 30 30 36	ACK INTERVALS: L: 1 Neat communication L: 0 Neat communication 4 Latera 5 Cess wer lines 6 Seepa SE Brown to Lig Light Brown Brown Silty	From	2	3Bento 20 ft.	ft., Fr. ft.	om	14 Ab	ft. to pandoned wate well/Gas well	
GRAVEL PA GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevirection from well? FROM TO 0 18.5 18.5 30 30 36	ACK INTERVALS: L: 1 Neat communication L: 0 Neat communication 4 Latera 5 Cess wer lines 6 Seepa SE Brown to Lig Light Brown Brown Silty	From	2	3Bento 20 ft.	ft., Fr. ft.	om	14 Ab	ft. to pandoned wate well/Gas well	
GRAVEL PA GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevirection from well? FROM TO 0 18.5 18.5 30 30 36	ACK INTERVALS: L: 1 Neat communication L: 0 Neat communication 4 Latera 5 Cess wer lines 6 Seepa SE Brown to Lig Light Brown Brown Silty	From	2	3Bento 20 ft.	ft., Fr. ft.	om	14 Ab	ft. to pandoned wate well/Gas well	
GRAVEL PA	ACK INTERVALS: L: 1 Neat communication L: 0 Neat communication 4 Latera 5 Cess wer lines 6 Seepa SE Brown to Lig Light Brown Brown Silty	From	2	3Bento 20 ft.	ft., Fr. ft.	om	14 Ab	ft. to pandoned wate well/Gas well	
GRAVEL PA	ACK INTERVALS: L: 1 Neat communication L: 0 Neat communication 4 Latera 5 Cess wer lines 6 Seepa SE Brown to Lig Light Brown Brown Silty	From	2	3Bento 20 ft.	ft., Fr. ft.	om	14 Ab	ft. to pandoned wate well/Gas well	
GRAVEL PA	ACK INTERVALS: L: 1 Neat communication L: 0 Neat communication 4 Latera 5 Cess wer lines 6 Seepa SE Brown to Lig Light Brown Brown Silty	From	2	3Bento 20 ft.	ft., Fr. ft.	om	14 Ab	ft. to pandoned wate well/Gas well	
GRAVEL PA	ACK INTERVALS: L: 1 Neat communication L: 0 Neat communication 4 Latera 5 Cess wer lines 6 Seepa SE Brown to Lig Light Brown Brown Silty	From	2	3Bento 20 ft.	ft., Fr. ft.	om	14 Ab	ft. to pandoned wate well/Gas well	
GRAVEL PA GROUT MATERIA Grout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 18.5 18.5 30 30 36 36 45	ACK INTERVALS: L: 1 Neat or or ource of possible or 4 Latera 5 Cess wer lines 6 Seepa SE Brown to Lig Light Brown Brown Silty Gray-Brown C	From	ft. to 2 ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage la 9 Feedyard LOG ty Lean Clay o Fat Clay Trace Gravel	3Bento 20 ft.	to22 10 Live 11 Fue 12 Fert 13 Inse	om	14 Ab 15 Oi 16 Ot	ft. to	ft. ft. ft. ft. er well lelow)
GRAVEL PA GROUT MATERIA frout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 18.5 18.5 30 30 36 36 45 CONTRACTOR'S	L: 1 Neat com	From	ft. to 2 ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage la 9 Feedyard LOG ty Lean Clay o Fat Clay Trace Gravel	3Bento 20. ft.	to	om	ft. to ft	ft. to pandoned wate well/Gas well her (specify be	ion and was
GRAVEL PA GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev irrection from well? FROM TO 0 18.5 18.5 30 30 36 36 45 CONTRACTOR'S completed on (mo/day)	ACK INTERVALS: L: 1 Neat community of the community of t	From	ft. to 2 ft. to ft. to 2 cement grout 7 Pit privy 8 Sewage la 9 Feedyard LOG ty Lean Clay o Fat Clay Trace Gravel	3Bento 20 ft.	to	om	ft. to ft	ft. to pandoned wate well/Gas well her (specify be	ion and was
GRAVEL PA GROUT MATERIA frout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev /birection from well? FROM TO 0 18.5 18.5 30 30 36 36 45 CONTRACTOR'S completed on (mo/day)	ACK INTERVALS: L: 1 Neat or on	From	ft. to 2 ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage la 9 Feedyard LOG ty Lean Clay o Fat Clay Trace Gravel	3Bento 20 ft. Igoon FROM was(1)constru	to	om	ft. to ft	ft. to pandoned wate well/Gas well her (specify be	ion and was