

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Ford	NW ¼ SW ¼ SW ¼	26	T 26 S	R 25	EW
Distance and direction from nearest town or city street address of well if located within city? 1409 West Wyatt Earp Blvd. - Dodge City, Kansas					
2 WATER WELL OWNER: Coors of the Southwest RR#, St. Address, Box # : 1409 West Wyatt Earp Blvd. City, State, ZIP Code : Dodge City, Kansas 67801					
Board of Agriculture, Division of Water Resources Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 44 ft. ELEVATION: 200.46			
		Depth(s) Groundwater Encountered 1. 165.68 ft. 2. . ft. 3. . ft.			
		WELL'S STATIC WATER LEVEL 34.78 ft. below land surface measured on mo/day/yr 11/2/92			
		Pump test data: Well water was . ft. after . hours pumping . gpm			
		Est. Yield . gpm: Well water was . ft. after . hours pumping . gpm			
		Bore Hole Diameter . 6 5/8 in. to . 44 ft., and . in. to . ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only (10) Monitoring well MW-2			
		Was a chemical/bacteriological sample submitted to Department? Yes . No X ; If yes, mo/day/yr sample was submitted . Water Well Disinfected? Yes . No X			
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR)		5 Wrought iron 8 Concrete tile		CASING JOINTS: Glued . . . Clamped . . .	
(2) PVC 4 ABS		6 Asbestos-Cement 9 Other (specify below)		Welded . . . Threaded . X	
Blank casing diameter . . . 2 . in. to . 44 . ft., Dia . . . in. to . . ft., Dia . . . in. to . . ft.					
Casing height above land surface . . . 0 . in., weight . . . lbs./ft. Wall thickness or gauge No. Sch. 40					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass		(7) PVC 8 RMP (SR)		10 Asbestos-cement	
2 Brass 4 Galvanized steel 6 Concrete tile		9 ABS		11 Other (specify) . . .	
				12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot (3) Mill slot		5 Gauzed wrapped 8 Saw cut		11 None (open hole)	
2 Louvered shutter 4 Key punched		6 Wire wrapped 9 Drilled holes			
		7 Torch cut		10 Other (specify) . . .	
SCREEN-PERFORATED INTERVALS: From . 44 ft. to . 34 ft., From . ft. to . ft.					
From . ft. to . ft., From . ft. to . ft.					
GRAVEL PACK INTERVALS: From . 44 ft. to . 32 ft., From . ft. to . ft.					
From . ft. to . ft., From . ft. to . ft.					
6 GROUT MATERIAL: 1 Neat cement (2) Cement grout (3) Bentonite 4 Other . . .					
Grout Intervals: From . 32 ft. to . 28 ft., From . 28 ft. to . 0 ft., From . ft. to . ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy		(11) Fuel storage 14 Abandoned water well		15 Oil well/Gas well	
2 Sewer lines 5 Cess pool 8 Sewage lagoon		12 Fertilizer storage 16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard		13 Insecticide storage			
Direction from well?		How many feet? 360			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	9	Concrete, Black Sandy Loam			
9	33	Sand, Tan, Fine to Med. Grained			
33	44	Sand, Tan, Med. to Lg. Grained, Gravel, Small to Lg.			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10/21/92 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 540 This Water Well Record was completed on (mo/day/yr) 11/5/92 under the business name of Prairie Land Environmental Remediation, Inc. (signature) [Signature]					