

1 LOCATION OF WATER WELL: County: <u>Ford</u>	Fraction SE 1/4 SW 1/4 SW 1/4	Section Number 26	Township Number T 26 S	Range Number R 25 EW
--	----------------------------------	----------------------	---------------------------	-------------------------

Distance and direction from nearest town or city street address of well if located within city?
Block #1 - Evans Addition.

2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code :	<u>Dodge City Coop</u> <u>710 West Trail</u> <u>Dodge City, Ks. 67801</u>	MW# <u>1</u> Board of Agriculture, Division of Water Resources Application Number:
---	---	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL HOLE	5 ELEVATION:
--	--------------------------------	--------------

DEPTH OF COMPLETED WELL HOLE: 30 ft.

Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL N/A ft. below land surface measured on mo/day/yr

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter 7.5/8 in. to 3.0 ft., and in. to ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Test Boring

Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:	N/A	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded
2 PVC	4 ABS	7 Fiberglass		Threaded

Blank casing diameter in. to ft., Dia in. to ft., Dia in. to ft.

Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:	N/A	7 PVC	10 Asbestos-cement
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
			11 Other (specify)
			12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE: N/A

1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	

SCREEN-PERFORATED INTERVALS: From... N/A ... ft. to ft., From ft. to ft.

GRAVEL PACK INTERVALS: From... N/A ... ft. to ft., From ft. to ft.

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
-------------------	---------------	----------------	-------------	---------------

GROUT INTERVALS: From... 2 ... ft. to 30 ... ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	

Direction from well? Localized area How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
		<u>Henkle Drilling & Supply Company augered a 7 5/8" hole to 30' and took split spoon samples & a water sample as noted on the attached log. We then plugged the bore hole.</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>2/21/90</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>145</u> This Water Well Record was completed on (mo/day/yr) <u>3/14/90</u> under the business name of <u>Henkle Drilling & Supply Co., Inc.</u> by (signature) <u>Doyle R. Henkle</u>

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

DRILLERS TEST LOG

CUSTOMER'S NAME: Servi-Tech (Dodge City Coop) DATE: 2/21/90
 STREET ADDRESS: P. O. Box 1397 TEST # 1 E. LOG 7 5/8
 CITY & STATE: Dodge City, Ks. 67801 DRILLER Wildeman
 COUNTY Ford QUARTER S1/4 SECTION 26 TOWNSHIP 26 RANGE 25

LOCATION Northwest of old service station next to the West side of elevator

%	FOOTAGE			DESCRIPTION OF STRATA	STATIC WATER LEVEL: <u>23'</u>
	From	Pay	TO		Proposed Well Depth:
	0		2	Top soil.	
	2		5	Brown sandy clay.	
	5		7	Brown clay & Caliche.	
	7		9	Sand fine to medium coarse. Small gravel.	
	9		11	Brown clay.	
	11		15	Sugar sand.	
	15		22	Sand fine to medium coarse. Small to large gravel (loose), smelled Hydrocarbons.	
	22		24	Brown sandy clay.	
	24		27	Brown sandy clay & sand streaks.	
	27		30	Sand fine to medium coarse.	
				Split spoon samples	
				5' - 7' (14 knocks)	
				10' - 12' (40 knocks)	
				15' - 17' (37 knocks)	
				20' - 22' (13 knocks)	
				Bailed a sample at 30'.	
				Plugged well from bottom to 2'	
				15 bags of Hole plug	