

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Ford		SW 1/4 SE 1/4 SE 1/4	28	T 26 S	R 25 E/W
Distance and direction from nearest town or city street address of well if located within city? Tract 18 - Riney Place Addition - Sub Division #1 - on Park Street, Dodge City, Kansas 67801					
2 WATER WELL OWNER:		Vern D. Pankratz			
RR#, St. Address, Box # :		505 Minneola Rd.			
City, State, ZIP Code :		Dodge City, Kansas 67801			
		Board of Agriculture, Division of Water Resources Application Number:			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 185 ft. ELEVATION:			
<div style="text-align: center;"><p>1 Mile</p></div>		Depth(s) Groundwater Encountered 1. 25 ft. 2. 3. ft.			
		WELL'S STATIC WATER LEVEL 25 ft. below land surface measured on mo/day/yr 7-24-84			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield 70 gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 8 in. to 185 ft., and in. to ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well			
		Was a chemical/bacteriological sample submitted to Department? Yes No XXXX; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes XXXX No			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued XX Clamped			
1 Steel 3 RMP (SR)		Welded			
2 PVC 4 ABS		Threaded			
Blank casing diameter 5 in. to 185 ft. Dia in. to ft. Dia in. to ft.					
Casing height above land surface 12 in., weight 200 psi lbs./ft. Wall thickness or gauge No. SDR 21					
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)					
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:		8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes					
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From 160 ft. to 180 ft. From ft. to ft.					
GRAVEL PACK INTERVALS: From 35 ft. to 185 ft. From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 6 ft. to 35 ft. From ft. to ft. From ft. to ft.					
What is the nearest source of possible contamination: none - new building site		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage					
Direction from well?		How many feet?			
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	15	Top soil, clay & coarse sand			
15	30	Coarse sand & clay (4 ft.)			
30	45	Clay			
45	90	Clay & fine sand layers			
90	105	Clay & fine sand layers with some med. sand			
105	150	Medium to coarse sand			
150	165	Medium to coarse sand (mostly coarse)			
165	182	Coarse sand			
182		Clay & blue shale			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7-25-84 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 179 This Water Well Record was completed on (mo/day/yr) August 13, 1984 under the business name of Joe's Well Service, Inc. Cimarron, Ks. by (signature) <i>Joe's Well Service</i>					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					