			WATE	R WELL RECORD	Form WWC-5	KSA 82a		
1 LOCATION County:		ER WELL:	Fraction SE 1/2	SE 1/4 S	E 1/4 Sec	tion Number 28	Township Number	Range Number R 25 ¥ /w
	d direction		wn or city street a	address of well if located	within city?] 20 5	R 23 E W
			moke in Dod	ge City, Kansa		Jonka		
WATER				Department of	t Center	WOFKS	nsmoke	e, Division of Water Resources
RR#, St. Ad		(# :		Dodge City, K	S 67801	, 100 Gui	Application Number	e, Division of Water Resources
City, State, 2		CATION WITH	LI DERTH OF			# F! F\/A	Application Number	
AN "X" IN	SECTION	BOX:	Dooth(s) Group	twater Engulatored 1	Not ava	π. ELEVA ilable# a	HON: 7.7.77	
<u>-</u>	1	' 	WELL'S STATIC	WATER LEVEL 6	2 # h	elow land sur	face measured on mo/day	yr Sep. 20, 1991
1	i	i []						pumping gpm
	- NM	NE						pumping gpm
<u>.</u>	-							in. to
ૄૄ૾ ₩	1	1	WELL WATER	TO BE USED AS:	5 Public wate	er supply	8 Air conditioning	1 Injection well
ī	- sw	SE	1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering 1	2 Other (Specify below)
	"	ī <u>.</u>	XX2 Irrigation					
Į L	<u> </u>	ı X	1	bacteriological sample s	ubmitted to De	•		es, mo/day/yr sample was sub-
-	<u> </u>	1000	mitted	E 144			ter Well Disinfected? Yes	XX No ued XX Clamped
5 TYPE OF 1 Stee		ASING USED: 3 RMP (SI	·D\	5 Wrought iron 6 Asbestos-Cement	8 Concre			elded
XX pvc		4 ABC	•	7 Eiberglass		(specify below	Th	roaded
Blank casino	diameter	5	in. to 150	, thoergiass	in. to		ft. Dia	. in to ft.
Casing heigh	ht above la	nd surface	18	in., weight	2.8	Ibs./1	ft. Wall thickness or gauge	. in. to
		R PERFORATIO			XX₽V	С	10 Asbestos-ce	
1 Stee	el	3 Stainless	s steel	5 Fiberglass	8 RM	IP (SR)	11 Other (speci	fy)
2 Bras	ss	4 Galvaniz	zed steel	6 Concrete tile	9 AB		12 None used	' ' '
SCREEN OF	R PERFOR	ATION OPENIN			ed wrapped		XX Saw cut	11 None (open hole)
	tinuous slot		Mill slot		wrapped		9 Drilled holes	
	vered shutte		(ey punched	7 Torch				
SCREEN-PE	ERFORATE	D INTERVALS:						. το
GE	RAVEL PAG	CK INTERVALS:						. toft.
u,	D	511 HTTE: 177120.	From	ft. to		ft., Fror		to ft.
6 GROUT	MATERIAL	: 1 Neat	cement	2 Cement grout	XX Bento	nite 4		
Grout Interva	als: Fron	n 4	. ft. to 25	ft., From	ft.	to	ft., From	ft. to
What is the	nearest so	urce of possible						Abandoned water well
1 Septic tank 4 Later			, ,					
XX2 Sewer lines 5 Ces			•	0 0		12 Fertilizer storage 16 Other (s		Other (specify below)
	•	er lines 6 Seep West		9 Feedyard		13 Insect	ticide storage	
Direction fro FROM	TO T	nesc	LITHOLOGIC	LOG	FROM	How mar	ly leet?	S INTERVALS
0	1	Cement	2.11.1020010	200	1,7,0,0,0			
1	4	Fine Sand	1					
4	22	Caliche						,
	147	Clay						
147	190	Med Sand	1-					
190	194	Black Sha	are					
			R'S CERTIFICAT	ION: This water well wa	as (1) constru	cted, (2) reco	nstructed, or (3) plugged i	under my jurisdiction and was
completed or	n (mo/day/		September 2	0, 1991		and this reco	rd is true to the best of hy	knowledge and belief. Kansas
Water Well (Contractor's	License No		This Water W	ell Record wa	s completed of	on (mo/day/yr)	inder Ju, 1771
			en winduitii	a suppry rnc.		by (signat	ture)	
INSTRUCT	TIONS: Use ty	pewriter or ball point ent. Bureau of Water	pen. <u>PLEASE PRESS</u> r. Topeka. Kansas 666	FIRMLY and PRINT clearly. Ple 20-7320. Telephone: 913-296-59	ease fill in blanks, 545. Send one to	underline or circle	the correct-arrewers, send top the	ee copies to Kansas Department ords.
oi i ibaidi	SING ENVIRONMENT	, Daroud Of Frailer,	,			705	1005-	77