

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: COUNTY: FORD		Fraction <i>NE 1/4 NE 1/4 SE 1/4</i>	Section Number 28	Township Number T 26 S	Range Number R 25 W																																																												
Distance and direction from nearest town or city street address of well if located within city? BOX 169 -- R.R. #2 DODGE CITY, KS 67801-																																																																	
2 WATER WELL OWNER: HENRY, GARY Rt#, St. Address, Box #: BOX 169 -- R.R. #2 City, State, ZIP code: DODGE CITY, KS 67801-		Board of Agriculture, Division of Water Resources Application Number:																																																															
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 195 ELEVATION: 0 Depth(s) Groundwater Encountered 1. 0 ft. 2. 0 ft. 3. 0 ft.																																																															
<div style="display: flex; align-items: center;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg); margin-right: 5px;">1 mile</div> <table border="1" style="border-collapse: collapse; text-align: center;"> <tr><td> </td><td>NW</td><td>NE</td></tr> <tr><td>W</td><td> </td><td> </td></tr> <tr><td> </td><td>SW</td><td>SE</td></tr> </table> </div>			NW	NE	W				SW	SE	WELL'S STATIC WATER LEVEL 47 ft. below land surface measured on mo/day/yr 06/10/93 Pump test data: Well water was 0 ft. after 0 hours pumping 0 gpm Estimated Yield 85 gpm: Well water was 0 ft. after 0 hours pumping 0 gpm Bore Hole Diameter 9 in. to 195 ft., and in. to 0 ft. WELL WATER TO BE USED AS: DOMESTIC Was a chemical/bacteriological sample submitted to department? No; If yes, mo/day/yr sample was submitted Water well disinfected? Yes																																																						
			NW	NE																																																													
		W																																																															
			SW	SE																																																													
5 TYPE OF BLANK CASING USED: PVC CASING JOINTS: GLOED Blank casing diameter 5 in. to 195 ft., Dia in. to 0 ft., Dia in. to 0 ft. Casing height above land surface 12 in., weight 200 lbs/ft. Wall thickness or gauge No. 21 TYPE OF SCREEN OR PERFORATION MATERIAL: PVC SCREEN OR PERFORATION OPENINGS ARE: SAW CUT																																																																	
SCREEN PERFORATED INTERVALS: From 160 ft. to 190 ft., From 0 ft. to 0 ft. From 0 ft. to 0 ft., From 0 ft. to 0 ft. GRAVEL PACK INTERVALS: From 40 ft. to 195 ft., From 0 ft. to 0 ft. From 0 ft. to 0 ft., From 0 ft. to 0 ft.																																																																	
6 GROUT MATERIAL BENTONITE Grout Intervals: From 5 ft. to 40 ft., From 0 ft. to 0 ft., From 0 ft. to 0 ft. What is the nearest source of possible contamination: ABANDONED WELL Direction from well? EAST How many feet? 10																																																																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 5%;">FROM</th> <th style="width: 5%;">TO</th> <th style="width: 40%;">LITHOLOGIC LOG</th> <th style="width: 5%;">FROM</th> <th style="width: 5%;">TO</th> <th style="width: 40%;">PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr><td>0</td><td>16</td><td>TOPSOIL CLAY</td><td></td><td></td><td></td></tr> <tr><td>16</td><td>45</td><td>FINE - MED SAND SMALL GRAVEL</td><td></td><td></td><td></td></tr> <tr><td>45</td><td>60</td><td>CLAY</td><td></td><td></td><td></td></tr> <tr><td>60</td><td>80</td><td>CLAY FINE SAND</td><td></td><td></td><td></td></tr> <tr><td>80</td><td>100</td><td>FINE - MED SAND VERY LOOSE</td><td></td><td></td><td></td></tr> <tr><td>100</td><td>120</td><td>FINE - MED SAND IN LAYERS</td><td></td><td></td><td></td></tr> <tr><td>120</td><td>160</td><td>FINE - MED SAND SAND ROCK LAYER VERY LOOSE</td><td></td><td></td><td></td></tr> <tr><td>160</td><td>190</td><td>MED-COARSE SAND SAND ROCK LAYER VERY LOOSE</td><td></td><td></td><td></td></tr> <tr><td>190</td><td>200</td><td>CLAY ROCK LAYERS</td><td></td><td></td><td></td></tr> </tbody> </table>						FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	0	16	TOPSOIL CLAY				16	45	FINE - MED SAND SMALL GRAVEL				45	60	CLAY				60	80	CLAY FINE SAND				80	100	FINE - MED SAND VERY LOOSE				100	120	FINE - MED SAND IN LAYERS				120	160	FINE - MED SAND SAND ROCK LAYER VERY LOOSE				160	190	MED-COARSE SAND SAND ROCK LAYER VERY LOOSE				190	200	CLAY ROCK LAYERS			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																																																												
0	16	TOPSOIL CLAY																																																															
16	45	FINE - MED SAND SMALL GRAVEL																																																															
45	60	CLAY																																																															
60	80	CLAY FINE SAND																																																															
80	100	FINE - MED SAND VERY LOOSE																																																															
100	120	FINE - MED SAND IN LAYERS																																																															
120	160	FINE - MED SAND SAND ROCK LAYER VERY LOOSE																																																															
160	190	MED-COARSE SAND SAND ROCK LAYER VERY LOOSE																																																															
190	200	CLAY ROCK LAYERS																																																															
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (mo/day/year) 06/11/93 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 179 This Water Well Record was completed on (mo/day/yr) 06/19/93 under the business name of JOE'S WELL SERVICE, INC. by (signature) <i>Joe's Well Service</i>																																																																	