	<del></del>	ER WELL RECORD F	orm WWC-5				
LOCATION OF WATER WELL:	Fraction	OT-7 4/ CT-		tion Number			Range Number
county: Ford	town or city street	4 SW 1/4 SW	within city?	32	T 26	S	R 25 EM)
Approx iniles	LEST C 3/1	South of Dodo	O City	WC C	· Hartin		- A Mac -
	Dale M		e city	, 100	A Nighw	ay = 3	TO West
WATER WELL OWNER:	RFD #1	001410			Board of	Aariaultura D	vision of Water Beauties
IR#, St. Address, Box # :		0:±., vc 6700	\1			-	vision of Water Resources
ity, State, ZIP Code :		City, KS 6780					
LOCATE WELL'S LOCATION WI AN "X" IN SECTION BOX:	Depth(s) Ground	dwater Encountered 1.		ft.	2	ft. 3.	
NW NE	Est. Yield Bore Hole Diam	gpm: Well water eter10 5/8 in to	was	ft. a	after	. hours pur	ping
	1 Domestic				•	•	ther (Specify below)
SW SE	2 Irrigation				10 Observation w		
			-	•			no/day/yr sample was sub-
	mitted	bacteriological sample st	Dillitted to De		ater Well Disinfecte		No
TYPE OF BLANK CASING USE		5 Wrought iron	8 Concre				. X Clamped
1 Steel 3 RMP		6 Asbestos-Cement		(specify belo			1
2 PVC 4 ABS	(0.1)	7 Fiberglass			···,		led
Blank casing diameter 6	in to 122						
Casing height above land surface							
YPE OF SCREEN OR PERFORAT		.ii., weigitt	7 PV			pestos-cemen	
	less steel	5 Fiberglass		P (SR)			·
	anized steel	6 Concrete tile	9 AB	` '	12 No		
CREEN OR PERFORATION OPE			d wrapped	3		٠.	11 None (open hole)
	Mill slot		rapped		9 Drilled holes		i i None (open noie)
	Key punched	7 Torch	• • •				
CREEN-PERFORATED INTERVAL	s. Erom 12	2	ິ 162 '	4 5.0	TO Other (specify	y)	
	From	ft. to		ft., Fro	om	ft. to	
GRAVEL PACK INTERVA							
1	From						
	at cement	•					
							. ft. to
What is the nearest source of possi			a		stock pens		andoned water well
•	ateral lines	7 Pit privy		11 Fuel	•		well/Gas well
	ess pool	8 Sewage lagor	on		lizer storage	16 Oth	ner (specify below)
3 Watertight sewer lines 6 Se	eepage pit	9 Feedyard			cticide storage		• • • • • • • • • • • • • • • • • • • •
Pirection from well? FROM TO	LITHOLOGIC	100	FROM	TO TO	any feet?	LITHOLOGIC	2100
	SEE ATTACH		FROW	10	<u> </u>	LITHOLOGIC	LOG
	SEE ALIACE	ED TIOG				•	
				+			
			-				
		4					
		W. V.	<b> </b>				
			ļ				
·							
CONTRACTOR'S OR LANDOW	NER'S CERTIFICAT	ION: This water well was	s (1) construc	cted, (2) reco	onstructed, or (3) r	olugged unde	r my jurisdiction and was
ompleted on (mo/day/year)	5-1-81						vledge and belief. Kansas
Vater Well Contractor's License No.	145	This Water We	Il Record was	s completed	on (mo/dav/vr)	6-5-	
nder the business name of Hen				by (signa	, ///		
NSTRUCTIONS: Use typewriter or b	all point pen. PLEAS	SE PRESS FIRMLY and	PRINT clearly			or circle the	correct answers. Send ton
ree copies to Kansas Department of WNER and retain one for your red	Health and Environ	ment, Division of Environm	nent, Environr	nental Geolog	gy Section, Topeka	, KS 66620. S	end one to WATER WELL

Dale McClure 225-5915

## DRILLERS TEST LOG

CUSTOMERS NAME	Dale McClure	HOUSEWELL *	DATE May 1, 1981
STREET ADDRESS	Route 1 Dodge City, Ks.	67801	TEST # 1 E. LOC VES DRILLER Rector
COUNTYFord	QUARTER EW.	SECTION 32 TOW	NSHIP_26 RANGE 25
TOCATION 50' NO	orth & West of the	e North West corner	of House

%	FOOTAGE			Static Water Level				
	From Pay To		To	DESCRIPTION OF STRATA Proposed Well Depth 162'				
	. 0		4	Surface				
	4		28	quick sand & gravel				
	28		30	Lime rock Hard				
	30		60	Sand fine med. coarse, few med. small gravel, real loose, use				
	<b>†</b>			a lot of water.				
	60		66	Brown clay & sand				
	-66	12	80	Sand fine med. coarse some small gravel & some tiny tan rock				
	1			loose, used water.				
	80		95	Brown sandy clay & sand				
60	95	15	95 110	Sand fine med. coarse, med. small gravel & med. small tan roo				
	1			loose, used water.				
35	110	5	115	Brown sandy clay, sand med. coarse, med. small gravel & 1 w				
	1			tan rock, used lots of water.				
75	115	50	165	Sand, fine med. coarse, small brown gravel & small tan ro				
				loose, used lots of water.				
	165		170	Yellow clay, & stks. of soapstone & sand, lost circulation				
``				at 170'				
	1			The second secon				
-	1			Set 6 5/8 PVC				
	1			162 - 122' Perf.				
	1	T		122 - 0 Plain				
	T	1		1 cap on bottom of casing				
				#1 fine, Smith sand gravel pack				
				50 lb. Revert				
			•	3 sack quik gel used for sealer at 60'				
	ř ·	T		2 sack quik gel used for drill test				
	-	- 1	1 / 1					
			1					
			1					

GARDEN CITY, KS Phone 276-3278 TEST HOLES: \* \* \* HENKLE DRILLING & SUPPLY CO., INC.
IRRIGATION HEADQUARTERS
\*IRRIGATION & INDUSTRIAL WELLS \*

SUBLETTE, KS Phone 675-4311