

1 LOCATION OF WATER WELL: County: FORD	Fraction SW 1/4 NW 1/4 NW 1/4	Section Number 33	Township Number T 26 S	Range Number R 25 EW
---	----------------------------------	----------------------	---------------------------	-------------------------

Distance and direction from nearest town or city street address of well if located within city?

1 Mile West of Dodge City, Kansas

2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code :	Mr. Randall Warkentin Route #2 Dodge City, Kansas 67864	Board of Agriculture, Division of Water Resources Application Number: ---
---	---	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 148 ft. ELEVATION: Slope
	Depth(s) Groundwater Encountered 1. Not available ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL 36 ft. below land surface measured on mo/day/yr July 31, 1987 Pump test data: Well water was ft. after hours pumping gpm Est. Yield 20 gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 10 in. to 148 ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well XX Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes No XX; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes XX No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued XX Clamped
1 Steel	6 Asbestos-Cement	9 Other (specify below)	Welded
XX PVC	7 Fiberglass		Threaded
3 RMP (SR)			
4 ABS			
Blank casing diameter 5 in. to 128 ft. Dia. in. to ft. Dia. in. to ft.			
Casing height above land surface 15 in. weight 2.8 lbs./ft. Wall thickness or gauge No. 265			
TYPE OF SCREEN OR PERFORATION MATERIAL:	XX PVC	10 Asbestos-cement	
1 Steel	8 RMP (SR)	11 Other (specify)	
2 Brass	9 ABS	12 None used (open hole)	
3 Stainless steel			
4 Galvanized steel			
6 Concrete tile			
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	XX Saw cut	11 None (open hole)
1 Continuous slot	6 Wire wrapped	9 Drilled holes	
2 Louvered shutter	7 Torch cut	10 Other (specify)	
4 Key punched			
SCREEN-PERFORATED INTERVALS: From 128 ft. to 148 ft. From ft. to ft. From ft. to ft. From ft. to ft.			
GRAVEL PACK INTERVALS: From 60 ft. to 148 ft. From ft. to ft. From ft. to ft. From ft. to ft.			

6 GROUT MATERIAL: -XX Neat cement	2 Cement grout	3 Bentonite	XX Other Baroid Hole Plug
Grout Intervals: From 4 ft. to 60 ft. From ft. to ft. From ft. to ft. From ft. to ft.			
What is the nearest source of possible contamination:			
XX Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage
			13 Insecticide storage
			14 Abandoned water well
			15 Oil well/Gas well
			16 Other (specify below)
Direction from well? East			How many feet? 100

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	2	Topsoil			
2	24	Clay			
24	49	Large Gravel			
49	61	Clay			
61	89	Med. Gravel			
89	96	Clay			
96	103	Med. Gravel			
103	121	Clay			
121	148	Med. Gravel			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) July 31, 1987 and this record is true to the best of my knowledge and belief. Kansas
Water Well Contractor's License No. 252 This Water Well Record was completed on (mo/day/yr) August 4, 1987
under the business name of FRIESSEN WINDMILL & SUPPLY INC. by (signature)

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.

2910000078-20