ounty: For istance and direction	TER WELL:	Frantian								her
		Fraction			Section Number	Townshi		Har	nge Num	· ~
istance and direction		NW 1/4	SW 1/4	SW 1/4	33	<u> </u>	26 s	R	25	E(W)
		•			y?					
Approximat	ley 2 miles	East of Do	odge City, R	Ks.			*			
WATER WELL OV	VNER: Excel (Corporatio	n							
R#, St. Address, Bo	x# : Fort Do	ođge Rd				Board	of Agriculture,	Division of	f Water F	Resource
y, State, ZIP Code	: Dodge (City, Ks.	67801			Applica	ation Number:			
	OCATION WITH 4									
	N IDe		ater Encountered							
			vater level ^A I							
NW	NE	•	test data: Well w							
1			gpm: Well w							-
w	 		er10in.							ft
" !	! WE	ELL WATER TO	BE USED AS:			8 Air condition	-	Injection v		
-x sw	SE	1 Domestic	3 Feedlot		water supply	•		Other (Sp	•	,
X 1		2 Irrigation	4 Industrial		nd garden only					
i	l Wa	as a chemical/ba	cteriological samp	le submitted to	Department? Yo	esNo.	X; If yes			was su
	§ mit	tted			Wa	ter Well Disinfo	ected? Yes		No X	
TYPE OF BLANK	CASING USED:	!	5 Wrought iron	8 Co	ncrete tile	CASING	JOINTS: Glue	d X	Clamped	
1 Steel	3 RMP (SR)	(6 Asbestos-Ceme	nt 9 Oth	er (specify below	v)	Weld	led		
2 PVC	4 ABS		7 Fiberglass					aded		
ank casing diamete	·	to . 33	ft., Dia	in.	to	ft., Dia		in. to		ft
asing height above	and surface12.	ir	n., weight	2 , 7.8	Ibs./	ft. Wall thickne	ess or gauge N	ю 📜 . 29.	lw	
YPE OF SCREEN C	R PERFORATION M	MATERIAL:		7	PVC	10	Asbestos-ceme	ent		
1 Steel	3 Stainless st	eel :	5 Fiberglass	8	RMP (SR)	11	Other (specify))		
2 Brass	4 Galvanized		6 Concrete tile		ABS	12	None used (or	oen hole)		
CREEN OR PERFO	RATION OPENINGS	ARE:	5 Ga	auzed wrappe	1	8 Saw cut	` '	11 None	e (open h	nole)
1 Continuous sl				re wrapped		9 Drilled hol				,
2 Louvered shu				rch cut			ecify)			
CREEN-PERFORAT			.7 ft. to		ft Fro	٠,	• •			
SHEER! EN OWN	LO IITTETTALO.			, , , , , , , , , , , , , , , , , , ,						
				`	ft Fro	m	ft	to		ft
GRAVEL PA	CK INTERVALS:				ft., From					
GRAVEL PA	ACK INTERVALS:	From	ft. to		ft., Fro	m	ft.	to		ft
		From	ft. to)	ft., Fro	ກ	ft. :	to to		ft
GROUT MATERIA	L: 1 Neat cem	From	ft. to ft. to Cement grout	3 Be	ft., From	m m Other	ft. ft. ft.	to to		ft ft
GROUT MATERIA	L: 1 Neat cem	From 2 to	ft. to ft. to Cement grout	3 Be	ft., From the fit., F	m m Other ft., Fron	ft. :	to to 		ft ft ft
GROUT MATERIA rout Intervals: Fro that is the nearest s	L: 1 Neat cem	From 2 to	ft. to ft. to Cement grout ft., From	3 Be	ft., From ft., F	m	ft. ft.	to to ft. to Abandoned	water w	ft.
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank	L: 1 Neat cem om 0 ft. ource of possible cor 4 Lateral li	From 2 to	Cement grout ft. to ft. to	3 Be	ft., From ft., F	m Other ft., Frontock pens storage	ft.	toto toft. to Abandoned	water w	ft.
GROUT MATERIA rout Intervals: Fro that is the nearest s 1 Septic tank 2 Sewer lines	L: 1 Neat cem om 0 ft. ource of possible cor 4 Lateral li 5 Cess po	From	Cement grout ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage 8	3 Be	ft., From ft., F	m	14 A	toto to ft. to Abandoned Dil well/Ga	I water w	ft.
GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev	L: 1 Neat cem om 0 ft. ource of possible cor 4 Lateral li	From	Cement grout ft. to ft. to	3 Be	ft., From ft., F	m	14 A	toto toft. to Abandoned	I water w	ftft.
GROUT MATERIA out Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severection from well?	L: 1 Neat cem m 0 ft. ource of possible cor 4 Lateral li 5 Cess po ver lines 6 Seepage	From	Cement grout ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage i 9 Feedyard	3 Be	ft., From ft., F	m	14 A 15 C None C	totoft. to Abandoned Dil well/Ga Other (spec	water ws well cify below	ftft.
GROUT MATERIA out Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severection from well?	L: 1 Neat cem om 0 ft. ource of possible cor 4 Lateral li 5 Cess po ver lines 6 Seepage	From	Cement grout ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage i 9 Feedyard	3 Be	ft., From ft., F	m	14 A	totoft. to Abandoned Dil well/Ga Other (spec	water ws well cify below	ft ft ft ell
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severection from well? FROM TO 0 2	L: 1 Neat cem om 0 ft. ource of possible cor 4 Lateral li 5 Cess po ver lines 6 Seepage	From. From lent 2 to7 ntamination: ines ol e pit	Cement grout ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage i 9 Feedyard	3 Be	ft., From ft., F	m	14 A 15 C None C	totoft. to Abandoned Dil well/Ga Other (spec	water ws well cify below	
GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sex rection from well? FROM TO 0 2 2 8	L: 1 Neat cem om0ft. ource of possible cor 4 Lateral li 5 Cess po ver lines 6 Seepage Top soil. Brown clay,	From	Cement grout ft. to Cement grout ft., From 7 Pit privy 8 Sewage 8 9 Feedyard	3 Be	ft., From ft., F	m	14 A 15 C None C	totoft. to Abandoned Dil well/Ga Other (spec	water ws well cify below	ft ft
GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev rection from well? FROM TO 0 2 2 8 8 1.3	L: 1 Neat cem m0ft. ource of possible cor 4 Lateral li 5 Cess po ver lines 6 Seepage Top soil. Brown clay, Sand, fine	From	Cement grout ft. to Cement grout ft., From 7 Pit privy 8 Sewage i 9 Feedyard	3 Be	ft., From ft., F	m	14 A 15 C None C	totoft. to Abandoned Dil well/Ga Other (spec	water ws well cify below	ftft
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sex rection from well? FROM TO 0 2 2 8 8 13 13 27	L: 1 Neat cem m0ft. ource of possible cor 4 Lateral li 5 Cess po ver lines 6 Seepage Top soil. Brown clay. Sand, fine Sand, fine	From	Cement grout ft. to Cement grout ft., From Pit privy Sewage i Feedyard	3 Be	ft., From ft., F	m	14 A 15 C None C	totoft. to Abandoned Dil well/Ga Other (spec	water ws well cify below	
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severection from well? FROM TO 0 2 2 8 8 13	L: 1 Neat cem m0ft. ource of possible cor 4 Lateral li 5 Cess po ver lines 6 Seepage Top soil. Brown clay, Sand, fine	From	Cement grout ft. to Cement grout ft., From Pit privy Sewage i Feedyard	3 Be	ft., From ft., F	m	14 A 15 C None C	totoft. to Abandoned Dil well/Ga Other (spec	water ws well cify below	ftft
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severection from well? FROM TO 0 2 2 8 8 13 13 27	L: 1 Neat cem m0ft. ource of possible cor 4 Lateral li 5 Cess po ver lines 6 Seepage Top soil. Brown clay. Sand, fine Sand, fine	From	Cement grout ft. to Cement grout ft., From Pit privy Sewage i Feedyard	3 Be	ft., From ft., F	m	14 A 15 C None C	totoft. to Abandoned Dil well/Ga Other (spec	water ws well cify below	
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sex rection from well? ROM TO 0 2 2 8 8 13 13 27	L: 1 Neat cem m0ft. ource of possible cor 4 Lateral li 5 Cess po ver lines 6 Seepage Top soil. Brown clay. Sand, fine Sand, fine	From	Cement grout ft. to Cement grout ft., From Pit privy Sewage i Feedyard	3 Be	ft., From ft., F	m	14 A 15 C None C	totoft. to Abandoned Dil well/Ga Other (spec	water ws well cify below	
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severection from well? ROM TO 0 2 2 8 8 13 13 27	L: 1 Neat cem m0ft. ource of possible cor 4 Lateral li 5 Cess po ver lines 6 Seepage Top soil. Brown clay. Sand, fine Sand, fine	From	Cement grout ft. to Cement grout ft., From Pit privy Sewage i Feedyard	3 Be	ft., From ft., F	m	14 A 15 C None C	totoft. to Abandoned Dil well/Ga Other (spec	water ws well cify below	
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severection from well? ROM TO 0 2 2 8 8 13 13 27	L: 1 Neat cem m0ft. ource of possible cor 4 Lateral li 5 Cess po ver lines 6 Seepage Top soil. Brown clay. Sand, fine Sand, fine	From	Cement grout ft. to Cement grout ft., From Pit privy Sewage i Feedyard	3 Be	ft., From ft., F	m	14 A 15 C None C	totoft. to Abandoned Dil well/Ga Other (spec	water ws well cify below	
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sex rection from well? ROM TO 0 2 2 8 8 13 13 27	L: 1 Neat cem m0ft. ource of possible cor 4 Lateral li 5 Cess po ver lines 6 Seepage Top soil. Brown clay. Sand, fine Sand, fine	From	Cement grout ft. to Cement grout ft., From Pit privy Sewage i Feedyard	3 Be	ft., From ft., F	m	14 A 15 C None C	totoft. to Abandoned Dil well/Ga Other (spec	water ws well cify below	
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sex rection from well? ROM TO 0 2 2 8 8 13 13 27	L: 1 Neat cem m0ft. ource of possible cor 4 Lateral li 5 Cess po ver lines 6 Seepage Top soil. Brown clay. Sand, fine Sand, fine	From	Cement grout ft. to Cement grout ft., From Pit privy Sewage i Feedyard	3 Be	ft., From ft., F	m	14 A 15 C None C	totoft. to Abandoned Dil well/Ga Other (spec	water ws well cify below	
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severection from well? FROM TO 0 2 2 8 8 13 13 27	L: 1 Neat cem m0ft. ource of possible cor 4 Lateral li 5 Cess po ver lines 6 Seepage Top soil. Brown clay. Sand, fine Sand, fine	From	Cement grout ft. to Cement grout ft., From Pit privy Sewage i Feedyard	3 Be	ft., From ft., F	m	14 A 15 C None C	totoft. to Abandoned Dil well/Ga Other (spec	water ws well cify below	
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sex rection from well? FROM TO 0 2 2 8 8 13 13 27	L: 1 Neat cem m0ft. ource of possible cor 4 Lateral li 5 Cess po ver lines 6 Seepage Top soil. Brown clay. Sand, fine Sand, fine	From	Cement grout ft. to Cement grout ft., From Pit privy Sewage i Feedyard	3 Be	ft., From ft., F	m	14 A 15 C None C	totoft. to Abandoned Dil well/Ga Other (spec	water ws well cify below	
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severection from well? FROM TO 0 2 2 8 8 13 13 27	L: 1 Neat cem m0ft. ource of possible cor 4 Lateral li 5 Cess po ver lines 6 Seepage Top soil. Brown clay. Sand, fine Sand, fine	From	Cement grout ft. to Cement grout ft., From 7 Pit privy 8 Sewage i 9 Feedyard	3 Be	ft., From ft., F	m	14 A 15 C None C	totoft. to Abandoned Dil well/Ga Other (spec	water ws well cify below	
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sex rection from well? FROM TO 0 2 2 8 8 13 13 27	L: 1 Neat cem m0ft. ource of possible cor 4 Lateral li 5 Cess po ver lines 6 Seepage Top soil. Brown clay. Sand, fine Sand, fine	From	Cement grout ft. to Cement grout ft., From 7 Pit privy 8 Sewage i 9 Feedyard	3 Be	ft., From ft., F	m	14 A 15 C None C	totoft. to Abandoned Dil well/Ga Other (spec	water ws well cify below	
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severection from well? FROM TO 0 2 2 8 8 13 13 27 27 30	Top soil. Brown clay. Sand, fine Brown & whi	From Prom Prom Prom Prom Prom Prom Prom P	Cement grout ft. to Cement grout ft., From 7 Pit privy 8 Sewage i 9 Feedyard OG	3 Be	ft., From ft., F	m Other	14 A 15 C None C	toto ft. to Abandoned Dil well/Ga Other (spec	I water ws well cify belowed	ft f
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severection from well? FROM TO 0 2 2 8 8 13 13 27 27 30 CONTRACTOR'S	Top soil. Brown clay. Sand, fine Sand, fine Brown & whi	From Prom Prom Prom Prom Prom Prom Prom P	Cement grout ft. to Cement grout ft., From 7 Pit privy 8 Sewage i 9 Feedyard OG lay. coarse.	3 Be lagoon I FROM	ft., From ft., F	m	14 A 15 C None C PLUGGING	toto ft. to Abandoned Dil well/Ga Dther (spec Dbserve	water ws well cify belowed	fit
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severection from well? FROM TO 0 2 2 8 8 13 13 27 27 30 CONTRACTOR'S impleted on (mo/day)	Top soil. Brown clay. Sand, fine Sand, fine Brown & whi	From Prom Prom Prom Prom Prom Prom Prom P	Cement grout ft. to Cement grout ft., From 7 Pit privy 8 Sewage i 9 Feedyard OG lay. coarse.	3 Be lagoon I FROM	ft., From ft., F	onstructed, or (14 A 15 C None C PLUGGING	toto ft. to Abandoned Dil well/Ga Dther (spec Dbserve	water ws well cify belowed	ft f
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severection from well? FROM TO 0 2 2 8 8 13 13 27 27 30 CONTRACTOR'S empleted on (mo/day after Well Contracto	Top soil. Brown clay. Sand, fine Sand, fine Brown & whi	From Prom Prom Prom Prom Prom Prom Prom P	Cement grout ft. to Cement grout ft., From 7 Pit privy 8 Sewage i 9 Feedyard OG lay. coarse.	3 Be lagoon from the second se	tt., From ft., F	Other	14 A 15 C None C PLUGGING	toto ft. to Abandoned Dil well/Ga Dther (spec Dbserve	water ws well cify belowed	fit

DRILLERS TEST LOG

CUSTOMER'S NAME:B	urns & McDonnell		DATE: Augu	ust 17, 1989	9
STREET ADDRESS: p	O Box 419173		TEST # 17	E. LOG	No
CITY & STATE: Kansa	s City Missouri	64141-0173	DRILLER	Norman	
COUNTY Ford	QUARTER SW	SECTION 33	TOWNSHIP 26	RANGE	25
•	•		•		•
LOCATION MW	#M-17				

7.	FOOTA	GE Pay	то	DESCRIPTION OF STRATA	STATIC WATER LEVEL:
		Гау	2		
	0		8	Top Soil Brown clay	
	8		13	Sand, fine and silty clay	
	13		27	Sand fine to medium coars	
	27		30	Brown and white clay	<u> </u>
			30	Blown and white clay	
	1	-			
	1			5 - 50# bags Q-Gel	,
				4 - 50# bags Hole Plug	
				5" PV	c
				Perf P	
	27'		7'	201	
	7'		0'		7'
				,	7'
			TOTAL	20'	7'
					14
			1		
		<u> </u>			
		<u> </u>			

GARDEN CITY, KS 67846 3795 West Jones Ave.

The same of the sa

HENKLE DRILLING & SUPPLY CO., INC. 316-277-2389

IRRIGATION HEADQUARTERS

TEST HOLES * * * * * * * * * IRRIGATION & INDUSTRIAL WELLS * * * * * * * * * STOCK WELLS