			WELL RECORD	Form V	MWC-5		2a-1212		<u> </u>	NW 4
LOCATION OF WA	```	Fraction 1/4	NW 14	NE 1/4		n Numbe			Range Nu	( )
County: + or Distance and direction						_ما3	1 7 8	<b>(S)</b>	R 23	E(W)
	600 Eag	st Train	1 - 6	) odae	Cit.	Y , K	ζς.	67801		
WATER WELL OW	NER: Saf	iety - K	, leen	-7	/	, ,				
RR#, St. Address, Bo	x # : / c	/						•	ivision of Water	r Resources
City, State, ZIP Code	\d 1=-	ee above	e_/	70	a		Applicat	on Number:	- MA	
LOCATE WELL'S LAN "X" IN SECTION	11 BOY 11 -		IPLETED WELL	<i>O</i> (`.\		ft. ELEV	ATION:	<del> </del>	· · · · · · · · · · · · · · · ·	
_	V Dep						2 urface measured			ft. മമ
							uпасе measured after		,	.1.0
NW	NE   Fet						after			
							and			
¥ w	E	LL WATER TO			ic water s		8 Air conditioni		njection well	
- 1 1	ļ <u>!</u>	1 Domestic	3 Feedlot				9 Dewatering		Other (Specify b	elow)
3W	25	2 Irrigation	4 Industrial	7 Lawr	n and gar	đen only	10 Monitoring w	/ell		
	Was	s a chemical/bac	teriological samp	ole submitte	ed to Depa	artment?	YesNo	; If yes,	mo/day/yr samp	ole was sub-
	s mitte	ed					ater Well Disinfe		No v	/
TYPE OF BLANK			Wrought iron		Concrete				Clampe	ed
1 Steel	3 RMP (SR)	-	Asbestos-Ceme		Other (sp	•	•		d	
2 PVC Blank casing diameter	414 ABS	u u ·	Fiberglass						ded <b>V</b>	
Blank casing diameter Casing height above la										
	R PERFORATION MA		, weight		7 PVC	100		sbestos-ceme		<b>1</b> 7
1 Steel	3 Stainless stee	-	Fiberglass		8 RMP	(SR)				
2 Brass	4 Galvanized s		Concrete tile		9 ABS	` ,		lone used (ope		
SCREEN OR PERFO	RATION OPENINGS	ARE:	5 G	auzed wrap	oped		8 Saw cut		11 None (oper	n hole)
1 Continuous slo	ot 3 Mill slo	ot	<b>₩</b>	ire wrappe	<b>₫</b>		9 Drilled hole	s		
2 Louvered shut	ter 4 Key pu	unched (A o	1 7 To	orch cut			10 Other (sne	cify)		
			<b>\</b>	non cut	ומ מו	l	TO Other (Spe-	,,		
SCREEN-PERFORATI	ED INTERVALS:	From	١ .	خ	29.9		om	ft. to		
	f	From	)	خ	39.9 ' 39 9	ft., Fr	om	ft. to	)	
	CK INTERVALS:	From	)	o	)૧.૧ ' <b>ગ્ર</b> ૧.૧	, ft., Fr	om	ft. to	)	
GRAVEL PA	CK INTERVALS: I	From	ft. to		37.Y	ft., Fr ft., Fr ft., Fr	om	ft. to ft. to ft. to ft. to ft. to	)	
GRAVEL PA	CK INTERVALS: I	From	ft. to	)	Bentonit	ft., Fr	om	ft. tc ft. tc ft. tc ft. tc.	)	
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro	CK INTERVALS: I	From. S.	ft. to	)	Bentonit	tft., Fr	om	ft. to	)	
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro	CK INTERVALS: I	From. S. From  ent o 6.6	ft. to	)	Bentonit	ft., Fr ft., Fr ft., Fr e	om	ft. tc. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	o	
GRAVEL PA GROUT MATERIAL Grout Intervals: From What is the nearest so	CK INTERVALS:  I  I  I  I  I  I  I  I  I  I  I  I  I	From	ft. to  ft. to	3	Bentonit	ft., Fr ft., Fr ft., Fr e 10 Live	omomomomomomomomotheroft., From estock pens	ft. to ft.	of to to the state of the state	
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines	CK INTERVALS:  I  I  I Neat ceme  II. ft. to  purce of possible cont  4 Lateral lin	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. tr	3	Bentonit	ft., Fr ft., Fr ft., Fr e 10 Live 11 Fue 12 Fer	omomomomomom	ft. to ft.	off. to	
GRAVEL PA GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well?	CK INTERVALS:  1 Neat ceme m	From	ft. to  ft. to  ft. to  ft. to  ft. to  ft. tr  ft. tr	3	Bentonit to.	e 10 Live 11 Fue 12 Fer 13 Inse	om	ft. to ft. to ft. to ft. to ft. to	off. to	ftftftft. well
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO	CK INTERVALS:  1 Neat ceme m	From	ft. to  ft. to  ft. to  ft. to  ft. to  ft. tr  ft. tr	3	Bentonit	1. ft., Fr ft., Fr e 10 Live 11 Fue 12 Fer 13 Inse	om	ft. to ft.	off. to	ftftftft. well
GRAVEL PA GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO	CK INTERVALS:  1 Neat ceme m O ft. to purce of possible cont 4 Lateral lin 5 Cess poor ver lines 6 Seepage	From	ft. to  ft. to	lagoon	Bentonit to.	e 10 Live 11 Fue 12 Fer 13 Inse	om	ft. to ft. to ft. to ft. to ft. to	off. to	ftftftft. well
GRAVEL PA GROUT MATERIAL Grout Intervals: From Nhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 2.0	CK INTERVALS:  1 Neat ceme m	From	ft. to  ft. to  ft. to  ft. to  ft. to  ft. tr  ft. tr  ft. prom  7 Pit privy 8 Sewage 9 Feedyard  G	3	Bentonit to.	e 10 Live 11 Fue 12 Fer 13 Inse	om	ft. to ft. to ft. to ft. to ft. to	off. to	ftftftft. well
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 2.0 2.5 9.5	CK INTERVALS:  I Neat ceme m	From	ft. to  ft. to  ft. tr  ft. tr	3	Bentonit to.	e 10 Live 11 Fue 12 Fer 13 Inse	om	ft. to ft. to ft. to ft. to ft. to	off. to	ftftftft. well
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO O J.O A.5 9.5 A.5 9.5	CK INTERVALS:  1 Neat ceme m	From	ft. to  ft. to  ft. tr  ft. tr	3	Bentonit to.	e 10 Live 11 Fue 12 Fer 13 Inse	om	ft. to ft. to ft. to ft. to ft. to	off. to	ftftftft. well
GRAVEL PA  GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO O J.O A.5 9.5 9.5 9.5 13.0 13.0 13.0 13.0 17.0 17.0 17.0	CK INTERVALS:  I Neat ceme m	From	ft. to  ft. to  ft. tr  ft. tr	lagoon	Bentonit to.	e 10 Live 11 Fue 12 Fer 13 Inse	om	ft. to ft. to ft. to ft. to ft. to	off. to	ftftftft. well
GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO Q Q.O Q.5 9.5 9.5 9.5 9.5 12.0 12.0 13.0 14.5 17.0 17.0 17.0 17.0 17.0 17.5 22.0	CK INTERVALS:  1 Neat ceme m	From. 8. Fro	ft. to ft	lagoon	Bentonit to.	e 10 Live 11 Fue 12 Fer 13 Inse	om	ft. to ft. to ft. to ft. to ft. to	off. to	ftftftft. well
GRAVEL PA  GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO Q Q.O A.5 9.5 9.5 9.5 13.0 13.0 13.0 14.5 17.0 17.0 17.0 17.0 17.5 22.0 23.0 24.5	CK INTERVALS:  1 Neat ceme m	From.  Fr	ft. to ft.	lagoon	Bentonit to.	e 10 Live 11 Fue 12 Fer 13 Inse	om	ft. to ft. to ft. to ft. to ft. to	off. to	ftftftft. well
GRAVEL PA  GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO O J.O A.5 9.5 9.5 9.5 13.0 14.5 14.5 17.0 17.0 14.5 14.5 17.0 17.0 14.5 14.5 22.0 23.0 24.5 24.5 27.0	CK INTERVALS:  1 Neat ceme m	From.  Fr	ft. to ft	lagoon	Bentonit to.	e 10 Live 11 Fue 12 Fer 13 Inse	om	ft. to ft. to ft. to ft. to ft. to	off. to	ftftftft. well
GRAVEL PA GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO O J.O A.5 9.5 9.5 9.5 13.0 14.5 14.5 17.0 17.0 14.5 17.0 14.5 17.0 17.5 22.0 23.0 24.5 24.5 27.0	CK INTERVALS:  1 Neat ceme m	From.  From.  From.  From.  From.  From.  From.  From.  From.  Interpretation:  Interpretat	ft. to ft	lagoon	Bentonit to.	e 10 Live 11 Fue 12 Fer 13 Inse	om	ft. to ft. to ft. to ft. to ft. to	off. to	ftftftft. well
GRAVEL PA  GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO O J.O A.5 9.5 9.5 9.5 13.0 14.5 14.5 17.0 17.0 14.5 14.5 17.0 17.0 14.5 14.5 22.0 23.0 24.5 24.5 27.0	CK INTERVALS:  1 Neat ceme m	From.  From.  From.  From.  From.  From.  From.  From.  From.  Interpretation:  Interpretat	ft. to ft	lagoon	Bentonit to.	e 10 Live 11 Fue 12 Fer 13 Inse	om	ft. to ft. to ft. to ft. to ft. to	off. to	ftftftft. well
GRAVEL PA  GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO O J.O A.5 9.5 9.5 9.5 13.0 14.5 14.5 17.0 17.0 14.5 14.5 17.0 17.0 14.5 14.5 22.0 23.0 24.5 24.5 27.0	CK INTERVALS:  1 Neat ceme m	From.  From.  From.  From.  From.  From.  From.  From.  From.  Interpretation:  Interpretat	ft. to ft	lagoon	Bentonit to.	e 10 Live 11 Fue 12 Fer 13 Inse	om	ft. to ft. to ft. to ft. to ft. to	off. to	ftftftft. well
GRAVEL PA  GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO O J.O A.5 9.5 9.5 9.5 13.0 14.5 14.5 17.0 17.0 14.5 14.5 17.0 17.0 14.5 14.5 22.0 23.0 24.5 24.5 27.0	CK INTERVALS:  1 Neat ceme m	From.  From.  From.  From.  From.  From.  From.  From.  From.  Interpretation:  Interpretat	ft. to ft	lagoon	Bentonit to.	e 10 Live 11 Fue 12 Fer 13 Inse	om	ft. to ft. to ft. to ft. to ft. to	off. to	ftftftft. well
GRAVEL PA  GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO O J.O A.5 9.5 9.5 9.5 13.0 14.5 14.5 17.0 17.0 14.5 14.5 17.0 17.0 14.5 14.5 22.0 23.0 24.5 24.5 27.0	CK INTERVALS:  1 Neat ceme m	From.  From.  From.  From.  From.  From.  From.  From.  From.  Interpretation:  Interpretat	ft. to ft	lagoon	Bentonit to.	e 10 Live 11 Fue 12 Fer 13 Inse	om	ft. to ft. to ft. to ft. to ft. to	off. to	ftftftft. well
GRAVEL PA  GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO O J.O A.5 9.5 9.5 9.5 13.0 14.5 14.5 17.0 17.0 19.5 19.5 J2.0 33.0 34.5 37.0 37.0 35.0	CK INTERVALS:  1 Neat ceme m	From  From  From  From  B.  From  Interpretation:  INTHOLOGIC LO  TOPSCI  TOPS	ft. to ft	lagoon	Bentonit to.	10 Live ft., Fr ft., Fr e 10 Live 11 Fue 12 Fer 13 Inse How m	om	14 At 15 Oi H Are	ft. to pandoned water I well/Gas well ther (specify bel Corbox STERVALS	ftftft. well
GRAVEL PA  GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO O J.O A.5 9.5 9.5 9.5 9.5 13.0 13.0 14.5 17.0 17.0 17.0 17.0 17.0 17.0 17.0 17.0	CK INTERVALS:  1 Neat ceme m	From. 8.  From  From  Prom  Samination:  The samination:	ft. to ft	lagoon	Bentonit ft. to.	10 Live 11 Fue 12 Fer 13 Inse How m TO	om	ft. to ft	ft. to pandoned water I well/Gas well ther (specify bel Carbox TERVALS	ft.  ft.  ft.  ft.  ft.  well  low)
GRAVEL PA  GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO Q Q.O A.S 9.5 9.5 9.5 9.5 13.0 13.0 14.5 17.0 17.0 17.0 17.0 18.5 22.0 23.0 24.5 24.5 27.0 27.0 27.0 28.0 29.0 29.0 20.0 20.0 20.0 20.0 20.0 20	CK INTERVALS:  1 Neat ceme m	From  From  From  From  Interpretation  From  Interpretation	ft. to  ft. ft.  ft.	lagoon	Bentonit ft. to.	10 Live 11 Fue 12 Fer 13 Inse How m TO	om	ft. to ft	ft. to pandoned water I well/Gas well ther (specify bel Carbox TERVALS	ft.  ft.  ft.  ft.  ft.  well  low)
GRAVEL PA  GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 2.0 2.5 9.5 9.5 9.5 9.5 13.0 13.0 14.5 17.0 17.0 17.0 17.5 22.0 23.0 24.5 27.0 27.0 33.0  CONTRACTOR'S of completed on (mo/day) Water Well Contractor	CK INTERVALS:  1 Neat ceme m	From  From  From  From  From  Interpretation:  Interpretation	ft. to ft	lagoon di FF	Bentonit  ROM  Constructe  are cord was of	10 Live 11 Fue 12 Fer 13 Inse How m TO	om	ft. to ft	off. to condoned water I well/Gas well ther (specify bel CAPDON TERVALS  er my jurisdiction wiedge and bel 23 9.0	on and was ief. Kansas
GRAVEL PA GROUT MATERIAL Grout Intervals: From Nhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q	CK INTERVALS:  1 Neat ceme m	From  From  From  From  From  Interpretation:  Interpretation	ft. to ft	lagoon d	Bentonit  ROM  constructe  ar  cord was a	10 Live 10 Live 11 Fue 12 Fer 13 Inse How m TO	om	ft. to ft	off. to condoned water I well/Gas well ther (specify bel CAPDON TERVALS  er my jurisdiction wiedge and bel 23 9.0	on and was ief. Kansas