CORRECTION(S) TO WATER WELL RECORD (WWC-5)
(to rectify lacking or incorrect information)
Location listed as: Location listed as:
Location changed to:
Section-Township-Range: 35-T275-K25W 35-T265-R25W
Fraction (1/4 1/4 1/4): SE SE SE SE SE SE
Other changes: Initial statements: Several monitoring wells in Dodge City were
mis-located 6 miles South
Changed to:
Comments:
verification method: WWC5 database and Map Quest website
initials: DM date: June 9, 200
submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

LOCATION OF WA			ER WELL RECORD F		KSA 82a	-1212		
LOCATION OF WA		Fraction	14 SE 14 SE	Section 3	Number	Township		Range Number
stance and direction	n from nearest tow	n or city street	address of well if located	within city?				
VI 2,2	2315 01	FSEB	Ida Corner	at 7/6	8 Si	JECONA	57,	MW-B
WATER WELL OV # St Address Ro	NNEH: SOUTH DX # : P.O.BC	WEST OF	LAND SUPPLY	Co.				
, State, ZIP Code	Oodee	CHEL	WS45 67801				Agriculture, I on Number:	Division of Water Resource
OCATE WELL'S I	OCATION WITHI	4 DEPTH OF		36 m	ELEV/A			
N "X" IN SECTIO	N BOX:	Depth(s) Grour	ndwater Encountered 1.	20	. CLEVA ft 3) (
!	1	WELL'S STATI	C WATER LEVEL . 2.0	.73 ft. below	land sur	face measured o	n mo/dav/vr	2-14-91
NW	NF	Pur	np test data: Well water	was	ft. a	fter	. hours pu	mping
		Est. Yield	gpm: Well water	was	ft. a	fter	. hours pu	mping gpi
w 	E E	Bore Hole Dian	neterin. to.					. to
		1 Domesti		Public water sup		8 Air conditionin	-	Injection well
sw	SE	2 Irrigation		Oil field water s		9 Dewatering	12	Other (Specify below)
		•	l/bacteriological sample su					
		mitted	, , , , , , , , , , , , , , , , , , ,	ommod to Bopan		ter Well Disinfect		No No
PE OF BLANK	CASING USED:		5 Wrought iron	8 Concrete ti				d Clamped
1 Steel	3 RMP (SR	R) .	6 Asbestos-Cement	9 Other (spec	cify belov	v)	Weld	ed
2)PVC	2 ABS	16	7 Fiberglass					aded
	and surface T.		· · · · · . ft., Dia · · · · · · ·	in. to	· · · · · · · ·	ft., Dia		in. to
	R PERFORATION		in., weignt	(P)/c	Ibs./			o <i>.¥0</i>
1 Steel	3 Stainless		5 Fiberglass	8 RMP (S	:R)		bestos-ceme	:nt
2 Brass	4 Galvanize	ed steel	6 Concrete tile	9 ABS	,		one used (op	
	RATION OPENING		5 Gauzeo	wrapped		8 Saw cut		11 None (open hole)
ontinuous slo			6 Wire wi	apped		9 Drilled holes		
2 Louvered shut		y punched	7 Torch o	7/-			-	
EEN-PERFORAT	ED INTERVALS:	From	. 6 ft. to					o
GRAVEL PA	CK INTERVALS:	From	ft. to		ft., Fror	n	ft. to	o
GRAVEL FA	ICK INTERVALS:	From	. 7 ft. to ft. to	· · ∠ Ю	ft., Fror ft., Fror			o
ROUT MATERIAL	L: 1 Neat ce		©Cement grout	3 Bentonite				o f
t Intervals 3 Fro		ft. to ///.	ft From		. O	ft., From .		ft. to
	ource of possible of				10 Livest	ock pens	14 At	pandoned water well
1 Septic tank	4 Latera		7 Pit privy		11 Fuels	storage		il well/Gas well
2 Sewer lines	5 Cess	•	8 Sewage lagoo			zer storage	16 O	ther (specify below)
ion from well?	ver lines 6 Seepa	ige pit	9 Feedyard			icide storage		
M TO		LITHOLOGIC	LOG		How mar		LUGGING IN	NTERVALS
4	SAWAY	CLAY						TILITALO
10	cu	44				\sim $_{\perp}$	1/	^
0 26	5AN	2 0				noul	Varie	incf
						19,100	terl	
						Cour.	,	
						/		of Variance
						Casing	Hey	T Vallance
							<u>-</u>	1
						(or	antei	7
	201000	····	· ·					
L L	L	0.0507:5:5			l_			
ONTRACTOR'S (eted on (mo/day	JH LANDOWNER'	S CERTIFICAT	TON: This water well was	(1) constructed	(2) recoi	nstructed, or (3)	plugged und	er my jurisdiction and wa
	/year)		This Water Wel			a is true to the b	est of my kno	owledge and belief. Kansa
the business na	me of CLAIR	VALLATER	TECHNOLOGY	Hecord was con	npleted c y (signati		7 21	
			FIRMLY and PRINT clearly. Pleas				Sond ton the	enice to Key B
Health and Environm	nent, Bureau of Water, T	Topeka, Kansas 666	20-7320. Telephone: 913-296-5548	5. Send one to WATEI	R WELL OV	VNER and retain one	for your records.	opies to Kansas Department
			······································			9010	0710	ns-77