CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

County:

Location changed to:

Location listed as:	Location changed to:
Section-Township-Range: 27-265-25W	26-265-25W
Fraction (1/4 1/4 1/4):	NE SW SW
Other changes: Initial statements:	
Changed to:	
Comments:	
verification method: Written & legal description and Dodge City 1:24,000 top	ons, city street map, po map initials: Off date: 3/4/20/0

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

		WA	ATER WELL REC	ORD Fo	rm WWC-5	KSA 82a-	1212 ID N	0.		VOBW	3	
1 LOCAT	TION OF WATE		Fraction N.E. 1/4		-Sw 1/2		ction Number	7	p Number	Range Numb	oer E ₩	
Distance a	nd direction f	rom nearest to	wn or city street a	address of w	ell if located v	vithin city?			<u> </u>	1 70		
1108 West Wyatt Earp. Dudge City, ES 2 WATER WELLOWNER: THE MUSKET CORPORATION CMICHAEL KEY)												
2 WATER	ddraes Boy	WER: TITE	M 2621	D CULP	OKHIII	DNCK	MCH HEL	•	f Agricultura	Division of Water Box	00115000	
City, State,	ZIP Code	OKLa	homadi	tu, ox	731		6 ELEVA		tion Number:	Division of Water Res	sources	
3 LOCATE AN "X" IN	WELL'S LO	CATION WITH	4 DEPTH OF C							3 -	ft	
WELL'S STATIC WATER LEVEL 39.22ft. below land surface measured on mo/day/yr												
Pump test data: Well water was												
-	- NW -	- NE	WELL WATER 1 Domestic			ublic water a		8 Air condition 9 Dewatering		Injection well Other (Specify below		
w	1	<u> </u> E	2 Irrigation							pur Extracti		
	i	1							Y	•		
Was a chem				cal/bacteriological sample submitted to l			Department? Yes No				as sub-	
5 TYPE (OF BLANK C	ASING USED:		5 Wrought	iron	8 Concre	ete tile	CASING	JOINTS: Glu	ied Clamped .		
1 Stee		3 RMP (S 4 ABS	R)	6 Asbestos 7 Fiberglas	s-Cement		(specify below		We	ldedreaded		
-			in. to									
•	•		-3.6	in., weiç	ght		_	lbs./ft. Wall thic	kness or gu	age No. Sch. 40.1	NC.	
TYPE OF S		R PERFORATION 3 Stainles		5 Fibergla	ss	7 PV 8 RM	<u>(C.)</u> MP (SR)		10 Asbestos-Cement 11 Other (Specify)			
2 Bras		4 Galvania		6 Concrete		9 AB			12 None used (open hole)			
		ATION OPENII		5 Guazed wrapped 6 Wire wrapped			8 Saw cut			11 None (open ho	le)	
	tinuous slot vered shutter	_	Mill slot) (ey punched		7 Torch	cut		9 Drilled hol 10 Other (spe			ft.	
SCREEN-F	PERFORATE	D INTERVALS		20		40				to		
From												
										to		
6 GROU	IT MATERIA	L: , 1 Nea	it cement	2 Ceme	nt grout	3 Ben	tonite	4 Other				
Grout Inter	vals: From	1 <i>[</i>	t cement ft. to	<i>f</i> t., F	rom	ft. t				ft. to		
	e nearest sou itic tank		ral lines		7 Pit privy			10 Livestock pens14 Abandoned water well11 Fuel storage15 Oil well/Gas well				
	ver lines	5 Cess			8 Sewage la	agoon		zer storage		Other (specify below));	
3 Wat	tertight sewe	r lines 6 See	page pit	9 Feedyard			13 Insecticide storage Xust Site					
Direction from well?				2100			How many feet? TO PLUGGING INTERVALS					
FROM	TO	Concre	LITHOLOGIC	LUG		FROM	ТО		PLUGGING	NIERVALS		
1	5	Clay &	Sound F	11								
5	13	Clay, &	ity, dry									
13	25	Sand,	very fing	totin	2							
25 34.5	34.5	Chus	If mais	t, dens	<u> </u>							
			1141 "	11 4000								
7 CONTR	ACTOR'S O	D I ANDOWNE	D'S CEDTIEICA	TION: This w	untar wall wa	o(1) constr	uotot (0) room	notrusted or //	2) plugged u	nder my jurisdiction a		
completed of	on (mo/day/y	ear) <i>D8//</i>	412003				and this re	cord is true to th	e best of my	nder my jurisdiction a knowledge and belief.	na was Kansas	
Water Well	Contractor's	Licence No 4	394	. 01	This Water \	Well Record	was complete	d on (mo/day/y	NO9,	17/2003	,	
	usiness nam	COLCU	nuo Grea	t Ylains	Sitra			signature)	lugh	MTHMU	W	
and Enviro	nment, Bureau o		ection, 1000 SW Jacks							es to Kansas Department of NER and retain one for your	Health	