KSA 82a-1212 ID No. WATER WELL RECORD Form WWC-5

	0110000		T=			1.6						
1 LOCATION	ON OF WATE		Fraction				ion Number		nip Number	1	Number	
County:	Fc	ord	SW 1/4	SW	½ SE	1/4	25	T	26 s	R	25	w
Distance an	nd direction from	m nearest town	or city street	address of we	Il if located wi	thin city?						\neg
804 E. Tr	rail St., Dod	ge City										
2 WATER	WELL OWNE	R: BNSF R	ailway Co	mpany								
		: 804 E. T		,				Board of	Agriculture, Div	icion of \Mate	ar Decoure	
		Dodge (7901						ISION OF WAR	i Nesouic	,es
City, State,	ZIP Code	ATON WITH	City, NO C	7 00 1			· · · · · · · · · · · · · · · · · · ·	Application	on Number:			
3 AN "X" II	N SECTION B	OX.	DEPTH OF	COMPLETE	D WELL	70	ft. FLF	VATION.				
T	1					N/			ft.	2		o
												" 丑
⊢l ⊩	NW	- NE \\							ured on mo/day			1 111
	i i	. I i	Pu	mp test data:	Well water	was		ft. after	hours p	oumping	gp	
ੂ W –		- ∔ E E	Est. Yield	gpm:	Well water	was		ft. after	hours p	oumping	gp	m IHI
7	1 1		Bore Hole Dia	meter 8	in to	70)	ft. and		n. to		ft. ONLY
	sw	- se	WELL WATER	TO BE USE	DAS: 5 Pu	blic water su	pply	8 Air co	nditioning 1	1 Injection	well	
	i	; I	1 Domes	stic 3 Feed	lot 6 Oil	field water s	supply	9 Dewa	nditioning 1 tering 1	2 Other (Sp	ecify below	w)
♦	i X		2 Irrigatio		trial 7 Lav							
	S	,	•									
		i		ai/bacteriologi	ical sample su	ibmitted to L			No X If yes			is
			submitted				W	ater Well Disi	nfected? Yes	N	lo X	
5 TYPE O	F BLANK CAS	ING USED:		5 Wrou	ght Iron	8 Concre	ete tile	CASING	JOINTS: Glue	ed C	lamped	
1 Ste	eel	3 RMP (S	R)	6 Asbes	stos-Cement	9 Other	(specify belo	ow)	Weld	ded		
2 PV	/C	4 ABS	•	7 Fiber			. , ,	· •	Threa	ded	Flush	\neg
					-							_
Blank casin	ng diameter	<u>Z</u>	in. to	DU ft., C	Dia	in. t	o					. ft.
Casing heig	ght above land	surface	30	in., weight	0	.703	lbs./ft.		ss or gauge No		H. 40	
TYPE OF S	SCREEN OR P	ERFORATION	MATERIAL:			7	PVC	10	Asbestos-ceme	ent		
1 Ste	eel	3 Stainles	s steel	5 Fiber	glass	8	RMP (SR)		Other (specify)			١.
2 Bra	ass	4 Galvania	zed steel	6 Conc	-	9	ABS	12	None used (op	en hole)		
		ION OPENING			5 Gauze				ıt		open hole	a)
	entinuous slot		fill slot		6 Wire w			9 Drilled		, , , , , , , , , ,		´
	uvered shutter				7 Torch							
			(ey punched				_	- 10 Other	(specify)		·	
SCREEN-P	PERFORATED	INTERVALS:	From	50	. ft. to	/0	π.	From	ft.	to	. 	- ^{π.}
			From		ft. to		ft.	From	ft.	to		. ft. 🛮 🗷
GR	AVEL PACK I	NTERVALS:							ft.			
			From		ft. to		ft.	From		to		ft.
6 CROUT	MATERIAL:	1 Neet oo		2 Compat a		2 000	tonito	4 Other C	oncrete			
Grout Interv	vals From	48 ft	t. to	ft. Fro	m	ft. t	<u>o U</u>	ft. F	rom	ft. to _		_ft.
What is the	nearest source	e of possible co	ontamination:				10 Live	stock pens	14 At	pandoned wa	ater well	
1 Se	eptic tank		4 Lateral line	es	7 Pit privy		11 Fuel	storage	15 O	il well/ Gas v	veil	
2 Se	ewer lines		5 Cess pool		8 Sewage I	agoon	12 Fert	ilizer storage	16 O	ther (specify	below)	
3 Wa	atertight sewer	lines	6 Seepage p	oit	9 Feedyard	-		cticide storag			,	
Direction fro	•		F-9- F		,		How man					
FROM	TO	CODE	LITH	OLOGIC LOG	3	FROM	TO	,	PLUGGING I	NTERVALS		
0	29		y Clay			1	1					
29	44		d, fine grai	ned								8
44	49		id, coarse g									
49	53	Cla				†	 					
53	70	Not	Available			1	<u> </u>					$\overline{}$
	1	1.00	71141141516			 						
	·	 										—
	+					+						
						+		 				
	1					-						
						+		-				
								 				
								<u> </u>				
7 CONTR	RACTOR'S OR	LANDOWNER	'S CERTIFICA	ATION: This v	water well was	(1) constru	cted, (2) red	constructed, o	r (3) plugged un	der my jurisd	iction and	was
completed	on (mo/day/yr))	10	/31/06		and th	nis record is	true to the be	est of my knowle	edge and bel	lief. Kansa	as
		icense No.		·		Thic V	Mater Well	Pacoul was A	ompleted on (m	oldaylır)	07/05/0	07
								11011	onigrated on (m	oruayiyi)	31,0010	::
	ousiness name		Geotechr				y (signature		nd Environment,	Duesco relat	1000.0	10/
		ease IIII in bianks Topeka, Kansas									ner, 1000 S	٧٧