

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Ford		NE ¼ SE ¼ SE ¼	34	T 26 S	R 25 E/W
Distance and direction from nearest town or city street address of well if located within city? 705 S. 14th Street, Dodge City, Kansas					
2 WATER WELL OWNER: River Stop					
RR#, St. Address, Box # : 2223 Thompson			Board of Agriculture, Division of Water Resources Application Number:		
City, State, ZIP Code : Dodge City, Kansas 67801					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 18 ft ELEVATION: 2485.73			
<p>N</p> <p>W</p> <p>E</p> <p>S</p>		Depth(s) Groundwater Encountered 1. ft 2. ft 3. ft			
		WELL'S STATIC WATER LEVEL . . . 11.14 . . . ft below land surface measured on mo/day/yr . . . 4/22/98 . . .			
		Pump test data: Well water was . . . NA . . . ft after hours pumping gpm			
		Est. Yield . . NA . . . gpm: Well water was ft after hours pumping gpm			
		Bore Hole Diameter . . . 8 . . . in. to . . . 18 . . . ft, and in. to ft			
TYPE OF BLANK CASING USED:		CASING JOINTS: Glued Clamped			
1 Steel 3 RMP (SR)		5 Wrought iron 8 Concrete tile Welded			
2 PVC 4 ABS		6 Asbestos-Cement 9 Other (specify below) Threaded. <input checked="" type="checkbox"/>			
Blank casing diameter 2 in. to 8 ft, Dia in. to ft, Dia in. to ft		7 Fiberglass			
Casing height above land surface -3.96 in., weight Shc 40 lbs./ft. Wall thickness or gauge No.					
TYPE OF SCREEN OR PERFORATION MATERIAL		7 PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass		8 RMP (SR) 11 Other (specify)			
2 Brass 4 Galvanized steel 6 Concrete tile		9 ABS 12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot 6 Wire wrapped		9 Drilled holes			
2 Louvered shutter 4 Key punched 7 Torch cut		10 Other (specify)			
SCREEN-PERFORATED INTERVALS: From 8 ft to 18 ft, From ft to ft					
GRAVEL PACK INTERVALS: From 7 ft to 18 ft, From ft to ft					
FROM ft to ft, FROM ft to ft					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 0 ft to 5 ft, From 5 ft to 7 ft, From ft to ft					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy		10 Livestock pens 14 Abandoned water well			
2 Sewer lines 5 Cess pool 8 Sewage lagoon		11 Fuel storage 15 Oil well/Gas well			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard		16 Other (specify below) UST Basin			
Direction from well? North How many feet? 80					
LITHOLOGIC LOG					
FROM	TO	PLUGGING INTERVALS			
0	0.5	Asphalt,			
0.5	2	Clay, Dark Brown			
2	10	Sand, Brown			
10	18	Sand, Brown			
MW2 , Tag # 00159056 , Flushmount					
Project Name: River Stop					
GeoCore # 163 , KDHE # O1 029 933					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4/1/98 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 6/1/98 under the business name of GeoCore Services, Inc. by (signature) <i>[Signature]</i>					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					