CORRECTION(S) TO WATER WELL RECORD (WWC-5)

County: Ford

Location listed as:

Section-Township-Range: 26-265-25W 26-265-25W

Fraction (1/4 1/4 1/4): SE NE SW SW E2 NE SW SW

Other changes: Initial statements:

Changed to:

Comments: Located N of Wyatt Earp Blvd., and E, of 11th Ave.

verification method: Phone call to well contractor, city street map,

and Dodge City 1:24,000 topo map.

initials: Alf date: 3/4/2010

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WATER W	ELL PLU	JGGING REC	CORD	Form WW	C-5P	KSA 82a	-1212 ID NO.			
	N OF WATI		action			Number	Township Number	Range Number		
County: F				4 SW 1/4 SW 1		26	T 26 S	25 E W		
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, Global Positioning Systems (GPS) information: Latitude:										
check here		wn or intersection:	II at owner	s address,	Latitude: (in decimal degrees) Longitude: (in decimal degrees)					
Elevation:										
1108 W. Wyatt Earp, Dodge City, KS							84, NAD83,	☐ NAD27		
The Market Comments						Collection Method: ☐ GPS unit (Make/Model:				
		•	oration	Digital Map/Photo, Topographic Map, Land Survey						
	RR#, St. Address, Box #: PO BOX 26210 City, State ZIP Code: Oklahoma City, OK 73126									
City, State ZIP Code: Oklahoma City, OK 73126 Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square > 15 m										
3 MARK WELL'S LOCATION 4 DEPTH OF WELL 48.8 ft.										
WITH AN BOX:	WITH AN "X" IN SECTION BOX: WELL'S STATIC WATER LEVE 44.70 ft									
	N I									
	WELL WAS USED AS: NW NE Domestic Public Water Supply Dewatering Irrigation Oil Field Water Supply Monitoring									
⊢ NW										
$\mid w \mid \longrightarrow$										
'	Industrial Air Conditioning Other MW21									
⊢ sw										
Was a chemical/bacteriological sample submitted to Department? Yes ☐ No ✓										
S 5 TYPE OF BLANK CASING USED:										
Steel RMP (SR) Wrought Fiberglass Other (Specify below) PVC ABS Concrete Tile										
PVC Asbestos-Cement Concrete Tile										
Blank casing diameter 2" in. Was casing pulled? Yes 🗸 No 🗌 If yes, how much 3 Feet										
Casing height above or below land surface in.										
6 GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other										
100										
Grout Plug Intervals: From 3 ft. to 48.8 ft., From ft. to ft., From ft., From ft.										
What is the nearest source of possible contamination:										
Septic tank Seepage pit Fuel Storage Other (specify below)										
Sewe	r lines	Pit pr	ivy	Fertili	zer storage		ust Site			
Sewer lines Watertight sewer lines Lateral lines Pit privy Sewage lagoon Lateral lines Feedyard Feedya										
Cess pool Livestock pens Oil well/Gas well How many feet?										
FROM	TO		NG MATE	ERIALS	FROM	ТО	PLUGGING	MATERIALS		
0	1	Concrete								
1	3	Native Soils			-					
3	48.8	Bentonite Gro	out					MANAZOT		
		-						MW21		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was										
completed on (mo/day/year) 01/12/2010 and this record is true to the best of my knowledge and belief. Kansas Water										
Well Contractor's License No. 594 . This Water Well Record was completed on (mo/day/year) 01/21/2010 under the										
business name of Coranco Great Plains, Inc. by (signature) by (signature)										
INSTRUCTIONS: Use typewriter or ballpoint pen. Please press firmly and print clearly. Please fill in blanks, underline or circle the										
correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW										
Jackson St., St	e. 420, Tope	eka, Kansas 6661	2-1367. To	elephone: 785				nd retain one for your		
records. Visit	us at http://v	www.kdheks.gov	/waterwell	/index.html.						
Check one: White Copy Blue Copy Pink Copy										