		WA	ATER WELL RECO	ORD Form W	WC-5	KSA 82a-1	212 ID N	No. MW-1	1				
1 LOCATION OF WATER WELL: Fraction				Sect	ion Number		Township Number			Range Number			
County: F	ord		SW 1/4	SW 1/4	SE 1/4		26	<u>  T</u>	26	s	R	25	E(W)
		from nearest tovail Street, Dod	wn or city street at Ige City, KS	ddress of well if l	ocated with	in city?							
2 WATER WELL OWNER: Kansas Dept of Health and Environment - BER													
RR#, St. Address, Box # : 1000 SW Jackson, Suite 410  City. State, ZIP Code : Topeka, KS, 66612  Application Number:													
3 LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL													
	N SECTION N		Depth(s) Ground WELL'S STATIC	water Encounter	red 1		f	t. 2		ft. 3	21/2010		ft.
<u> </u>	1	<del></del>		WATER LEVEL  p test data: We									
	1			gpm: We									
-	- NW NE - WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 injection well										-		
	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below										w)		
w	W 1   E 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (10 Monitoring wellMW-1												
-	SW SE   Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr								o/day/yrs	sample : No			
I X I													
E TYPE	S S	CASING USED:		C 186		8 Concret			10. 10.11	TO 01		<u> </u>	
1 Stee		3 RMP (SI		5 Wrought iron 6 Asbestos-Cer			e uie specify belov		ING JOIN	TS: Glued Welde	ed		
(2)PVC	;	4 ABS `	•	7 Fiberglass				·		Threa	adedv	<i>(</i> 	
Blank casis	ng diameter		2in. to	32 ft.,	Dia		in. to		ft., Dia		ir	. to	ft.
Casing hei	ght above la	nd surface	Flush Mou	Int. in., weight				. lbs./ft. Wall	thicknes	s or guage	e NoSc	h 40	
TYPE OF	SCREEN OF	R PERFORATIO			(7)PVC				stos-Cem				
1 Steel 3 Stainless Steel				5 Fiberglass			P (SR)			(Specify)			
2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS 12 None used (open hole)													
Q 14/1/22									ut I holes		11 None	(open h	ole)
	tinuous slot vered shutte		riii siot (ey punched		7 Torch cut	•		10 Other					ft.
				32 #	to 47		# Erom						
SCREEN-PERFORATED INTERVALS:         From												ft	
(	GRAVEL PA	CK INTERVALS	: From	31ft.	to47		ft., From	)		ft. to			ft.
			From	ft.	to	•••••••	ft., From		••••••	ft. to	•••••	•••••••	ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout (3)Bentonite 4 Other													
Grout Inter			ft. to3.1										
What is the		urce of possible					ivestock pens 14 Abandoned water						
1 Septic tank 4 Lateral lines				7 Pit privy			11) Fuel storage				Dil well/Gas well		
2 Sev	ver lines	5 Cess	pool	8 Sewage lagoon		on	12 Fertilizer storage			16 Other (specify below)			
	•	r lines 6 Seep	page pit	9 Feedyard			•						
Direction fr							How mai	ny feet?					
FROM	то		LITHOLOGIC	LOG	F	ROM	то		PLUG	GING IN	rervals	<u>,                                    </u>	
0	1.5	Gravel/Sand											
1.5 9	9	Sandy CLAY											
9	9 47 SAND, Medium to Coarse with Gravel												
									····	· ·			
									,				
.,		Flush mount	waiver for site a	pproved						_			
7 CONTR	ACTOR'S O	R LANDOWNE	R'S CERTIFICATI	ION: This water	well was (1	())construc	cted, (2) rec	onstructed,	or (3) plu	gged und	er my jur	isdiction	and was
completed of	on (mo/day/y	ear) . 4/2 1/20 10	U	·····		- 	and this re	cord is true	to the bes	t of my kn	owledge a	and belief	f. Kansas
			08			Record w				1.1/20.1.0			
			a Environmental					(signature)		M4-1	B		
INSTRUCT	FIONS: Use type	writer or ball point pe	on. PLEASE PRESS FIR oction, 1000 SW Jackson	MLY and PRINT clear	ly. Please fill in a. Kansas 666	blanks, unde	rline or circle the	correct answer	s. Send top t	three copies	to Kandas D	epartment o	f Health
		ach constructed well.		,, ισροπ	, , 000	50 10/0		Don't trib	- WAISH Y	O4414E	www.retain	Sine for you	