WATE	R WEI	L RECORD	Form W	WC-5	Division of Wat	ter Resources App. N	0.	
		OF WATER WELL:	Fraction				Range Number	
Coun	ty: For	1	sw 1/4 sw 1/4 sw				R 25 □E 🗹 W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:								
from nearest town or intersection: If at owner's address, check here								
1 mile west of Dodge City					Flevation: (In decimal degrees)			
					Elevation:			
2 WATER WELL OWNER: Alisia Portillo					Collection Method:			
RR#, Street Address, Box #:					GPS unit (Make/Model:)			
City, State, ZIP Code :					Digital Map/Photo, Topographic Map, Land Survey  Est. Accuracy: <a href="#">St. Accuracy</a> : <a< td=""></a<>			
3 LOCATE WELL								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 200 ft.								
SECT	TION BOX: Depth(s) Groundwater Encountered (1)							
	N WELL'S STATIC WATER LEVEL. 98							
	Pump test data: Well water wasft. after							
EST. YIELD. 50								
W Bore Hole Diameter 9.7/8 in. to .200 ft., and in. to								
Demostration Described Doil Sold mater country Demostration Dother (Specific below)								
SW SE Domestic Feedlot Domestic Specify below)  Irrigation Industrial Domestic-lawn & garden Monitoring well								
Was a chemical/bacteriological sample submitted to Department?  Yes No								
s If yes, mo/day/yr sample was submitted								
1 mile  Water well disinfected? ☑ Yes ☐ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: ✓ Glued ☐ Clamped ☐ Welded ☐ Threaded								
Casing diameter 5 in. to .200 ft., Diameter in. to ft., Diameter in. to ft.								
Casing height above land surface 12 in., Weight lbs./ft., Wall thickness or gauge No. SDR-21								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From 160 ft. to 200 ft., From ft. to ft.								
From								
GRAVEL PACK INTERVALS: From 26 ft. to 130 ft., From 140 ft. to 200 ft.								
From								
Grout Intervals: From 6 ft. to 26 ft., From 130 ft. to 140 ft., From ft. to								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well  Direction from well North ☐ Distance from well175.								
FROM	TO	LITHOLOG	IC LOG	FROM			IGGING INTERVALS	
	4	Caliche	IC ECC	200	Blue shall		GOITO ILVIDICATION	
4	6	Medium sand			2,00 0,101	<b></b>		
6	30	Caliche		1				
30	75	Medium sand						
75	77	Rock						
77	90	Medium and coarse sa	nd					
90	142	Clay						
142	170	Fine sand						
170	190	Fine and medium sand						
190   200   Medium sand								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) 9/24/10 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 805 This Water Well Record was completed on mo/day/year) 10/21/10 under the business name of Southwest Windmill & Water Well Service by (signature)								
INSTRUC	C DUSING	Use typewriter or hall point non	PLEASE PRESS EIDLA	Y and PRINT of	by (Signature)	ks and check the correct	t answers Send three conies	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								