WATER WELL RECORD	Form WW	/C-5			r Resources App. No	0.	
1 LOCATION OF WATER WELL:	Fraction	های مجانب		n Number		Range Number	
County: Ford	1/4 SE 1/4 SE			24		R JS E WW	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here					System (GPS) in		
From Intersection of P.St. + Hwy 50 Bypass, 1/2M.			Latitude: (in decimal degrees) Longitude: (in decimal degrees)				
South.		Elevation:					
				Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: JEST-e- Lopp RR#, Street Address, Box #: 201 Andrew				Collection Method: GPS unit (Make/Model:)			
City, State, ZIP Code : Dodge City, Ks. 67801		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
2 Y 2 C 1 C 1 C 1 C 1 C 1 C 1 C 1 C 1 C 1 C				ccuracy:	3 m, 3-5 m, 3	5-15 m, □ >15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 557 ft.							
SECTION BOX: Depth(s) Ground	Depth(s) Groundwater Encountered (1)						
N WELL'S STATI	WELL'S STATIC WATER LEVEL/32ft. below land surface measured on mo/day/yr8//8						
Pump	Pump test data: Well water was						
W NW NE EST. YIELD	EST. YIELDgpm. Well water wasft. afterhours pumpinggpm Bore Hole Diameter						
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
Irrigation Industrial Domestic-lawn & garden Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted							
water well disinfected? X Yes \(\subseteq \) No							
5 TYPE OF CASING USED: Steel Y PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter in. to							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Cours versoned Torch out Drilled holes None (open hole)							
Louvered shutter							
From ft. to ft. From ft. to ft.							
From							
From ft. to ft. From ft. to ft.							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
Septic tank							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Direction from well Distance from well							
FROM TO LITHOLOG		FROM	TO			JGGING INTERVALS	
0 1 Pop soil		165	176	Med-			
2 80 Tan clay & Calis	he	176	180	Sand	rock		
80 32 Sandrock		180	200	Med-3	. ada		
82 98 Tanclay		200	240		Course San	<u> </u>	
98 100 Sandrock		240	257	Meds Shale	and		
100 111 Tan Sandy Clay		258		Shelle			
128 135 Tanclay							
135 155 Tan Bandy Clay							
155 165 Tan clay				42			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, □ reconstructed, or □ plugged							
under my jurisdiction and was completed on (mo/day/year) S. and this record is true to the best of my knowledge and belief. This Water Well Record was completed on (mo/day/year)							
Kansas Water Well Contractor's License No. This Water Well Record was completed on (morday/year)							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and chock the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health	and Environment, Bureau o	f Water, Geo	logy Section	on, 1000 SW Ja	ackson St., Suite 420,	Topeka, Kansas 66612-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212							