WATER WELL RI		Form WWC-5			sion of Water	1			
Original Record		Change in Well Use			urces App. No		Well ID	N. 1	
1 LOCATION OF WA		Fraction	VENAIS	Sect	ion Number	Township Numb		Number ☐ E ──W	
2 WELL OWNER: La		First: Rio	Stre	eet or Rur	and the second second	where well is located			
Business: Capita	1 Devel	epment	direc	ction from n	earest town or i	ntersection): If at owner	's address, che	ck here:	
Address: 200	W. Beeg	ion Rd.		12	117 0	lecte are.	podge	City, KE	
City: Dodge (Str S	tate: K5 ZIP: 6784	6	10	602 2	lean our	70	(/	
3 LOCATE WELL		OF COMPLETED WE			Latitue	de: N 3749.5	35°(dec	cimal degrees)	
WITH "X" IN SECTION BOX:		undwater Encountered: 1)			Longit	ude: W /000/	15 6 (de	cimal degrees)	
N SECTION BOX:		ft. 3) ft., c			Well ✓ Horizontal Datum: WGS 84 □ NAD 83 □ NAD 27				
	□ balandle	ATIC WATER LEVEL:5	a day you		Source for Latitude/Longitude: GPS (unit make/model: 27REX 30				
	above land surface, measured on (mo-da			r). $5.3.79$ (WAAS enabled? \square Yes \square No))	
	Pump test data: Well water was			Land Survey 1 Topographic Wap				426	
E E	after	hours pumping Well water was		1	☐ On	lline Mapper:	7,8,000	72	
SW SE	after	hours pumping		1		W/20		-	
	T	11 ') [6 Elevat	ion: 2547 ft	Ground Le	evel TOC	
S	Bore Hole Di	iameter:	ft.	and	Source	☐ Land Survey☐ Other			
7 WELL WATER TO	DE HOED 4	in. to	ft.	•		_ Outer	. ,,		
1. Domestic:		8: Public Water Supply: well	ID		10. □ Oil	Field Water Supply: 16	ease		
Household	6. 🔲	Dewatering: how many we	ells?		11. Test H	ole: well ID			
☐ Lawn & Garden		Aquifer Recharge: well ID				sed Uncased (
☐ Livestock 2. ☐ Irrigation		Monitoring: well ID vironmental Remediation:				ermal: how many bores osed Loop Horizont			
3. Feedlot			Vapor Extra		b) Op	en Loop Surface Di	scharge In	j. of Water	
4. Industrial		Recovery	tion			ner (specify):			
Was a chemical/bacter	iological sam	ple submitted to KDHI	E? ☐ Yes	No	If yes, date	sample was submitte	d:		
Water well disinfected?	Yes N	No					. =	7	
8 TYPE OF CASING	USED: ☐ St	eel PVC Other		CASIN	IG JOINTS:	Glued Clamped	d □ Welded [_ Threaded	
Casing diameter 5	in. to	ft., Diameter	in.	11 /6	II., Diame	eter in. to	DPSI		
(asing height above land s	urface		700	IDS /II					
Casing height above land s TYPE OF SCREEN OR	PERFORAT	ION MATERIAL:		IDS./II.	wan inicki	ness or gauge No	U.A.		
TYPE OF SCREEN OR Steel Stair	R PERFORAT	ION MATERIAL: ☐ Fiberglass	PVC		Oth			d to Send	
TYPE OF SCREEN OR ☐ Steel ☐ Stair ☐ Brass ☐ Galv	R PERFORAT nless Steel ranized Steel	ION MATERIAL: ☐ Fiberglass ☐ Concrete tile ☐ I			Oth	er (Specify) <mark>Grigina</mark>	i Returne		
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR	R PERFORAT nless Steel ranized Steel ATION OPEN	ION MATERIAL: Fiberglass 1 1 1 1 1 1 1 1 1	PVC None used	(open hole	☐ Oth	er (Specify) Grigina for Cor	l Returne rection I	ate: 7/9	
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter	C PERFORAT hless Steel ranized Steel ATION OPEN Mill Slot Key Punch	ION MATERIAL: Fiberglass 1 1 1 1 1 1 1 1 1	PVC None used Torch Saw C	(open hole Cut □ D	Other	er (Specify) Grigina for Cor	l Returne rection I	Date: 79	
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE	R PERFORAT hless Steel ranized Steel ATION OPEN Mill Slot Key Punche ED INTERVA	ION MATERIAL: ☐ Fiberglass ☐ Concrete tile ☐ INGS ARE: ☐ Gauze Wrapped ed ☐ Wire Wrapped LS: From	PVC None used Torch Saw C	(open hole Cut □ D fut □ N ft., From .	orilled Holes fone (Open Ho	er (Specify) Grigina for Cor Other (Specify) ble)ft., From	Returne	Date: 79	
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAG	R PERFORAT hless Steel ranized Steel ATION OPEN Mill Slot Key Punch ED INTERVA	ION MATERIAL: ☐ Fiberglass ☐ Concrete tile ☐ ININGS ARE: ☐ Gauze Wrapped ed ☐ Wire Wrapped LS: From ft. to LS: From ft. to	PVC None used Torch Saw C	(open hole Cut D ut N t., From .	rilled Holes fone (Open Ho	er (Specify) Grigina for Cor Other (Specify) ble)ft., From	Returne	Date: 79	
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFORE Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PACE GROUT MATERIA	PERFORAT hless Steel ranized Steel ATION OPEN Mill Slot Key Punche ED INTERVA K INTERVA	ION MATERIAL: ☐ Fiberglass ☐ Concrete tile ☐ ININGS ARE: ☐ Gauze Wrapped ed ☐ Wire Wrapped LS: From ft. to LS: From ft. to	PVC None used Torch Saw C	(open hole Cut D Cut N t., From.	rilled Holes fone (Open Ho	for (Specify) Grigina for Cor Other (Specify) ble) ft, From 72 ft., From	i Returne rection I	Date: 79	
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PACE 9 GROUT MATERIA Grout Intervals: From	PERFORAT hless Steel ranized Steel ATION OPEN Mill Slot Key Punch ED INTERVA KINTERVA L: Neat co	ION MATERIAL: ☐ Fiberglass ☐ Concrete tile ☐ ININGS ARE: ☐ Gauze Wrapped ed ☐ Wire Wrapped LS: From . 2.0 ft. to ement ☐ Cement grout3.0 ft., From	PVC None used Torch Saw C	(open hole Cut D Cut N t., From.	rilled Holes fone (Open Ho	for (Specify) Grigina for Cor Other (Specify) ble) ft, From 72 ft., From	i Returne rection I	Date: 79	
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl	PERFORAT pless Steel ranized Steel ATION OPEN Mill Slot Key Punch ED INTERVA KINTERVA IL: Neat co ft. to contamination	ION MATERIAL: Fiberglass	PVC None used Torch Saw C	(open hole Cut	rilled Holes fone (Open Ho ft. to ther ft., From Livestock Per	for (Specify) Grigina for Cor Other (Specify) ole) ft., From ft. to ft. to	f. to ft.	Date: //q,	
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFORE Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PACE GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines	PERFORAT pless Steel ranized Steel ATION OPEN Mill Slot Key Punch ED INTERVA KINTERVA IL: Neat co ft. to contamination C	ION MATERIAL: Fiberglass	PVC None used Torch Saw C 7.2 f Bentor C ft. to	(open hole Cut	rilled Holes fone (Open Ho for ft. to ft., from Livestock Per Fuel Storage	for (Specify) Grigina for Cor Other (Specify) ole) ft., From ft. to ft. to Insecti Aband	ft. to ft. cide Storage oned Water We	Date: //q,	
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFORE Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PACE GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir	PERFORAT pless Steel ranized Steel ATION OPEN Key Punch ED INTERVA K INTERVA I: Neat co ft. to contamination L contamination Cont	ION MATERIAL: Fiberglass	PVC None used Torch Saw C 7.2 f Bentor O ft. to	(open hole Cut	rilled Holes fone (Open Ho ft. to ther ft., From Livestock Per	for (Specify) Grigina for Cor Other (Specify) ole) ft., From ft. to ft. to Insecti Aband	f. to ft.	Date: 79	
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFORE Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PACE GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir	PERFORAT pless Steel ranized Steel ATION OPEN Mill Slot Key Punch ED INTERVA CK INTERVA IL: Neat co ft. to contamination L Cones S	ION MATERIAL: Fiberglass	PVC None used Torch Saw C 7.2 f Bentor O ft. to	(open hole Cut	rilled Holes fone (Open Ho fi. to fi. to fi. to fi. to ther fi., From Livestock Per Fuel Storage Fertilizer Stor	cer (Specify) Grigina for Cor Other (Specify) ole)	ft. to ft. de Storage oned Water Well/Gas Well	Date: 79	
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify) Direction from well?	PERFORAT pless Steel ranized Steel ATION OPEN Mill Slot Key Punch ED INTERVA KINTERVA II. Neat co ft. to contamination L Cones S	ION MATERIAL: Fiberglass	PVC None used Torch Saw C 7.2 f Bentor O ft. to	(open hole Cut	rilled Holes fone (Open Ho for ft. to ft., From Livestock Per Fuel Storage Fertilizer Storage TO	Other (Specify) Grigina	ft. to ft. cide Storage oned Water Well/Gas Well	Date: 79	
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify) Direction from well? 10 FROM TO	PERFORAT pless Steel ranized Steel ATION OPEN Key Punch ED INTERVA KINTERVA II: Neat co ft. to contamination L Conses S	ION MATERIAL: Fiberglass Concrete tile Concrete tile Fiberglass Fibergla	PVC None used Torch Saw C 7.2 f Bentor O ft. to	(open hole Cut	rilled Holes fone (Open Ho form ft. to ft., From Livestock Per Fuel Storage Fertilizer Storage TO	other (Specify) Other (Specify) ft., From ft. to ft. to Insecti Aband rage Oil We LITHO. LOG (cont.) o	ft. to ft. de Storage oned Water Well/Gas Well	Date: 79	
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify) Direction from well? 10 FROM TO	PERFORAT pless Steel ranized Steel ATION OPEN Key Punch ED INTERVA KINTERVA II: Neat co ft. to contamination L Conses S	ION MATERIAL: Fiberglass	PVC None used Torch Saw C 7.2 f Bentor O ft. to	(open hole Cut	rilled Holes fone (Open Ho for ft. to ft., From Livestock Per Fuel Storage Fertilizer Storage TO	Other (Specify) Grigina	ft. to ft. cide Storage oned Water Well/Gas Well	Date: 79	
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify) Direction from well? 10 FROM TO 9 2 7 2 7 3 4	PERFORAT pless Steel ranized Steel ATION OPEN Key Punch ED INTERVA KINTERVA II: Neat co ft. to contamination L Conses S	ION MATERIAL: Fiberglass Concrete tile Concrete tile Fiberglass Concrete tile Fiberglass Fiber	PVC None used Torch Saw C 7.2 f Bentor O ft. to	(open hole Cut	rilled Holes fone (Open Ho for fl. to fl., from Livestock Per Fuel Storage Fertilizer Storage TO Fl.	other (Specify) Other (Specify) ft., From ft. to ft. to Insecti Aband rage Oil We LITHO. LOG (cont.) o	ft. to ft. cide Storage oned Water Well/Gas Well	Date: 79	
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify) Direction from well? 10 FROM TO 9 27 27 34 34 46 46	PERFORAT pless Steel ranized Steel ATION OPEN Key Punch ED INTERVA KINTERVA II: Neat co ft. to contamination L Conses S	ION MATERIAL: Fiberglass Concrete tile Concrete tile Fiberglass Fibergla	PVC None used Torch Saw C 7.2 f Bentor O ft. to	(open hole Cut	rilled Holes fone (Open Ho form ft. to ft., From Livestock Per Fuel Storage Fertilizer Storage TO	other (Specify) Other (Specify) ft., From ft. to ft. to Insecti Aband rage Oil We LITHO. LOG (cont.) o	ft. to ft. cide Storage oned Water Well/Gas Well	Date: 79	
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify) Direction from well? 10 FROM TO 9 3 7 2 7 3 4 3 4 46 4 5 3	PERFORAT pless Steel ranized Steel ATION OPEN Key Punch ED INTERVA KINTERVA II: Neat co ft. to contamination L Conses S	ION MATERIAL: Fiberglass Concrete tile Concrete tile Fiberglass Concrete tile Fiberglass Fiber	PVC None used Torch Saw C 9.2 f 9.0 f Bentor O ft to Privy Privy From well?	(open hole Cut	rilled Holes fone (Open Ho for fl. to fl., from Livestock Per Fuel Storage Fertilizer Storage TO Fl.	other (Specify) Other (Specify) ft., From ft. to ft. to Insecti Aband rage Oil We LITHO. LOG (cont.) o	ft. to ft. cide Storage oned Water Well/Gas Well	Date: 79	
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify) Direction from well? 10 FROM TO 9 27 27 34 34 46 46 53 58 8	PERFORAT pless Steel ranized Steel ATION OPEN Key Punch ED INTERVA KINTERVA II: Neat co ft. to contamination L Conses S	ION MATERIAL: Fiberglass Concrete tile Concrete tile Fiberglass Concrete tile Fiberglass Fiber	PVC None used Torch Saw C 9.2 f 9.0 f Bentor O ft to Privy Vage Lagoor dyard from well?	(open hole Cut	rilled Holes fone (Open Ho for fl. to fl., from Livestock Per Fuel Storage Fertilizer Storage TO Fl.	other (Specify) Other (Specify) ft., From ft. to ft. to Insecti Aband rage Oil We LITHO. LOG (cont.) o	ft. to ft. cide Storage oned Water Well/Gas Well	Date: 79	
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well? 10 FROM TO 9 27 27 34 34 46 46 53 58 60 60 7/	PERFORAT pless Steel ranized Steel ATION OPEN Key Punch ED INTERVA KINTERVA II: Neat co ft. to contamination L Conses S	ION MATERIAL: Fiberglass Concrete tile	PVC None used Torch Saw C	(open hole Cut	rilled Holes fone (Open Ho for fl. to fl., from Livestock Per Fuel Storage Fertilizer Storage TO Fl.	other (Specify) Other (Specify) ft., From ft. to ft. to Insecti Aband rage Oil We LITHO. LOG (cont.) o	ft. to ft. cide Storage oned Water Well/Gas Well	Date: 79	
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify) Direction from well? 10 FROM TO 9 3 7 2 7 3 4 3 4 46 4 6 5 3 5 8 5 8 60 60 7/ 7 7 7 5	PERFORAT Personal Steel Panized Steel ATION OPEN Mill Slot Key Punch ED INTERVA IL: Neat contamination Cones Some Contamination LI Top Brow Rock Brow Br	ION MATERIAL: Fiberglass Concrete tile	PVC None used Torch Saw C 9.2 f 9.0 f Bentor O ft to Privy rage Lagoor dyard from well?	(open hole Cut	rilled Holes fone (Open Ho	other (Specify) Grigina for Cor Other (Specify) ole) ft., From ft. to ft. to Insecti Aband Aband Tage Oil We Clay Clay	ft. to	Date: 79	
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify) Direction from well? 10 FROM TO 9 27 27 34 34 46 46 53 58 58 60 71 CONTRACTOR'S	PERFORAT pless Steel ranized Steel ATION OPEN Mill Slot Key Punch ED INTERVA IL: Neat co ft. to contamination L Cop Brown Rock Bland	ION MATERIAL: Fiberglass Concrete tile	PVC None used Torch Saw C	(open hole Cut	rilled Holes fone (Open Home fit. to the fit., From the Storage Fertilizer Storage Fertilizer Storage for the fit. To	other (Specify) Other	ft. to	intervals	
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify) Direction from well? 10 FROM TO 9 27 27 34 34 46 46 53 58 58 60 71 CONTRACTOR'S	PERFORAT pless Steel ranized Steel ATION OPEN Mill Slot Key Punch ED INTERVA IL: Neat co ft. to contamination L Cop Brown Rock Bland	ION MATERIAL: Fiberglass Concrete tile	PVC None used Torch Saw C	(open hole Cut	rilled Holes fone (Open Home fit. to the fit., From the Storage Fertilizer Storage Fertilizer Storage for the fit. To	other (Specify) Other	ft. to	intervals	
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify) Direction from well? 10 FROM TO 9 27 27 34 34 46 46 53 53 58 53 5	PERFORAT pless Steel ranized Steel ATION OPEN Mill Slot Key Punch ED INTERVA IL: Neat contamination contamination Brown Rock Sor LANDO and was completed of	ION MATERIAL: Fiberglass Concrete tile	PVC None used Torch Saw C 7.2 f Bentor O ft. to Privy rage Lagoor dyard from well?	(open hole Cut	rilled Holes fone (Open Home of the first to fi	constructed, reces true to the best of mapleted on (mo-day-y	ft. to	intervals	
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify) Direction from well? 10 FROM TO 9 27 27 34 34 46 46 53 58 58 58 58 58 58 58 58 58 58 58 58 58	PERFORAT pless Steel ranized Steel ATION OPEN Mill Slot Key Punch ED INTERVA IL: Neat co ft. to contamination IL Cop Rock Brand Final Brand	ION MATERIAL: Fiberglass Concrete tile	PVC None used Torch Saw C 7.2 f Bentor O ft. to Privy rage Lagoor dyard from well?	(open hole Cut	rilled Holes fone (Open Home of the first to fi	other (Specify) Other (Specify) Insection Aband Tage Oil We Clay Clay Constructed, recess true to the best of manpleted on (mo-day-year) Environment, Bureau of We	ft. to	nte: 79	