KOLAR Document ID: 1502397

WATER WELL RECORD ☐ Original Record ☐ Correction ☐ Change in Well Use					vision of Water ources App. N	Well ID				
1 LOCATION OF W										
County:	TITER WEEL.	1/4 1/4	1/4		ction Number	T S	R DE DW			
county.					reet or Rural Address where well is located (if unknown, distance and					
					irection from nearest town or intersection): If at owner's address, check here:					
Address:										
Address:	_									
City:	State:	ZIP:								
3 LOCATE WELL	4 DEPTH OF	COMPLETED W	ELL:	f	t. 5 Latitu	de.	(decimal degrees)			
WITH "X" IN		Depth(s) Groundwater Encountered: 1)								
SECTION BOX:		ft. 3) ft.,								
IN .		WATER LEVEL: .								
	☐ below land su	rface, measured on (mo-day-	·yr)		GPS (unit make/model:)				
NW NE		rface, measured on (.	(WAAS enabled?				
	_	Vell water was				☐ Land Survey ☐ Topographic Map				
W		hours pumping			☐ Oı	nline Mapper:				
SW SE		Vell water was								
		hours pumping		gpm	6 Elevat	ion :ft	t. Ground Level TOC			
S	Estimated Yield:	er: in. to		ft and		Source: Land Survey GPS Topographic Map				
mile	Dole Hole Dialile	in. to				Other				
7 WELL WATER TO) BE USED AS:			10.						
1. Domestic:		c Water Supply: we	11 ID		10. □ Oil	Field Water Supply: 1	ease			
Household		atering: how many v								
Lawn & Garden		fer Recharge: well I				Geotechnical				
☐ Livestock		itoring: well ID								
2. Irrigation	9. Environ	mental Remediation:	well II)						
3. ☐ Feedlot	☐ Air S	parge	Vapor I	Extraction	b) Open Loop Surface Discharge Inj. of Water					
4. ☐ Industrial	☐ Reco	very 🔲 Inje	ction		13. 🗌 Otl	ner (specify):				
Was a chemical/bacte	riological sample s	submitted to KDH	E ? □	Yes 🗌 No	If yes, date	sample was submitte	ed:			
Water well disinfected:			_	_	• /	1				
		☐ PVC ☐ Other		CASI	NG JOINTS:	□ Glued □ Clampe	d 🗌 Welded 🔲 Threaded			
Casing diameter										
Casing height above land				lbs./ft.		ness or gauge No				
TYPE OF SCREEN O	R PERFORATION	MATERIAL:								
☐ Steel ☐ Stai	nless Steel		PVC		☐ Oth	er (Specify)				
	vanized Steel		None u	sed (open hol	e)					
SCREEN OR PERFOR										
☐ Continuous Slot		☐ Gauze Wrapped					•••••			
Louvered Shutter	☐ Key Punched				None (Open Ho					
SCREEN-PERFORAT										
GRAVEL PA	CK INTERVALS:	From ft. to	<u> </u>	ft., From	ft. to	ft., From	ft. to ft.			
9 GROUT MATERIA										
Grout Intervals: From		ft., From		ft. to	ft., From .	ft. to	ft.			
Nearest source of possib	le contamination:	No potential sourc					-: J- C4			
☐ Septic Tank☐ Sewer Lines	☐ Cess P				Livestock Per Fuel Storage		cide Storage oned Water Well			
☐ Watertight Sewer Li					Fertilizer Stor		ell/Gas Well			
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify) □ Oil Well/Gas Well										
Direction from well? ft.										
10 FROM TO		DLOGIC LOG		FROM			r PLUGGING INTERVALS			
						, , , , ,	-			
				Notes:						
							onstructed, or plugged			
under my jurisdiction a	nd was completed	on (mo-day-year).		and	this record is	s true to the best of m	y knowledge and belief.			
Kansas Water Well Contractor's License No										
under the business name of										
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.										
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										

October 09, 2019

Coranco Great Plains, Inc. Matthew Kralik 141 West 10th / PO Box 23 Wahoo, Nebraska 68066

Email: mkralik@corancogreatplains.com

RE: Project No. 1909DG1276

Matt:

The following is the information requested on a Monitoring Well Site, Dodge City Cooperative Exchange (Pride Ag Resources), Dodge City, Ford County, Kansas.

	North	East	Distance SE Cor.	From S.26	Elev. Top Of Rim or	Elev. Top of PVC	Latitude	Longitude	
Point	Coord.	Coord.	North	West	PK Nail	Pipe	North	West	
SE Corner S.26-T26S-R25W	40000	40000							_
MW1	40648.40	36186.79	648.40	3813.21	2490.72	2490.33	37.75243	100.02784	
MW2	40562.91	36775.72	562.91	3224.28	2487.82	2487.48	37.75222	100.02580	
MW3	40513.72	37410.65	513.79	2589.35	2485.52	2485.16	37.75211	100.02360	
Site BM	40520.72	36149.10	520.72	3850.90	BM Elevation = 2488.70				

BM Description: "

" Square cut on east end of retaining wall at southeast corner of Former Lumbar Yard building.

> MW1 is in the: NW¼ SW¼ SE¼ SW¼ S.26-T26S-R25W MW2 is in the:

NW¼ SE¼ SE¼ SW¼ S.26-T26S-R25W NW¼ SW¼ SW¼ SE¼ S.26-T26S-R25W

If you have any questions, please do not hesitate in giving us a call.

MW3 is in the:

Sincerely,

Tim Sloan, L.S. **SMH CONSULTANTS**