

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: Ford		NE 1/4 SE 1/4 SE 1/4		27		T 26 S		R 25 EW	
Distance and direction from nearest town or city street address of well if located within city?									
Southwest Corner of Paved Parking Lot, 1511 West Wyatt Earp, Dodge City, Kansas									
2 WATER WELL OWNER:		Fina Oil and Chemical Company				MW-8		01948014	
RR#, St. Address, Box # :		P.O. Box 2159				Board of Agriculture, Division of Water Resources			
City, State, ZIP Code :		Dallas, Texas 75221				Application Number:			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 45 ft. ELEVATION: Approx. 1245'							
		Depth(s) Groundwater Encountered 1. 37 ft. 2. ft. 3. ft.							
		WELL'S STATIC WATER LEVEL 38.84 ft. below land surface measured on mo/day/yr 07/01/94							
		Pump test data: Well water was ft. after hours pumping gpm							
		Est. Yield N/A gpm: Well water was ft. after hours pumping gpm							
		Bore Hole Diameter 8.25 in. to ft. and in. to ft.							
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued Clamped							
1 Steel		3 RMP (SR)		6 Asbestos-Cement		9 Other (specify below)		Welded	
2 PVC		4 ABS		7 Fiberglass				Threaded X	
Blank casing diameter 2 in. to 29.5 ft., Dia		in. to ft., Dia in. to ft.							
Casing height above land surface -3 in., weight lbs./ft. Wall thickness or gauge No. Schedule 40									
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement							
1 Steel		3 Stainless steel		5 Fiberglass		8 RMP (SR)		11 Other (specify)	
2 Brass		4 Galvanized steel		6 Concrete tile		9 ABS		12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)							
1 Continuous slot		3 Mill slot		6 Wire wrapped		9 Drilled holes			
2 Louvered shutter		4 Key punched		7 Torch cut		10 Other (specify)			
SCREEN-PERFORATED INTERVALS:		From 29.5 ft. to 44.5 ft., From ft. to ft.							
GRAVEL PACK INTERVALS:		From 28.0 ft. to 44.5 ft., From ft. to ft.							
6 GROUT MATERIAL:		1 Neat cement 2 Cement grout 3 Bentonite 4 Other							
Grout Intervals: From 0 ft. to 26 ft., From 26 ft. to 29.5 ft., From ft. to ft.									
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well							
1 Septic tank		4 Lateral lines		7 Pit privy		11 Fuel storage		15 Oil well/Gas well	
2 Sewer lines		5 Cess pool		8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)	
3 Watertight sewer lines		6 Seepage pit		9 Feedyard		13 Insecticide storage			
Direction from well?		How many feet?							
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
0.0 0.5 Asphalt									
0.5 13.0 Silty Lean Clay, Brown to Light Brown									
13.0 15.0 Silty Sand, Tan to Light Brown, Iron Stain									
15.0 23.0 Fine to Medium Sand, Tan to Light Brown, Trace Gravel									
23.0 38.0 Medium Sand, Trace Gravel, Tan to Light Brown									
38.0 45.0 Medium to Very Coarse Sand, Tan to Light Brown, Some Cobble									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 07/01/94 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 416 This Water Well Record was completed on (mo/day/yr) 8/15/94 under the business name of Terracon Consultants, Inc. by (signature) [Signature]									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.									