		WATER	WELL RECORD	Form W	NC-5	KSA 82	a-1212				
1 LOCATION OF WA	TER WELL:	Fraction				n Number	Tow	nship Number		Range Number	
County: Fon		SW 1/4	SW 1/4	NW 1/4		36	T	26s	R	25 <b>g/w</b> }	
Distance and direction					•						
	theast of the NE			Second A	<u>ve</u>						
2 WATER WELL OV		ert Rostetter									
RP#, St. Address, Bo		South Second					Во	ard of Agricult	ure, Divisio	n of Water Resource	
City, State, ZIP Code	:	ge City, Kans	as					plication Numb			
LOCATE WELL'S L											
AIT X 111 020110	N De	pth(s) Groundwa	iter Encountered	1	<i></i>	ft.	2		ft. 3		
Ŧ	!   WE										
NW	NE									gpm	
										gpm	
* w   -											
2		LL WATER TO		5 Public			8 Air cond		11 Injection		
sw	SE	1 Domestic	3 Feedlot				9 Dewate	ring	12 Other	(Specify below)	
	'	2 Irrigation	4 Industrial							•••••••••••	
<u> </u>			cteriological sample	submitted	to Depa				•	ay/yr sample was sub	
-	<del></del>	ted	144					isinfected? Ye		No X	
5 TYPE OF BLANK			Wrought iron		oncrete					Clamped	
Steel	3 RMP (SR)		Asbestos-Cement		٠.	ecify belo	•			· · · · · · · · · · · · · · · · · · ·	
(2)PVC	4 ABS		Fiberglass							X	
Blank casing diameter											
Casing height above I			., weight		PVC	IDS.	/it. wair thi	ckness or gaug		. <u>a</u> u (	
1 Steel	3 Stainless ste		Fiberglass	_	RMP (	CD)					
2 Brass	4 Galvanized		6 Concrete tile 9 Al			JA)			Other (specify)		
SCREEN OR PERFORATION OPENINGS ARE:			5 Gauzed wrapped			8 Saw cut			11 None (open hole)		
1 Continuous sk	<u> </u>			wrapped			9 Drilled			one (open note)	
2 Louvered shut			7 Toro								
SCREEN-PERFORAT						ft Fro		` ' ' '			
GRAVEL PA											
		From	ft. to							ft.	
6 GROUT MATERIAL			Cement grout	(3)B	entonite	4	Other				
Grout Intervals: Fro	m0ft. 1	io 13	. ft., From	.13	ft. to.	15	: ft., F	From	ft.	to	
What is the nearest so	ource of possible con						stock pens			ned water well	
1 Septic tank 4 Lateral lines			7 Pit privy			(11) Fuel storage			15 Oil well/Gas well		
2 Sewer lines 5 Cess pool			8 Sewage lagoon			12 Fertilizer storage			6 Other (s	specify below)	
3 Watertight sew	er lines 6 Seepage	pit	9 Feedyard			13 Insecticide storage					
Direction from well?	Northwe						ny feet?	350			
FROM TO		ITHOLOGIC LO	G	FROM	vi	ТО		PLUGGIN	IG INTERV	/ALS	
0 6"	Asphalt	- 31									
6" 2	Cly, med brn,	v sity, v sna	y, v r-c grna,								
	damp	d	ed voll box o	1,00							
2 8		rna, well sr	td, yell-brn c	iru —							
0 16	damp	cl-mod amil	, prly srtd, d	amn	<del></del>						
8 16 16 20	Snd, 1-c grid			CU14P	_						
16 20	clrd, frly we		iis, yeri biri	<del></del>	-						
20 32			ly srtd, sbbrn	id-	_						
20 32	subang, yell-		Ty St Cus Subiti	<u>u</u>							
	Subariy, yerr	Dill Cli d									
				·   · · · · - ·	-						
								MW4 - Flu	shmount.		
				۲.							
7 CONTRACTOR'S	OR I ANDOMNIER'S (	CERTIFICATION	· This water wall ::	vac (1) 22-	etruotod	1 (2) 1001	netruoted	or (3) alvaged	under mi	iuriediation and was	
completed on (mo/day/											
completed on (mo/day/ Water Well Contractor'									)-24-94		
water well contractors under the business nar		Services. In		TOIL LIBCOLO		by (signa		Da a	DUI	7	
	pewriter or ball point pen.			lease fill in ble				inswers. Send ton	tree conies "	o Kansas Denartmen	
of Health and Environm	ent, Bureau of Water, Tope	ka, Kansas 66620-00	01. Telephone: 913-296-	-5545. Send or	ne to WAT	ER WELL O	WNER and ret	ain one for your re	cords.	, обранионс	