	311 6= :			WELL RECORD	Form WWC				
→	ON OF WAT Ford	ER WELL:	Fraction NE 1/4	SW 1/4	SE ₄	section Number 27	26		ange Number
County:		from nearest town o					T 20	SR	25 EW)
		Earp, Dodge (ALGO WILLIST CITY				
		NER: Associate)C -				
		* $*$ $*$ $*$ $*$ $*$ $*$ $*$ $*$ $*$		oddcers, III			Doord of Acris	ultura Division	of Water Bossura
		Arlington		05-540			•		of Water Resources
LOCATE		CATION WITH 4	DEPTH OF COI	MPLETED WELL.	69	ft. ELEVA	Application Nu		
īΓ	1 1	De	ELL'S STATIC W	ATER LEVEL	ft	below land su	2	/day/yr	
1 1	1	Est					afterh		
∯ w ├	_!				to 6.9.		and		4.5
≨ ¨	: I	! WE	ELL WATER TO		5 Public w		8 Air conditioning	•	
Ī -	- sw	SE	1 Domestic	3 Feedlot	6 Oil field	water supply	9 Dewatering	12 Other (S	Specify below)
1 1	1	X ·	3	4 Industrial			Monitoring well		The second secon
↓ ∟	1 4	Wa	as a chemical/ba	cteriological sample	e submitted to	Department? Y	esNoX	.; If yes, mo/day	/yr sample was sub-
<u>-</u>	`\$		tted			Wa	ater Well Disinfected?		No
۔ ۔		ASING USED:		Wrought iron					. Clamped
1 Stee		3 RMP (SR)	6	S Asbestos-Cemer		er (specify belo	,		
(2)PV		4 ABS		7 Fiberglass					X
	-						ft., Dia		
				a., weight			/ft. Wall thickness or g	_	n 40
TYPE OF S	SCREEN OF	R PERFORATION M			_	PVC	10 Asbesto		
1 Stee	el	3 Stainless ste	eel 5	Fiberglass	8 1	RMP (SR)	11 Other (specify)	
2 Bras	ISS	4 Galvanized	steel 6	Concrete tile	9 /	ABS	12 None u	sed (open hole))
SCREEN O	OR PERFOR	NATION OPENINGS	ARE:	5 Ga	uzed wrapped		8 Saw cut	11 No	ne (open hole)
1 Con	ntinuous slot	d (3)Mill sl	lot	6 Wir	re wrapped		9 Drilled holes		
2 Lou	vered shutte	er 4 Key p	ounched	7 Tor	rch cut		10 Other (specify) .		<i></i>
SCREEN-P	PERFORATE	D INTERVALS:	F 60						
							om		
		CK INTERVALS:	From 6.9 . From	ft. to ft. to ft. to	47		om	ft. to ft. to ft. to	ft. ft. ft.
6 GROUT	MATERIAL	CK INTERVALS:	From. 6.9 . From 2	ft. toft. to ft. to Cement grout	47	ft., Fro ft., Fro ft., Fro	om	ft. to	
GROUT Grout Interv	MATERIAL vals: Fron	1 Neat cem	From	ft. toft. to ft. to Cement grout	47	ft., Fro ft., Fro ft., Fro ntonite 4	om	ft. to	
GROUT Grout Interv What is the	MATERIAL vals: From	1 Neat cement 47 ft.	From		47	ft., Fro ft., Fro ft., Fro ntonite 4 . to	omomom Otherft., Fromstock pens	ft. to	
GROUT Grout Interv What is the 1 Sep	MATERIAL vals: Fron e nearest so otic tank	CK INTERVALS: 1 Neat cem 1 4.7 ft. ft. ft. ft. ft. ft. ft.	From. 6.9 From ent 2 to 0 tamination: nes	Cement grout ft., From 7 Pit privy	47 (3) Be	ft., Fro ft., Fro ft., Fro ntonite 4 to 10 Lives	om	ft. to	ft. ft. ft. ft. ft. ft. ft. ft. gray fit. gray
GROUT Grout Interv What is the 1 Sep 2 Sew	MATERIAL vals: From e nearest so otic tank wer lines	1 Neat cement 47ft. turce of possible con 4 Lateral lin 5 Cess poo	From. 6.9 From ent 2 to 0.0 stamination: nes	Cement grout ft., From 7 Pit privy 8 Sewage la	3 Bee	ft., Fro ft., Fro ft., Fro ntonite 4 to	om	ft. to	ft. ft. ft. ft. ft. ft. ft. ft. gray fit. gray
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat	MATERIAL vals: From e nearest so otic tank wer lines attertight sewer	CK INTERVALS: 1 Neat cem 1 4.7 ft. ft. ft. ft. ft. ft. ft.	From. 6.9 From ent 2 to 0.0 stamination: nes	Cement grout ft., From 7 Pit privy	3 Bee	ft., Fro ft., Fro ft., Fro ntonite 4 to	Other	ft. to	ft. ft. ft. ft. ft. ft. ft. ft. gray fit. gray
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fre	MATERIAL vals: From e nearest so otic tank wer lines attertight sewiom well?	1 Neat cement	From. 6.9 From ent 2 to 0.0 natamination: nes	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard	3Be ft		Other	ft. to	ft. ft. ft. ft. ft. ft. ft. ft. def water well fias well fias well fiecify below)
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro	MATERIAL vals: From e nearest so otic tank wer lines stertight sew com well?	1 Neat cement 4.7ft. urce of possible con 4 Lateral lin 5 Cess poor er lines 6 Seepage	From. 6.9 From ent 2 to 0.0 stamination: nes	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard	3 Bee	ft., Fro ft., Fro ft., Fro ntonite 4 to	Other	ft. to	ft. ft. ft. ft. ft. ft. ft. ft. def water well fias well fias well fiecify below)
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM 0	MATERIAL vals: From e nearest so otic tank wer lines stertight sew om well? TO .75	CK INTERVALS: 1 Neat cement 47ft. surce of possible con 4 Lateral lin 5 Cess poor er lines 6 Seepage	From 6.9 From 2 to 0.0 natamination: nes of pit	Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3Be ft agoon		Other	ft. to	ft. ft. ft. ft. ft. ft. ft. ft. def water well fias well fias well fiecify below)
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM 0	MATERIAL vals: From e nearest so otic tank wer lines utertight sew om well? TO .75	1 Neat cement 1	From 6.9 From 2 to 0.0 stamination: nes ol pit	Cement grout ft. to ft. to Cement grout ft., From Pit privy 8 Sewage k 9 Feedyard OG	agoon FROM Slight		Other	ft. to	ft. ft. ft. ft. ft. ft. ft. ft. def water well fias well fias well fiecify below)
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM 0 .75	MATERIAL vals: From e nearest so otic tank wer lines atertight sewer to me well?	1 Neat cement 47ft. urce of possible con 4 Lateral lin 5 Cess poor lines 6 Seepage	From 6.9 From ent 2 to 0.0 stamination: nes of pit	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard DG to Dk. Brown Slightly	agoon FROM Slight		Other	ft. to	ft. ft. ft. ft. ft. ft. ft. ft. def water well fias well fias well fiecify below)
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM 0 .75 5	MATERIAL vals: From e nearest so otic tank wer lines atertight sew om well? TO .75 5 10 15	1 Neat cement	From 6.9 From ent 2 to 0.0 namination: nes of pit LITHOLOGIC LO LOAM, Med 13 Frown, Lear 3 Frown, L	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard CG TO Dk. Brow n Slightly n, Moist	agoon FROM Slight		Other	ft. to	ft. ft. ft. ft. ft. ft. ft. ft. def water well fias well fias well fiecify below)
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM 0 .75 5 10	MATERIAL vals: From e nearest so obtic tank wer lines stertight sew com well? TO .75 5 10 15	1 Neat cement 47ft. urce of possible con 4 Lateral lin 5 Cess poor lines 6 Seepage Concrete Silty Clay I Clay, Med. E Clay, Med. E Clay, Med. E	From 6.9 From ent 2 to 0.0 natamination: nes of pit LITHOLOGIC LC Loam, Med 3rown, Lear 3rown, Lear 3rown, Lear	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard to Dk. Brow n Slightly n, Moist n, Moist	agoon FROM Slight		Other	ft. to	ft. ft. ft. ft. ft. ft. ft. ft. def water well fias well fias well fiecify below)
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fr FROM 0 .75 5 10 15	MATERIAL vals: From e nearest so otic tank wer lines stertight sew om well? TO .75 5 10 15 20 25	I Neat cement 47ft. surce of possible con 4 Lateral lin 5 Cess poor er lines 6 Seepage Concrete Silty Clay L Clay, Med. E	From 6.9 From 6.9 From ent 2 to 0.0 stamination: nes of pit LITHOLOGIC LC Med 3 rown, Lear 3 rown, Ver	Cement grout 7 Pit privy 8 Sewage k 9 Feedyard DG to Dk. Brow n Slightly n, Moist n, Moist	agoon FROM n, Slight	tt., Frontonite 4 to	om	ft. to	ft. ft. ft. ft. ft. ft. ft. ft. def water well das well ecify below)
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM 0 .75 5 10 15 20 25	MATERIAL vals: From e nearest so otic tank wer lines utertight sew om well? TO .75 5 10 15 20 25 30	1 Neat cement 47ft. ft. ft. ft. ft. ft. ft. ft. ft.	From. 6.9 From 6.9 From ent 2 to 0.0 stamination: nes of pit LITHOLOGIC LO LOAM, Med Brown, Lead Brown, Lead Brown, Lead Brown, Lead Brown, Lead Brown, Med Brown, Med Brown, Med	Cement grout 7 Pit privy 8 Sewage k 9 Feedyard DG to Dk. Brow n Slightly n, Moist n, Moist y Moist Large grai	agoon FROM n, Slight moist n, Some s	tt., Frontonite 4 to	om	ft. to	ft. ft. ft. ft. ft. ft. ft. ft. def water well das well ecify below)
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM 0 .75 5 10 15 20 25 30	MATERIAL vals: From e nearest so obtic tank wer lines stertight sew om well? TO .75 5 10 15 20 25 30 35	1 Neat cement 47ft. ft. ft. ft. ft. ft. ft. ft. ft.	From. 6.9 From 6.9 From ent 2 to 0.0 stamination: nes of pit LITHOLOGIC LO LOAM, Med Brown, Lead Brown, Lead Brown, Lead Brown, Lead Brown, Lead Brown, Med Brown, Med Brown, Med	Cement grout 7 Pit privy 8 Sewage k 9 Feedyard DG to Dk. Brow n Slightly n, Moist n, Moist y Moist Large grai	agoon FROM n, Slight moist n, Some s	tt., Frontonite 4 to	om	ft. to	ft. ft. ft. ft. ft. ft. ft. ft. def water well das well ecify below)
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM 0 .75 5 10 15 20 25 30 35	MATERIAL vals: From e nearest so otic tank wer lines atertight sew om well? TO .75 5 10 15 20 25 30 35 40	1 Neat cemment 47	From 6.9 From 6.9 From 6.9 From 6.9 From 6.9 From 6.9 From 6.0 Fro	Cement grout ft. to ft. to ft. to Cement grout 7 Pit privy 8 Sewage la 9 Feedyard CG to Dk. Brow n Slightly n, Moist y Moist Large grain , Med, Brow Grain, Med	agoon FROM Slight moist n, Some s n, some s Rrown,	tt., Frontonite 4 to	om	ft. to	ft. ft. ft. ft. ft. ft. ft. ft. def water well das well ecify below)
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM 0 .75 5 10 15 20 25 30 35 40	MATERIAL vals: From e nearest so otic tank wer lines atertight sews tom well? TO .75 5 10 15 20 25 30 35 40 45	I Neat cemment 47ft. ft. ft. ft. ft. ft. ft. ft. ft.	From 6.9 From 6.9 From 6.9 From 6.9 From 6.9 From 6.9 From 6.0 International from 6.0 From 6.	Cement grout ft. to ft. to ft. to ft. to Cement grout 7 Pit privy 8 Sewage la 9 Feedyard CG to Dk. Brow n Slightly n, Moist n, Moist y Moist Large grai , Med, Brow Grain, Med n, Med Brow	agoon FROM n, Slight moist n, Some s n, some s Rrown, n, Grave	tt., Frontonite 4 to	om	ft. to	ft. ft. ft. ft. ft. ft. ft. ft. def water well das well ecify below)
GROUT Grout Interv What is the 1 Sep 2 Sew 3 War Direction fro FROM 0 .75 5 10 15 20 25 30 35 40 45	MATERIAL vals: From e nearest so otic tank wer lines atertight sew om well? TO .75 5 10 15 20 25 30 35 40 45 50	I Neat cement 47	From 6.9 From 6.9 From 6.9 ent 2 to 0.0 ntamination: nes of pit LITHOLOGIC LO LOAM, Med Brown, Lear Brown, Lear Brown, Lear Brown, Lear Brown, Med arge grain n to large Large grain Grain, Med	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard CG to Dk. Brown Slightly n, Moist n, Moist y Moist Large grai , Med, Brow Grain, Med n, Med Brow d. Brown, G	A7 (3) Bee fit agoon FROM n, Slight moist n, Some s n, some s Erown, n, Grave ravel Med	ft., Fronts, F	Other	ft. to	ft. ft. ft. ft. ft. ft. ft. ft. def water well das well ecify below)
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fr FROM 0 .75 5 10 15 20 25 30 35 40 45 50	MATERIAL vals: From e nearest so otic tank wer lines atertight sew om well? TO .75 5 10 15 20 25 30 35 40 45 50 55	I Neat cement 47	From 6.9 From 6.9 From 6.9 From 6.9 From 6.9 From 6.9 From 6.0 Internation: Incomplete for a second for a sec	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard Co Dk. Brown Slightly 1, Moist 1, Moist 2, Med, Brow Grain, Med 1, Brown, G	agoon FROM n, Slight moist n, Some s n, some s n, some s ravel Med ravel Med ravel Med	ft., Frontonite 4 to 10 Lives 11 Fuel 12 Ferti 13 Insee How ma TO 10 Lives 11 Fuel 12 Ferti 13 Insee How ma TO 10 Lives 11 Fuel 12 Ferti 13 Insee How ma TO 10 Lives 11 Fuel 12 Ferti 13 Insee How ma TO 10 Lives 11 Gravel state 11 Lo Large 11 Lo Large 12 Lo Large 15 Lo Large	om Other	ft. to	ft. ft. ft. ft. ft. ft. ft. ft. def water well das well ecify below)
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM 0 .75 5 10 15 20 25 30 35 40 45 50 55	MATERIAL vals: From e nearest so otic tank wer lines atertight sewer om well? TO .75 5 10 15 20 25 30 35 40 45 50 55 60	I Neat cement 47ft. ft. ft. ft. ft. ft. ft. ft. ft.	From 6.9 From 6.9 From 6.9 In	Cement grout ft. to ft. to ft. to ft. to Cement grout 7 Pit privy 8 Sewage la 9 Feedyard CG to Dk. Brown Slightly n, Moist n, Moist y Moist Large grain , Med, Brown Grain, Med n, Med Brown d. Brown, G d. Brown, G d. Brown, G d. Brown, G	agoon FROM TROM TROM	ft., Fronting ft	om Other	ft. to	ft. ft. ft. ft. ft. ft. ft. ft. def water well das well ecify below)
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction for FROM 0 .75 5 10 15 20 25 30 35 40 45 50 55 60	MATERIAL vals: From e nearest so otic tank wer lines atertight sews on well? TO .75 5 10 15 20 25 30 35 40 45 50 55 60 65	I Neat cemment. 47	From 6.9 From 6.9 From 6.9 From 6.9 In a contamination: In a conta	Cement grout ft. to ft. to ft. to ft. to Cement grout 7 Pit privy 8 Sewage la 9 Feedyard CG to Dk. Brow n Slightly n, Moist n, Moist y Moist Large grain , Med, Brow Grain, Med n, Med Brow d. Brown, G	agoon FROM Slight moist n, Some s n, some s Rrown, n, Gravel ravel Med ravel Med ravel Med ravel Med ravel Med	ft., Fronting ft	om Other	ft. to	ft. ft. ft. ft. ft. ft. ft. ft. def water well das well ecify below)
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM 0 .75 5 10 15 20 25 30 35 40 45 50 55 60 65	MATERIAL vals: From e nearest so otic tank wer lines atertight sews terright sews to make the material sews terright sews terrig	I Neat cemment. 47	From 6.9 From 6.9 From 6.9 From 6.9 Interest 2 Ito 0.0 Intamination: Ines Ines Ines Ines Ines Ines Ines Ines	Cement grout ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard CG to Dk. Brow n Slightly n, Moist n, Moist y Moist Large grain , Med, Brow Grain, Med n, Med Brow d. Brown, G	agoon FROM Slight Some s Some s Some s Frown, Gravel Med ravel Med	ft., From the ft	om Other	ft. to	ft. ft. ft. ft. ft. ft. ft. ft.
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM 0 .75 5 10 15 20 25 30 35 40 45 50 55 60 65 7 CONTRA	MATERIAL vals: From e nearest so otic tank wer lines atertight sews to me well? TO .75 5 10 15 20 25 30 35 40 45 50 65 60 65 69	I Neat cement 47	From 6.9 From 6.9 From 6.9 From 6.9 From 6.9 Interest 2 Ito 0.0 Interest 6.9 Intere	Cement grout ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard CG to Dk. Brow n Slightly n, Moist n, Moist y Moist Large grain , Med, Brow Grain, Med n, Med Brow d. Brown, G	agoon FROM Slight Some s Some s Some s Frown, Gravel Med ravel Med	ft., From the ft	om Other	ft. to	ft. ft. ft. ft. ft. ft. ft. ft.
GROUT Grout Interv What is the 1 Sep 2 Sew 3 War Direction fro FROM 0 .75 5 10 15 20 25 30 35 40 45 50 55 60 65 7 CONTR. completed of	MATERIAL vals: From e nearest so otic tank wer lines atertight sew tom well? TO .75 5 10 15 20 25 30 35 40 45 50 65 60 65 69 ACTOR'S Coon (mo/day/day/mo/day/mo/day/mo/day/mo/day/mo/day/mo/day/mo/day/mo/day/mo/da	I Neat cement 47	From 6.9 From 6.9 From 6.9 From 6.9 From 6.9 From 6.9 From 6.0 Internation: Ines Ines Ines Ines Ines Ines Ines Ines	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard Coment grout 7 Pit privy 8 Sewage la 9 Feedyard Coment grout 7 Pit privy 8 Sewage la 9 Feedyard Coment grout 9 Feedyard Coment grown 1 Slightly 1 Moist 1 Moist 2 Moist 2 Moist 3 Med, Brown 6 Grain, Med 6 Med Brown 6 Brown, Gell	agoon FROM Slight Some s Some s Some s Frown, Gravel Med ravel Med	to Large Lar	om Other	ft. to	tribute of the second of the s
GROUT Grout Interv What is the 1 Sep 2 Sew 3 War FROM 0 .75 5 10 15 20 25 30 35 40 45 50 55 60 65 7 CONTR. completed of Water Well	MATERIAL vals: From e nearest so otic tank wer lines atertight sew on well? TO .75 5 10 15 20 25 30 35 40 45 50 65 60 65 69 CACTOR'S Con (mo/day/Contractor's	I Neat cement 47	From 6.9 From 6.9 From 6.9 From 6.9 From 6.9 From 6.9 From 6.0 Intamination: Ines Ines Ines Ines Ines Ines Ines Ines	Cement grout ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard CG to Dk. Brown Slightly n, Moist n, Moist Large grain Med, Brown Grain, Med n, Med Brown d. Brown, G	agoon FROM TROM TROM TROM TROM TROM TROM TROW TROW	to Large Lo La	om Other	ft. to	tribute of the second of the s
GROUT Grout Interv What is the 1 Sep 2 Sew 3 War FROM 0 .75 5 10 15 20 25 30 35 40 45 50 55 60 65 7 CONTR. completed of Water Well	MATERIAL vals: From e nearest so otic tank wer lines atertight sew on well? TO .75 5 10 15 20 25 30 35 40 45 50 65 60 65 69 CACTOR'S Con (mo/day/Contractor's	I Neat cement 47	From 6.9 From 6.9 From 6.9 From 6.9 From 6.9 From 6.9 From 6.0 Intamination: Ines Ines Ines Ines Ines Ines Ines Ines	Cement grout ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard CG to Dk. Brown Slightly n, Moist n, Moist Large grain Med, Brown Grain, Med n, Med Brown d. Brown, G	agoon FROM TROM TROM TROM TROM TROM TROM TROW TROW	to Large Lo La	om Other	ft. to	tribute of the second of the s