

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>For d 029</u>		<u>NE 1/4 SE 1/4 SE 1/4</u>	<u>27</u>	<u>T 26 S</u>	<u>R 25 E</u>
Distance and direction from nearest town or city street address of well if located within city? <u>1510 West Wyatt Earp Blvd Dodge, City KS MW# 15</u>					
2 WATER WELL OWNER: <u>Fina Oil & Chemical Co</u>					
RR#, St. Address, Box # : <u>PO Box 2159</u>			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code : <u>Dallas TX 75221</u>			Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>60</u> ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. <u>40</u> ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL <u>40</u> ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter <u>11 1/4</u> in. to <u>60</u> ft. and in. to ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only <u>X</u> Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No			
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded Blank casing diameter <u>4</u> in. to <u>30</u> ft. Dia. in. to ft. Dia. in. to ft. Casing height above land surface <u>-3</u> in. weight <u>Sched 40</u> lbs./ft. Wall thickness or gauge No.					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot <u>X</u> Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From <u>60</u> ft. to <u>30</u> ft. From ft. to ft.					
GRAVEL PACK INTERVALS: From <u>60</u> ft. to <u>28</u> ft. From ft. to ft.					
6 GROUT MATERIAL:					
Grout Intervals: From <u>27</u> ft. to <u>0.6</u> ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) Direction from well? <u>SW</u> 13 Insecticide storage <u>Abandoned Fuel Storage</u> How many feet? <u>60</u>					
FROM		TO		LITHOLOGIC LOG	
FROM		TO		PLUGGING INTERVALS	
0		6'		Top Soil	
6'		15'		Brn Clay	
15'		35'		Brn Sandy Clay	
35'		40'		Brn Tan Sandy Clay	
40'		60'		FINE TO MEDIAN SAND	
				Saturated at 40'	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>1</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>1-26-95</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>575</u> This Water Well Record was completed on (mo/day/yr) <u>1-27-95</u> under the business name of <u>KURTZ ENVIRONMENTAL SERVICE</u> by (signature) <u>[Signature]</u>					