			M.	kd2-34	19L					-		21	
1 LOCATI	ON OF WAT	TER WELL:	Fraction		VELL RECOR	D Form	WWC-5 Sect	KSA 82 tion Numbe		hip Number	1	Range Nu	mber
County:	For	d	ha	1/4	NW 1/4	SW	1/4	26	1	26 S	R	~	- EW)
Distance a		from nearest to											
Fro	m He	owell,	3miles	<u> 5,</u>	wth, a	£ 60	st,	+11	porth				
2 WATER	R WELL OW	NER: St	eve Hes	SMA	reference		•						
RR#, St.	Address, Bo		. 2	_					Board	d of Agriculture	e, Divisio	n of Water	Resources
City, State	, ZIP Code	:_ <i>O</i> .	odge Ci	17,	£5.6%	801			Appli	cation Numbe	· <u>·</u>		
3 LOCATE	E WELL'S L	OCATION WITH	H 4 DEPTH (OF COM	PLETED WEL	.L	Ø	. ft. ELEV	ATION:				
_ AN A	IN SECTION	N BOX:	Depth(s) Gr	oundwate	er Encountere	d 1,		ft.	2	ft	3		ft.
ī	!		WELL'S ST	ATIC WA	ATER LEVEL	23.	ft. be	elow land s	urface measur	ed on mo/day/	yr		
		- ZE	1	Pump tes	st data: Well	water was		ft.	after	hours	pumping		gpm
	1	1,46							after				
.≘ w L	!		Bore Hole D	iameter.	<i>.].O.</i> ir	n. to		ft.,	and	,	in. to .		
₹ " [x !	!	WELL WAT	ER TO E	BE USED AS:	5 Pul	olic water	r supply	8 Air conditi	-	1 Injecti		
ī L	sw	SF	1 Dome	estic	3 Feedlot				9 Dewaterin			(Specify b	
	1		2 Irriga	tion	4 Industrial	l 7 Lav	vn and g	arden only	10 Monitoring	g well			
↓ L	1	1	Was a chem	ical/bact	eriological san	nple submit	ted to De	partment?	YesN	o.💢; If y	es, mo/d	ay/yr samp	le was sub-
<u>_</u>			mitted					W	ater Well Disi			No	
5 TYPE C	OF BLANK (CASING USED:		5	Wrought iron	8	3 Concre	te tile	CASIN	G JOINTS: GI	ued 💢	Clampe	ed
1 Ste	eel	3 RMP (SR)	6	Asbestos-Cen	nent 9	Other (specify belo	ow)	W	elded		
Q2 PV		4 ABS		a i m	Fiberglass				· · · · · · · · · · · · ·				
	_	\$							ft., Dia .				
•	•	and surface			weight				./ft. Wall thick	ness or gauge	N o	SUKZ	J
		R PERFORATION		.:			7 PV			0 Asbestos-ce			
	1 Steel 3 Stainless steel				_			(SR) 11 Other (specify)					
2 Bra			nized steel	6	6 Concrete tile 9 AB			3		2 None used	•	,	
		RATION OPENI		5 Gauzed wrapped				8 Saw cut 11 None (open hole)					
	ntinuous slo		Mill slot			Wire wrapp	ed		9 Drilled h				
	uvered shutt		Key punched	~		Torch cut				specify)			
SCHEEN-I	PERFORATI	ED INTERVALS							om				
			From	· · · · · · · · · · · · · · · · · · ·	ft.	to	. ,	ft., Fr	om	ft	. to		. i ft.
C	BRAVEL PA	CK INTERVALS		5			?		om	ft	. to		ft.
			From		ft.			ft., Fr			. to		ft.
	MATERIAL		t cement		ement grout		3 Bentor		1 Other				
Grout Inter		n			. ft., From .		ft. t	-	ft., Fro				
		ource of possibl		n:	1			10 Livestock pens 14 Abandoned water well					
	ptic tank		eral lines		7 Pit privy			11 Fuel storage 15 Oil well/Gas well					
	wer lines		ss pool		8 Sewage lagoon			12 Fertilizer storage 16 Other (specify below)					
	-	er lines 6 Sec			9 Feedyard			13 Insecticide storage					
Direction f	TO TO	All aran	LITHOLO	GIC I OC		1 -	ROM	TO How m	any feet? 👆	PLUGGING	INTER	VALS	·
8	6	Dark	Silty				NOW!			, Lodding	INILA	VALO	· · ·
,	60		Sand	op so									
- <i>6</i> -		med.	3476										
							· · · · · · · · · · · · · · · · · · ·						
				7976.178.01									
											,		
													<u> </u>
													·
			4										niver in

7 00:	1	D I AND CO.	EDIO 0555										
		OR LANDOWN	ER'S CERTIFIC	CATION:		-							
-	on (mo/day/	• •		•					ord is true to t			_	er. Kansas
		s License No.	5.33	• .		ter Well Re	cord was	•	on (mo/day/y		5	>	
	business na		nteen W			Kefail		by (sign	<u></u>				
		pewriter or ball point tent. Bureau of Water								wers send top mi		to Kansas De	partment